

Pesticide monitoring 2013 Greece on September 22, 2014 at 03:27:57 PM
Table A0: Summary of samples taken in 2013 by product class

<i>Samples</i>	<i>Total</i>	<i>Without Residues</i>		<i>With residues below MRL</i>		<i>Exceeding MRL</i>		<i>Non Compliant</i>	
				<i>%</i>		<i>%</i>		<i>%</i>	
Animal products	26	26	100%	0	0.0%	0	0.0%	0	0.0%
Baby food	19	18	95%	0	0.0%	1	5.3%	0	0.0%
Cereals	35	33	94%	2	5.7%	0	0.0%	0	0.0%
Processed products	343	286	83%	57	17%	0	0.0%	0	0.0%
Sum of fruits and nuts, vegetables, other plant products	1938	1286	66%	591	30%	61	3.1%	42	2.2%
	2361	1649	70%	650	28%	62	2.6%	42	1.8%

Totals for Cereals, Sum (fruit, vegetables, other plant origin) and Animal products are for unprocessed commodities

Strategy=Enforcement

<i>Origin</i>	<i>Samples</i>	<i>Samples %</i>	<i>Exceeding MRL</i>	<i>Exceeding MRL %</i>	<i>Non Compliant</i>	<i>Non Compliant %</i>
Domestic	54	2.3%	9	17%	7	13%
TC	37	1.6%	0	.00%	0	.00%

Strategy=Surveillance

<i>Origin</i>	<i>Samples</i>	<i>Samples %</i>	<i>Exceeding MRL</i>	<i>Exceeding MRL %</i>	<i>Non Compliant</i>	<i>Non Compliant %</i>
Domestic	2013	85%	46	2.3%	32	1.6%
EEA	38	1.6%	0	.00%	0	.00%
TC	176	7.5%	6	3.4%	3	1.7%
UNK	43	1.8%	1	2.3%	0	.00%

Pesticide monitoring 2013 Greece on September 22, 2014 at 03:27:57 PM
Table A1-a: Exceedence of MRL, number of samples exceeding MRL and percentage of samples below the MRL
Part (a) - Variables related to the origin of samples

Strategy=Enforcement

Product Class	Product	Total			Domestic			EEA			Third Country		
		Ex	%		Ex	%		Ex	%		Ex	%	
Cereals	Rice	1	0	100	1	0	100	0	0	.	0	0	.
Cereals		1	0	100	1	0	100	0	0	.	0	0	.
Fruits and nuts	Apples	14	0	100	14	0	100	0	0	.	0	0	.
	Apricots	4	0	100	4	0	100	0	0	.	0	0	.
	Cherries	3	0	100	3	0	100	0	0	.	0	0	.
	Grapefruit	1	0	100	1	0	100	0	0	.	0	0	.
	Kiwi	1	0	100	1	0	100	0	0	.	0	0	.
	Oranges	1	0	100	1	0	100	0	0	.	0	0	.
	Other citrus fruits	10	0	100	0	0	.	0	0	.	10	0	100
	Peaches	2	2	0	2	2	0	0	0	.	0	0	.
	Pears	1	0	100	1	0	100	0	0	.	0	0	.
	Quinces	1	0	100	1	0	100	0	0	.	0	0	.
	Table and Wine grapes	1	0	100	1	0	100	0	0	.	0	0	.
	Table olives	1	0	100	1	0	100	0	0	.	0	0	.
	Wine grapes	1	0	100	1	0	100	0	0	.	0	0	.
Fruits and nuts		41	2	95.1	31	2	93.5	0	0	.	10	0	100
Other plant products	Coriander seed	1	0	100	0	0	.	0	0	.	1	0	100
	Tea	3	0	100	0	0	.	0	0	.	3	0	100
Other plant products		4	0	100	0	0	.	0	0	.	4	0	100
Vegetables	Beans (with pods)	3	0	100	2	0	100	0	0	.	1	0	100
	Celery leaves	1	0	100	1	0	100	0	0	.	0	0	.
	Cucumbers	1	0	100	1	0	100	0	0	.	0	0	.
	Fresh Herbs	2	0	100	2	0	100	0	0	.	0	0	.
	Leek	1	1	0	1	1	0	0	0	.	0	0	.
	Lettuce	1	0	100	1	0	100	0	0	.	0	0	.
	Onions	1	0	100	1	0	100	0	0	.	0	0	.
	Peppers	24	1	95.8	5	1	80	0	0	.	19	0	100

Ex = number of samples above MRL; % = percentage of samples below MRL
Figures in bold are subtotals and totals for product groups

Pesticide monitoring 2013 Greece on September 22, 2014 at 03:27:57 PM
Table A1-a: Exceedence of MRL, number of samples exceeding MRL and percentage of samples below the MRL
Part (a) - Variables related to the origin of samples

Strategy=Enforcement

<i>Product Class</i>	<i>Product</i>	<i>Total</i>			<i>Domestic</i>			<i>EEA</i>			<i>Third Country</i>		
		<i>Ex</i>	<i>%</i>	<i>%</i>	<i>Ex</i>	<i>%</i>	<i>%</i>	<i>Ex</i>	<i>%</i>	<i>%</i>	<i>Ex</i>	<i>%</i>	
	Potatoes	6	5	16.7	6	5	16.7	0	0	.	0	0	.
	Spinach and similar (leaves)	1	0	100	1	0	100	0	0	.	0	0	.
	Tomatoes	2	0	100	0	0	.	0	0	.	2	0	100
	Vine leaves (grape leaves)	2	0	100	1	0	100	0	0	.	1	0	100
Vegetables		45	7	84.4	22	7	68.2	0	0	.	23	0	100
		91	9	90.1	54	9	83.3	0	0	.	37	0	100

Ex = number of samples above MRL; % = percentage of samples below MRL
Figures in bold are subtotals and totals for product groups

Table A1-a: Exceedence of MRL, number of samples exceeding MRL and percentage of samples below the MRL
Part (a) - Variables related to the origin of samples

Strategy=Surveillance

Product Class	Product	Total			Domestic			EEA			Third Country		
		Ex	%		Ex	%		Ex	%		Ex	%	
Animal products	Dairy products Cattle	15	0	100	15	0	100	0	0	.	0	0	.
	Honey	10	0	100	10	0	100	0	0	.	0	0	.
	Swine Meat	15	0	100	11	0	100	2	0	100	0	0	.
Animal products		40	0	100	36	0	100	2	0	100	0	0	.
Baby food	Baby food for infants and young children	11	0	100	6	0	100	5	0	100	0	0	.
	Processed cereal-based baby foods	8	1	87.5	7	1	85.7	0	0	.	1	0	100
Baby food		19	1	94.7	13	1	92.3	5	0	100	1	0	100
Cereals	Oats	7	0	100	2	0	100	5	0	100	0	0	.
	Other cereals	1	0	100	0	0	.	0	0	.	1	0	100
	Rice	27	0	100	25	0	100	0	0	.	1	0	100
	Rye	1	0	100	0	0	.	1	0	100	0	0	.
	Wheat	27	0	100	27	0	100	0	0	.	0	0	.
Cereals		63	0	100	54	0	100	6	0	100	2	0	100
Fruits and nuts	Almonds	3	0	100	3	0	100	0	0	.	0	0	.
	Apples	102	1	99	91	1	98.9	4	0	100	7	0	100
	Apricots	45	0	100	43	0	100	0	0	.	0	0	.
	Bananas	30	0	100	4	0	100	0	0	.	23	0	100
	Cherries	60	0	100	58	0	100	0	0	.	0	0	.
	Figs	11	0	100	10	0	100	0	0	.	0	0	.
	Grapefruit	17	0	100	14	0	100	0	0	.	3	0	100
	Kiwi	47	1	97.9	41	1	97.6	0	0	.	4	0	100
	Lemons	26	1	96.2	18	0	100	1	0	100	7	1	85.7
	Mandarins	31	0	100	29	0	100	0	0	.	2	0	100
	Oranges	69	3	95.7	61	3	95.1	1	0	100	7	0	100
	Peaches	75	2	97.3	73	2	97.3	0	0	.	0	0	.
	Pears	75	3	96	55	3	94.5	5	0	100	15	0	100
Pecans	1	0	100	1	0	100	0	0	.	0	0	.	

Ex = number of samples above MRL; % = percentage of samples below MRL
Figures in bold are subtotals and totals for product groups

Pesticide monitoring 2013 Greece on September 22, 2014 at 03:27:57 PM
Table A1-a: Exceedence of MRL, number of samples exceeding MRL and percentage of samples below the MRL
Part (a) - Variables related to the origin of samples

Strategy=Surveillance

Product Class	Product	Total			Domestic			EEA			Third Country		
		Ex	%		Ex	%		Ex	%		Ex	%	
	Pineapples	1	0	100	0	0	.	0	0	.	1	0	100
	Pistachios	1	0	100	1	0	100	0	0	.	0	0	.
	Plums	21	0	100	15	0	100	0	0	.	5	0	100
	Pomegranate	12	0	100	12	0	100	0	0	.	0	0	.
	Strawberries	43	1	97.7	40	1	97.5	1	0	100	1	0	100
	Table and Wine grapes	17	0	100	17	0	100	0	0	.	0	0	.
	Table grapes	75	0	100	71	0	100	1	0	100	2	0	100
	Table olives	16	0	100	16	0	100	0	0	.	0	0	.
	Walnuts	1	0	100	1	0	100	0	0	.	0	0	.
	Wine grapes	51	1	98	51	1	98	0	0	.	0	0	.
Fruits and nuts		830	13	98.4	725	12	98.3	13	0	100	77	1	98.7
Other plant products	Beans (dry)	7	0	100	7	0	100	0	0	.	0	0	.
	Capers	1	0	100	0	0	.	0	0	.	1	0	100
	Lentils (dry)	7	0	100	5	0	100	0	0	.	0	0	.
	Olives for oil production	234	0	100	234	0	100	0	0	.	0	0	.
	Other pulses, dry	6	1	83.3	2	0	100	0	0	.	4	1	75
	Other spices: Bark	1	1	0	1	1	0	0	0	.	0	0	.
	Peas (dry)	2	0	100	1	0	100	0	0	.	1	0	100
	Pepper, black and white	2	0	100	1	0	100	1	0	100	0	0	.
	Pumpkin seeds	1	0	100	1	0	100	0	0	.	0	0	.
	Sunflower seed	1	1	0	1	1	0	0	0	.	0	0	.
Other plant products		262	3	98.9	253	2	99.2	1	0	100	6	1	83.3
Vegetables	Asparagus	23	0	100	22	0	100	0	0	.	1	0	100
	Aubergines (egg plants)	64	0	100	58	0	100	0	0	.	2	0	100
	Basil	1	1	0	0	0	.	0	0	.	1	1	0
	Beans (with pods)	49	3	93.9	47	3	93.6	0	0	.	0	0	.
	Beetroot	3	0	100	1	0	100	0	0	.	2	0	100

Ex = number of samples above MRL; % = percentage of samples below MRL
Figures in bold are subtotals and totals for product groups

Pesticide monitoring 2013 Greece on September 22, 2014 at 03:27:57 PM
Table A1-a: Exceedence of MRL, number of samples exceeding MRL and percentage of samples below the MRL
Part (a) - Variables related to the origin of samples

Strategy=Surveillance

<i>Product Class</i>	<i>Product</i>	<i>Total</i>			<i>Domestic</i>			<i>EEA</i>			<i>Third Country</i>		
		<i>Ex</i>	<i>%</i>		<i>Ex</i>	<i>%</i>		<i>Ex</i>	<i>%</i>		<i>Ex</i>	<i>%</i>	
	Broccoli	11	0	100	10	0	100	0	0	.	1	0	100
	Carrots	26	2	92.3	21	2	90.5	4	0	100	1	0	100
	Cauliflower	12	0	100	11	0	100	0	0	.	1	0	100
	Celery	1	1	0	1	1	0	0	0	.	0	0	.
	Celery leaves	1	0	100	1	0	100	0	0	.	0	0	.
	Courgettes	68	1	98.5	60	0	100	0	0	.	7	1	85.7
	Cucumbers	97	0	100	90	0	100	0	0	.	4	0	100
	Head cabbage	19	0	100	19	0	100	0	0	.	0	0	.
	Leek	18	1	94.4	16	1	93.8	0	0	.	2	0	100
	Lentils (fresh)	1	0	100	0	0	.	0	0	.	1	0	100
	Lettuce	67	3	95.5	66	3	95.5	0	0	.	0	0	.
	Lettuce and other salad plants, including Brassica	30	0	100	29	0	100	0	0	.	0	0	.
	Melons	47	1	97.9	45	1	97.8	0	0	.	0	0	.
	Okra, ladys fingers	12	0	100	12	0	100	0	0	.	0	0	.
	Onions	16	0	100	13	0	100	0	0	.	3	0	100
	Other kind of lettuce and other salad plants, including Brassicacea	1	0	100	1	0	100	0	0	.	0	0	.
	Parsley	6	2	66.7	6	2	66.7	0	0	.	0	0	.
	Peas (with pods)	4	0	100	4	0	100	0	0	.	0	0	.
	Peas (without pods)	26	1	96.2	21	1	95.2	1	0	100	4	0	100
	Peppers	81	3	96.3	67	3	95.5	0	0	.	11	0	100
	Potatoes	100	4	96	69	3	95.7	1	0	100	29	0	100
	Pumpkins	10	0	100	10	0	100	0	0	.	0	0	.
	Rocket, Rucola	5	0	100	4	0	100	1	0	100	0	0	.
	Spinach	37	2	94.6	37	2	94.6	0	0	.	0	0	.
	Spinach and similar (leaves)	37	2	94.6	35	2	94.3	0	0	.	2	0	100
	Tomatoes	120	1	99.2	103	1	99	3	0	100	10	0	100
	Vine leaves (grape leaves)	29	8	72.4	20	6	70	1	0	100	8	2	75

Ex = number of samples above MRL; % = percentage of samples below MRL
Figures in bold are subtotals and totals for product groups

Pesticide monitoring 2013 Greece on September 22, 2014 at 03:27:57 PM
Table A1-a: Exceedence of MRL, number of samples exceeding MRL and percentage of samples below the MRL
Part (a) - Variables related to the origin of samples

Strategy=Surveillance

<i>Product Class</i>	<i>Product</i>	<i>Total</i>			<i>Domestic</i>			<i>EEA</i>			<i>Third Country</i>		
		<i>Ex</i>	<i>%</i>	<i>%</i>	<i>Ex</i>	<i>%</i>	<i>%</i>	<i>Ex</i>	<i>%</i>	<i>%</i>	<i>Ex</i>	<i>%</i>	
	Watermelons	34	0	100	33	0	100	0	0	.	0	0	.
Vegetables		1056	36	96.6	932	31	96.7	11	0	100	90	4	95.6
		2270	53	97.7	2013	46	97.7	38	0	100	176	6	96.6

Ex = number of samples above MRL; % = percentage of samples below MRL
Figures in bold are subtotals and totals for product groups

Pesticide monitoring 2013 Greece on September 22, 2014 at 03:27:57 PM
Table A1-b: Exceedence of MRL, number of samples exceeding MRL and percentage of samples below the MRL
part (b) - Variables related to the type of production and the samples processing

Strategy=Enforcement

Product Class	Product	Organic			Non Organic			Raw			Process		
		Ex	%		Ex	%		Ex	%		Ex	%	
Cereals	Rice	0	0	.	1	0	100	0	0	.	1	0	100
Cereals		0	0	.	1	0	100	0	0	.	1	0	100
Fruits and nuts	Apples	0	0	.	14	0	100	14	0	100	0	0	.
	Apricots	0	0	.	4	0	100	4	0	100	0	0	.
	Cherries	0	0	.	3	0	100	3	0	100	0	0	.
	Grapefruit	0	0	.	1	0	100	1	0	100	0	0	.
	Kiwi	0	0	.	1	0	100	1	0	100	0	0	.
	Oranges	0	0	.	1	0	100	1	0	100	0	0	.
	Other citrus fruits	0	0	.	10	0	100	10	0	100	0	0	.
	Peaches	0	0	.	2	2	0	2	2	0	0	0	.
	Pears	0	0	.	1	0	100	1	0	100	0	0	.
	Quinces	0	0	.	1	0	100	1	0	100	0	0	.
	Table and Wine grapes	0	0	.	1	0	100	1	0	100	0	0	.
	Table olives	0	0	.	1	0	100	1	0	100	0	0	.
	Wine grapes	0	0	.	1	0	100	1	0	100	0	0	.
Fruits and nuts		0	0	.	41	2	95.1	41	2	95.1	0	0	.
Other plant products	Coriander seed	0	0	.	1	0	100	0	0	.	1	0	100
	Tea	0	0	.	3	0	100	3	0	100	0	0	.
Other plant products		0	0	.	4	0	100	3	0	100	1	0	100
Vegetables	Beans (with pods)	0	0	.	3	0	100	3	0	100	0	0	.
	Celery leaves	0	0	.	1	0	100	1	0	100	0	0	.
	Cucumbers	0	0	.	1	0	100	1	0	100	0	0	.
	Fresh Herbs	2	0	100	0	0	.	2	0	100	0	0	.
	Leek	0	0	.	1	1	0	1	1	0	0	0	.
	Lettuce	0	0	.	1	0	100	1	0	100	0	0	.
	Onions	0	0	.	1	0	100	1	0	100	0	0	.
	Peppers	0	0	.	24	1	95.8	24	1	95.8	0	0	.

Ex = number of samples above MRL; % = percentage of samples below MRL
Figures in bold are subtotals and totals for product groups

Pesticide monitoring 2013 Greece on September 22, 2014 at 03:27:57 PM
Table A1-b: Exceedence of MRL, number of samples exceeding MRL and percentage of samples below the MRL
part (b) - Variables related to the type of production and the samples processing

Strategy=Enforcement

<i>Product Class</i>	<i>Product</i>	<i>Organic</i>			<i>Non</i>			<i>Raw</i>			<i>Process</i>		
		<i>Ex</i>	<i>%</i>	<i>%</i>	<i>Ex</i>	<i>%</i>	<i>%</i>	<i>Ex</i>	<i>%</i>	<i>%</i>	<i>Ex</i>	<i>%</i>	
	Potatoes	0	0	.	6	5	16.7	6	5	16.7	0	0	.
	Spinach and similar (leaves)	0	0	.	1	0	100	1	0	100	0	0	.
	Tomatoes	0	0	.	2	0	100	2	0	100	0	0	.
	Vine leaves (grape leaves)	0	0	.	2	0	100	0	0	.	2	0	100
Vegetables		2	0	100	43	7	83.7	43	7	83.7	2	0	100
		2	0	100	89	9	89.9	87	9	89.7	4	0	100

Ex = number of samples above MRL; % = percentage of samples below MRL
Figures in bold are subtotals and totals for product groups

**Table A1-b: Exceedence of MRL, number of samples exceeding MRL and percentage of samples below the MRL
part (b) - Variables related to the type of production and the samples processing**

Strategy=Surveillance

Product Class	Product	Organic			Non Organic			Raw			Process		
		Ex	%		Ex	%		Ex	%		Ex	%	
Animal products	Dairy products Cattle	0	0	.	15	0	100	1	0	100	14	0	100
	Honey	0	0	.	10	0	100	10	0	100	0	0	.
	Swine Meat	0	0	.	15	0	100	15	0	100	0	0	.
Animal products		0	0	.	40	0	100	26	0	100	14	0	100
Baby food	Baby food for infants and young children	0	0	.	11	0	100	2	0	100	9	0	100
	Processed cereal-based baby foods	0	0	.	8	1	87.5	0	0	.	8	1	87.5
Baby food		0	0	.	19	1	94.7	2	0	100	17	1	94.1
Cereals	Oats	1	0	100	6	0	100	1	0	100	6	0	100
	Other cereals	0	0	.	1	0	100	1	0	100	0	0	.
	Rice	0	0	.	27	0	100	23	0	100	4	0	100
	Rye	1	0	100	0	0	.	1	0	100	0	0	.
	Wheat	2	0	100	25	0	100	9	0	100	18	0	100
Cereals		4	0	100	59	0	100	35	0	100	28	0	100
Fruits and nuts	Almonds	0	0	.	3	0	100	3	0	100	0	0	.
	Apples	6	0	100	96	1	99	102	1	99	0	0	.
	Apricots	1	0	100	44	0	100	45	0	100	0	0	.
	Bananas	1	0	100	29	0	100	30	0	100	0	0	.
	Cherries	1	0	100	59	0	100	60	0	100	0	0	.
	Figs	0	0	.	11	0	100	10	0	100	1	0	100
	Grapefruit	0	0	.	17	0	100	17	0	100	0	0	.
	Kiwi	2	0	100	45	1	97.8	47	1	97.9	0	0	.
	Lemons	1	0	100	25	1	96	26	1	96.2	0	0	.
	Mandarins	1	0	100	30	0	100	31	0	100	0	0	.
	Oranges	3	0	100	66	3	95.5	55	3	94.5	14	0	100
	Peaches	2	0	100	73	2	97.3	75	2	97.3	0	0	.
	Pears	5	0	100	70	3	95.7	75	3	96	0	0	.
	Pecans	0	0	.	1	0	100	1	0	100	0	0	.

**Ex = number of samples above MRL; % = percentage of samples below MRL
Figures in bold are subtotals and totals for product groups**

Pesticide monitoring 2013 Greece on September 22, 2014 at 03:27:57 PM
Table A1-b: Exceedence of MRL, number of samples exceeding MRL and percentage of samples below the MRL
part (b) - Variables related to the type of production and the samples processing

Strategy=Surveillance

Product Class	Product	Organic			Non Organic			Raw			Process		
		Ex	%		Ex	%		Ex	%		Ex	%	
	Pineapples	0	0	.	1	0	100	1	0	100	0	0	.
	Pistachios	0	0	.	1	0	100	1	0	100	0	0	.
	Plums	1	0	100	20	0	100	18	0	100	3	0	100
	Pomegranate	0	0	.	12	0	100	9	0	100	3	0	100
	Strawberries	2	0	100	41	1	97.6	43	1	97.7	0	0	.
	Table and Wine grapes	0	0	.	17	0	100	17	0	100	0	0	.
	Table grapes	4	0	100	71	0	100	71	0	100	4	0	100
	Table olives	0	0	.	16	0	100	16	0	100	0	0	.
	Walnuts	0	0	.	1	0	100	1	0	100	0	0	.
	Wine grapes	10	0	100	41	1	97.6	16	1	93.8	35	0	100
Fruits and nuts		40	0	100	790	13	98.4	770	13	98.3	60	0	100
Other plant products	Beans (dry)	1	0	100	6	0	100	7	0	100	0	0	.
	Capers	0	0	.	1	0	100	1	0	100	0	0	.
	Lentils (dry)	1	0	100	6	0	100	7	0	100	0	0	.
	Olives for oil production	1	0	100	233	0	100	0	0	.	234	0	100
	Other pulses, dry	0	0	.	6	1	83.3	6	1	83.3	0	0	.
	Other spices: Bark	0	0	.	1	1	0	1	1	0	0	0	.
	Peas (dry)	0	0	.	2	0	100	2	0	100	0	0	.
	Pepper, black and white	2	0	100	0	0	.	2	0	100	0	0	.
	Pumpkin seeds	0	0	.	1	0	100	1	0	100	0	0	.
	Sunflower seed	0	0	.	1	1	0	1	1	0	0	0	.
Other plant products		5	0	100	257	3	98.8	28	3	89.3	234	0	100
Vegetables	Asparagus	0	0	.	23	0	100	23	0	100	0	0	.
	Aubergines (egg plants)	0	0	.	64	0	100	64	0	100	0	0	.
	Basil	0	0	.	1	1	0	1	1	0	0	0	.
	Beans (with pods)	1	0	100	48	3	93.8	49	3	93.9	0	0	.
	Beetroot	0	0	.	3	0	100	3	0	100	0	0	.

Ex = number of samples above MRL; % = percentage of samples below MRL
Figures in bold are subtotals and totals for product groups

Pesticide monitoring 2013 Greece on September 22, 2014 at 03:27:57 PM
Table A1-b: Exceedence of MRL, number of samples exceeding MRL and percentage of samples below the MRL
part (b) - Variables related to the type of production and the samples processing

Strategy=Surveillance

Product Class	Product	Organic			Non Organic			Raw			Process		
		Ex	%		Ex	%		Ex	%		Ex	%	
	Broccoli	0	0	.	11	0	100	11	0	100	0	0	.
	Carrots	1	0	100	25	2	92	26	2	92.3	0	0	.
	Cauliflower	0	0	.	12	0	100	12	0	100	0	0	.
	Celery	0	0	.	1	1	0	1	1	0	0	0	.
	Celery leaves	0	0	.	1	0	100	1	0	100	0	0	.
	Courgettes	0	0	.	68	1	98.5	68	1	98.5	0	0	.
	Cucumbers	8	0	100	89	0	100	97	0	100	0	0	.
	Head cabbage	0	0	.	19	0	100	19	0	100	0	0	.
	Leek	0	0	.	18	1	94.4	18	1	94.4	0	0	.
	Lentils (fresh)	1	0	100	0	0	.	1	0	100	0	0	.
	Lettuce	6	1	83.3	61	2	96.7	67	3	95.5	0	0	.
	Lettuce and other salad plants, including Brassica	0	0	.	30	0	100	30	0	100	0	0	.
	Melons	1	0	100	46	1	97.8	47	1	97.9	0	0	.
	Okra, ladys fingers	0	0	.	12	0	100	12	0	100	0	0	.
	Onions	0	0	.	16	0	100	16	0	100	0	0	.
	Other kind of lettuce and other salad plants, including Brassicacea	0	0	.	1	0	100	1	0	100	0	0	.
	Parsley	0	0	.	6	2	66.7	6	2	66.7	0	0	.
	Peas (with pods)	0	0	.	4	0	100	4	0	100	0	0	.
	Peas (without pods)	2	0	100	24	1	95.8	26	1	96.2	0	0	.
	Peppers	1	0	100	80	3	96.3	81	3	96.3	0	0	.
	Potatoes	1	0	100	99	4	96	100	4	96	0	0	.
	Pumpkins	0	0	.	10	0	100	10	0	100	0	0	.
	Rocket, Rucola	0	0	.	5	0	100	5	0	100	0	0	.
	Spinach	1	0	100	36	2	94.4	37	2	94.6	0	0	.
	Spinach and similar (leaves)	2	0	100	35	2	94.3	37	2	94.6	0	0	.
	Tomatoes	13	0	100	107	1	99.1	119	1	99.2	1	0	100
	Vine leaves (grape leaves)	0	0	.	29	8	72.4	27	8	70.4	2	0	100

Ex = number of samples above MRL; % = percentage of samples below MRL
Figures in bold are subtotals and totals for product groups

Pesticide monitoring 2013 Greece on September 22, 2014 at 03:27:57 PM
Table A1-b: Exceedence of MRL, number of samples exceeding MRL and percentage of samples below the MRL
part (b) - Variables related to the type of production and the samples processing

Strategy=Surveillance

<i>Product Class</i>	<i>Product</i>	<i>Organic</i>			<i>Non</i>			<i>Raw</i>			<i>Process</i>		
		<i>Ex</i>	<i>%</i>	<i>%</i>	<i>Organic</i>	<i>Ex</i>	<i>%</i>	<i>Ex</i>	<i>%</i>	<i>%</i>	<i>Ex</i>	<i>%</i>	
	Watermelons	0	0	.	34	0	100	34	0	100	0	0	.
Vegetables		38	1	97.4	1018	35	96.6	1053	36	96.6	3	0	100
		87	1	98.9	2183	52	97.6	1914	52	97.3	356	1	99.7

Ex = number of samples above MRL; % = percentage of samples below MRL
Figures in bold are subtotals and totals for product groups

**Table A2-a: Samples above reporting level, number of samples above reporting level and percentage of samples below the reporting level
Part (a) - Variables related to the origin of samples**

Strategy=Enforcement

Product Class	Product	Total			Domestic			EEA			Third Country		
		ND	%		ND	%		ND	%		ND	%	
Cereals	Rice	1	1	0	1	1	0	0	0	.	0	0	.
Cereals		1	1	0	1	1	0	0	0	.	0	0	.
Fruits and nuts	Apples	14	10	28.6	14	10	28.6	0	0	.	0	0	.
	Apricots	4	3	25	4	3	25	0	0	.	0	0	.
	Cherries	3	3	0	3	3	0	0	0	.	0	0	.
	Grapefruit	1	0	100	1	0	100	0	0	.	0	0	.
	Kiwi	1	0	100	1	0	100	0	0	.	0	0	.
	Oranges	1	0	100	1	0	100	0	0	.	0	0	.
	Other citrus fruits	10	8	20	0	0	.	0	0	.	10	8	20
	Peaches	2	2	0	2	2	0	0	0	.	0	0	.
	Pears	1	1	0	1	1	0	0	0	.	0	0	.
	Quinces	1	1	0	1	1	0	0	0	.	0	0	.
	Table and Wine grapes	1	1	0	1	1	0	0	0	.	0	0	.
	Table olives	1	1	0	1	1	0	0	0	.	0	0	.
	Wine grapes	1	0	100	1	0	100	0	0	.	0	0	.
Fruits and nuts		41	30	26.8	31	22	29	0	0	.	10	8	20
Other plant products	Coriander seed	1	0	100	0	0	.	0	0	.	1	0	100
	Tea	3	1	66.7	0	0	.	0	0	.	3	1	66.7
Other plant products		4	1	75	0	0	.	0	0	.	4	1	75
Vegetables	Beans (with pods)	3	0	100	2	0	100	0	0	.	1	0	100
	Celery leaves	1	1	0	1	1	0	0	0	.	0	0	.
	Cucumbers	1	0	100	1	0	100	0	0	.	0	0	.
	Fresh Herbs	2	0	100	2	0	100	0	0	.	0	0	.
	Leek	1	1	0	1	1	0	0	0	.	0	0	.
	Lettuce	1	0	100	1	0	100	0	0	.	0	0	.
	Onions	1	0	100	1	0	100	0	0	.	0	0	.
	Peppers	24	10	58.3	5	3	40	0	0	.	19	7	63.2

ND = number of samples with residues above the reporting level (LOQ) % = percentage samples below reporting level (LOQ)

Figures in bold are subtotals and totals for product groups

Pesticide monitoring 2013 Greece on September 22, 2014 at 03:27:57 PM

Table A2-a: Samples above reporting level, number of samples above reporting level and percentage of samples below the reporting level
Part (a) - Variables related to the origin of samples

Strategy=Enforcement

Product Class	Product	Total			Domestic			EEA			Third Country		
		ND	%		ND	%		ND	%		ND	%	
	Potatoes	6	6	0	6	6	0	0	0	.	0	0	.
	Spinach and similar (leaves)	1	0	100	1	0	100	0	0	.	0	0	.
	Tomatoes	2	2	0	0	0	.	0	0	.	2	2	0
	Vine leaves (grape leaves)	2	1	50	1	1	0	0	0	.	1	0	100
Vegetables		45	21	53.3	22	12	45.5	0	0	.	23	9	60.9
		91	53	41.8	54	35	35.2	0	0	.	37	18	51.4

ND = number of samples with residues above the reporting level (LOQ) % = percentage samples below reporting level (LOQ)
Figures in bold are subtotals and totals for product groups

**Table A2-a: Samples above reporting level, number of samples above reporting level and percentage of samples below the reporting level
Part (a) - Variables related to the origin of samples**

Strategy=Surveillance

Product Class	Product	Total			Domestic			EEA			Third Country		
		ND	%		ND	%		ND	%		ND	%	
Animal products	Dairy products Cattle	15	0	100	15	0	100	0	0	.	0	0	.
	Honey	10	0	100	10	0	100	0	0	.	0	0	.
	Swine Meat	15	0	100	11	0	100	2	0	100	0	0	.
Animal products		40	0	100	36	0	100	2	0	100	0	0	.
Baby food	Baby food for infants and young children	11	0	100	6	0	100	5	0	100	0	0	.
	Processed cereal-based baby foods	8	1	87.5	7	1	85.7	0	0	.	1	0	100
Baby food		19	1	94.7	13	1	92.3	5	0	100	1	0	100
Cereals	Oats	7	0	100	2	0	100	5	0	100	0	0	.
	Other cereals	1	0	100	0	0	.	0	0	.	1	0	100
	Rice	27	5	81.5	25	3	88	0	0	.	1	1	0
	Rye	1	0	100	0	0	.	1	0	100	0	0	.
	Wheat	27	5	81.5	27	5	81.5	0	0	.	0	0	.
Cereals		63	10	84.1	54	8	85.2	6	0	100	2	1	50
Fruits and nuts	Almonds	3	1	66.7	3	1	66.7	0	0	.	0	0	.
	Apples	102	74	27.5	91	66	27.5	4	2	50	7	6	14.3
	Apricots	45	27	40	43	27	37.2	0	0	.	0	0	.
	Bananas	30	20	33.3	4	1	75	0	0	.	23	17	26.1
	Cherries	60	31	48.3	58	30	48.3	0	0	.	0	0	.
	Figs	11	0	100	10	0	100	0	0	.	0	0	.
	Grapefruit	17	9	47.1	14	6	57.1	0	0	.	3	3	0
	Kiwi	47	8	83	41	7	82.9	0	0	.	4	1	75
	Lemons	26	7	73.1	18	2	88.9	1	0	100	7	5	28.6
	Mandarins	31	10	67.7	29	9	69	0	0	.	2	1	50
	Oranges	69	26	62.3	61	20	67.2	1	0	100	7	6	14.3
	Peaches	75	47	37.3	73	46	37	0	0	.	0	0	.
	Pears	75	48	36	55	37	32.7	5	2	60	15	9	40
	Pecans	1	0	100	1	0	100	0	0	.	0	0	.

ND = number of samples with residues above the reporting level (LOQ) % = percentage samples below reporting level (LOQ)

Figures in bold are subtotals and totals for product groups

**Table A2-a: Samples above reporting level, number of samples above reporting level and percentage of samples below the reporting level
Part (a) - Variables related to the origin of samples**

Strategy=Surveillance

Product Class	Product	Total			Domestic			EEA			Third Country		
		ND	%		ND	%		ND	%		ND	%	
	Pineapples	1	0	100	0	0	.	0	0	.	1	0	100
	Pistachios	1	1	0	1	1	0	0	0	.	0	0	.
	Plums	21	6	71.4	15	5	66.7	0	0	.	5	1	80
	Pomegranate	12	0	100	12	0	100	0	0	.	0	0	.
	Strawberries	43	20	53.5	40	17	57.5	1	1	0	1	1	0
	Table and Wine grapes	17	11	35.3	17	11	35.3	0	0	.	0	0	.
	Table grapes	75	36	52	71	34	52.1	1	0	100	2	1	50
	Table olives	16	4	75	16	4	75	0	0	.	0	0	.
	Walnuts	1	0	100	1	0	100	0	0	.	0	0	.
	Wine grapes	51	18	64.7	51	18	64.7	0	0	.	0	0	.
Fruits and nuts		830	404	51.3	725	342	52.8	13	5	61.5	77	51	33.8
Other plant products	Beans (dry)	7	1	85.7	7	1	85.7	0	0	.	0	0	.
	Capers	1	0	100	0	0	.	0	0	.	1	0	100
	Lentils (dry)	7	1	85.7	5	1	80	0	0	.	0	0	.
	Olives for oil production	234	29	87.6	234	29	87.6	0	0	.	0	0	.
	Other pulses, dry	6	1	83.3	2	0	100	0	0	.	4	1	75
	Other spices: Bark	1	1	0	1	1	0	0	0	.	0	0	.
	Peas (dry)	2	0	100	1	0	100	0	0	.	1	0	100
	Pepper, black and white	2	1	50	1	0	100	1	1	0	0	0	.
	Pumpkin seeds	1	1	0	1	1	0	0	0	.	0	0	.
	Sunflower seed	1	1	0	1	1	0	0	0	.	0	0	.
Other plant products		262	36	86.3	253	34	86.6	1	1	0	6	1	83.3
Vegetables	Asparagus	23	0	100	22	0	100	0	0	.	1	0	100
	Aubergines (egg plants)	64	5	92.2	58	5	91.4	0	0	.	2	0	100
	Basil	1	1	0	0	0	.	0	0	.	1	1	0
	Beans (with pods)	49	5	89.8	47	5	89.4	0	0	.	0	0	.
	Beetroot	3	0	100	1	0	100	0	0	.	2	0	100

ND = number of samples with residues above the reporting level (LOQ) % = percentage samples below reporting level (LOQ)

Figures in bold are subtotals and totals for product groups

**Table A2-a: Samples above reporting level, number of samples above reporting level and percentage of samples below the reporting level
Part (a) - Variables related to the origin of samples**

Strategy=Surveillance

Product Class	Product	Total			Domestic			EEA			Third Country		
		ND	%		ND	%		ND	%		ND	%	
	Broccoli	11	2	81.8	10	1	90	0	0	.	1	1	0
	Carrots	26	8	69.2	21	8	61.9	4	0	100	1	0	100
	Cauliflower	12	1	91.7	11	1	90.9	0	0	.	1	0	100
	Celery	1	1	0	1	1	0	0	0	.	0	0	.
	Celery leaves	1	1	0	1	1	0	0	0	.	0	0	.
	Courgettes	68	5	92.6	60	4	93.3	0	0	.	7	1	85.7
	Cucumbers	97	18	81.4	90	17	81.1	0	0	.	4	1	75
	Head cabbage	19	0	100	19	0	100	0	0	.	0	0	.
	Leek	18	1	94.4	16	1	93.8	0	0	.	2	0	100
	Lentils (fresh)	1	0	100	0	0	.	0	0	.	1	0	100
	Lettuce	67	32	52.2	66	31	53	0	0	.	0	0	.
	Lettuce and other salad plants, including Brassica	30	3	90	29	3	89.7	0	0	.	0	0	.
	Melons	47	5	89.4	45	5	88.9	0	0	.	0	0	.
	Okra, lady's fingers	12	1	91.7	12	1	91.7	0	0	.	0	0	.
	Onions	16	0	100	13	0	100	0	0	.	3	0	100
	Other kind of lettuce and other salad plants, including Brassicacea	1	1	0	1	1	0	0	0	.	0	0	.
	Parsley	6	2	66.7	6	2	66.7	0	0	.	0	0	.
	Peas (with pods)	4	2	50	4	2	50	0	0	.	0	0	.
	Peas (without pods)	26	2	92.3	21	1	95.2	1	0	100	4	1	75
	Peppers	81	15	81.5	67	13	80.6	0	0	.	11	1	90.9
	Potatoes	100	14	86	69	8	88.4	1	0	100	29	5	82.8
	Pumpkins	10	0	100	10	0	100	0	0	.	0	0	.
	Rocket, Rucola	5	2	60	4	1	75	1	1	0	0	0	.
	Spinach	37	8	78.4	37	8	78.4	0	0	.	0	0	.
	Spinach and similar (leaves)	37	9	75.7	35	9	74.3	0	0	.	2	0	100
	Tomatoes	120	50	58.3	103	41	60.2	3	0	100	10	8	20
	Vine leaves (grape leaves)	29	14	51.7	20	12	40	1	0	100	8	2	75

ND = number of samples with residues above the reporting level (LOQ) % = percentage samples below reporting level (LOQ)

Figures in bold are subtotals and totals for product groups

Pesticide monitoring 2013 Greece on September 22, 2014 at 03:27:57 PM

Table A2-a: Samples above reporting level, number of samples above reporting level and percentage of samples below the reporting level

Part (a) - Variables related to the origin of samples

Strategy=Surveillance

Product Class	Product	Total			Domestic			EEA			Third Country		
		ND	%		ND	%		ND	%		ND	%	
	Watermelons	34	0	100	33	0	100	0	0	.	0	0	.
Vegetables		1056	208	80.3	932	182	80.5	11	1	90.9	90	21	76.7
		2270	659	71	2013	567	71.8	38	7	81.6	176	74	58

ND = number of samples with residues above the reporting level (LOQ) % = percentage samples below reporting level (LOQ)

Figures in bold are subtotals and totals for product groups

**Table A2-b: Samples above reporting level, number of samples above reporting level and percentage of samples below the reporting level
Part (b) - Variables related to the type of production and the samples processing**

Strategy=Enforcement

Product Class	Product	Organic			Non Organic			Raw			Process		
		ND	%		ND	%		ND	%		ND	%	
Cereals	Rice	0	0	.	1	1	0	0	0	.	1	1	0
Cereals		0	0	.	1	1	0	0	0	.	1	1	0
Fruits and nuts	Apples	0	0	.	14	10	28.6	14	10	28.6	0	0	.
	Apricots	0	0	.	4	3	25	4	3	25	0	0	.
	Cherries	0	0	.	3	3	0	3	3	0	0	0	.
	Grapefruit	0	0	.	1	0	100	1	0	100	0	0	.
	Kiwi	0	0	.	1	0	100	1	0	100	0	0	.
	Oranges	0	0	.	1	0	100	1	0	100	0	0	.
	Other citrus fruits	0	0	.	10	8	20	10	8	20	0	0	.
	Peaches	0	0	.	2	2	0	2	2	0	0	0	.
	Pears	0	0	.	1	1	0	1	1	0	0	0	.
	Quinces	0	0	.	1	1	0	1	1	0	0	0	.
	Table and Wine grapes	0	0	.	1	1	0	1	1	0	0	0	.
	Table olives	0	0	.	1	1	0	1	1	0	0	0	.
	Wine grapes	0	0	.	1	0	100	1	0	100	0	0	.
Fruits and nuts		0	0	.	41	30	26.8	41	30	26.8	0	0	.
Other plant products	Coriander seed	0	0	.	1	0	100	0	0	.	1	0	100
	Tea	0	0	.	3	1	66.7	3	1	66.7	0	0	.
Other plant products		0	0	.	4	1	75	3	1	66.7	1	0	100
Vegetables	Beans (with pods)	0	0	.	3	0	100	3	0	100	0	0	.
	Celery leaves	0	0	.	1	1	0	1	1	0	0	0	.
	Cucumbers	0	0	.	1	0	100	1	0	100	0	0	.
	Fresh Herbs	2	0	100	0	0	.	2	0	100	0	0	.
	Leek	0	0	.	1	1	0	1	1	0	0	0	.
	Lettuce	0	0	.	1	0	100	1	0	100	0	0	.
	Onions	0	0	.	1	0	100	1	0	100	0	0	.
	Peppers	0	0	.	24	10	58.3	24	10	58.3	0	0	.

**ND = number of samples with residues above the reporting level (LOQ) % = percentage samples below reporting level (LOQ)
Figures in bold are subtotals and totals for product groups**

**Table A2-b: Samples above reporting level, number of samples above reporting level and percentage of samples below the reporting level
Part (b) - Variables related to the type of production and the samples processing**

Strategy=Enforcement

Product Class	Product	Organic			Non Organic			Raw			Process		
		ND	%		ND	%		ND	%		ND	%	
	Potatoes	0	0	.	6	6	0	6	6	0	0	0	.
	Spinach and similar (leaves)	0	0	.	1	0	100	1	0	100	0	0	.
	Tomatoes	0	0	.	2	2	0	2	2	0	0	0	.
	Vine leaves (grape leaves)	0	0	.	2	1	50	0	0	.	2	1	50
Vegetables		2	0	100	43	21	51.2	43	20	53.5	2	1	50
		2	0	100	89	53	40.4	87	51	41.4	4	2	50

**ND = number of samples with residues above the reporting level (LOQ) % = percentage samples below reporting level (LOQ)
Figures in bold are subtotals and totals for product groups**

**Table A2-b: Samples above reporting level, number of samples above reporting level and percentage of samples below the reporting level
Part (b) - Variables related to the type of production and the samples processing**

Strategy=Surveillance

Product Class	Product	Organic			Non Organic			Raw			Process		
		ND	%		ND	%		ND	%		ND	%	
Animal products	Dairy products Cattle	0	0	.	15	0	100	1	0	100	14	0	100
	Honey	0	0	.	10	0	100	10	0	100	0	0	.
	Swine Meat	0	0	.	15	0	100	15	0	100	0	0	.
Animal products		0	0	.	40	0	100	26	0	100	14	0	100
Baby food	Baby food for infants and young children	0	0	.	11	0	100	2	0	100	9	0	100
	Processed cereal-based baby foods	0	0	.	8	1	87.5	0	0	.	8	1	87.5
Baby food		0	0	.	19	1	94.7	2	0	100	17	1	94.1
Cereals	Oats	1	0	100	6	0	100	1	0	100	6	0	100
	Other cereals	0	0	.	1	0	100	1	0	100	0	0	.
	Rice	0	0	.	27	5	81.5	23	2	91.3	4	3	25
	Rye	1	0	100	0	0	.	1	0	100	0	0	.
	Wheat	2	1	50	25	4	84	9	0	100	18	5	72.2
Cereals		4	1	75	59	9	84.7	35	2	94.3	28	8	71.4
Fruits and nuts	Almonds	0	0	.	3	1	66.7	3	1	66.7	0	0	.
	Apples	6	1	83.3	96	73	24	102	74	27.5	0	0	.
	Apricots	1	0	100	44	27	38.6	45	27	40	0	0	.
	Bananas	1	0	100	29	20	31	30	20	33.3	0	0	.
	Cherries	1	0	100	59	31	47.5	60	31	48.3	0	0	.
	Figs	0	0	.	11	0	100	10	0	100	1	0	100
	Grapefruit	0	0	.	17	9	47.1	17	9	47.1	0	0	.
	Kiwi	2	0	100	45	8	82.2	47	8	83	0	0	.
	Lemons	1	0	100	25	7	72	26	7	73.1	0	0	.
	Mandarins	1	0	100	30	10	66.7	31	10	67.7	0	0	.
	Oranges	3	1	66.7	66	25	62.1	55	24	56.4	14	2	85.7
	Peaches	2	1	50	73	46	37	75	47	37.3	0	0	.
	Pears	5	1	80	70	47	32.9	75	48	36	0	0	.
Pecans	0	0	.	1	0	100	1	0	100	0	0	.	

**ND = number of samples with residues above the reporting level (LOQ) % = percentage samples below reporting level (LOQ)
Figures in bold are subtotals and totals for product groups**

**Table A2-b: Samples above reporting level, number of samples above reporting level and percentage of samples below the reporting level
Part (b) - Variables related to the type of production and the samples processing**

Strategy=Surveillance

Product Class	Product	Organic			Non Organic			Raw			Process		
		ND	%	ND	%	ND	%	ND	%	ND	%		
	Pineapples	0	0	.	1	0	100	1	0	100	0	0	.
	Pistachios	0	0	.	1	1	0	1	1	0	0	0	.
	Plums	1	0	100	20	6	70	18	6	66.7	3	0	100
	Pomegranate	0	0	.	12	0	100	9	0	100	3	0	100
	Strawberries	2	0	100	41	20	51.2	43	20	53.5	0	0	.
	Table and Wine grapes	0	0	.	17	11	35.3	17	11	35.3	0	0	.
	Table grapes	4	3	25	71	33	53.5	71	32	54.9	4	4	0
	Table olives	0	0	.	16	4	75	16	4	75	0	0	.
	Walnuts	0	0	.	1	0	100	1	0	100	0	0	.
	Wine grapes	10	0	100	41	18	56.1	16	8	50	35	10	71.4
Fruits and nuts		40	7	82.5	790	397	49.7	770	388	49.6	60	16	73.3
Other plant products	Beans (dry)	1	0	100	6	1	83.3	7	1	85.7	0	0	.
	Capers	0	0	.	1	0	100	1	0	100	0	0	.
	Lentils (dry)	1	0	100	6	1	83.3	7	1	85.7	0	0	.
	Olives for oil production	1	1	0	233	28	88	0	0	.	234	29	87.6
	Other pulses, dry	0	0	.	6	1	83.3	6	1	83.3	0	0	.
	Other spices: Bark	0	0	.	1	1	0	1	1	0	0	0	.
	Peas (dry)	0	0	.	2	0	100	2	0	100	0	0	.
	Pepper, black and white	2	1	50	0	0	.	2	1	50	0	0	.
	Pumpkin seeds	0	0	.	1	1	0	1	1	0	0	0	.
	Sunflower seed	0	0	.	1	1	0	1	1	0	0	0	.
Other plant products		5	2	60	257	34	86.8	28	7	75	234	29	87.6
Vegetables	Asparagus	0	0	.	23	0	100	23	0	100	0	0	.
	Aubergines (egg plants)	0	0	.	64	5	92.2	64	5	92.2	0	0	.
	Basil	0	0	.	1	1	0	1	1	0	0	0	.
	Beans (with pods)	1	0	100	48	5	89.6	49	5	89.8	0	0	.
	Beetroot	0	0	.	3	0	100	3	0	100	0	0	.

ND = number of samples with residues above the reporting level (LOQ) % = percentage samples below reporting level (LOQ)

Figures in bold are subtotals and totals for product groups

**Table A2-b: Samples above reporting level, number of samples above reporting level and percentage of samples below the reporting level
Part (b) - Variables related to the type of production and the samples processing**

Strategy=Surveillance

Product Class	Product	Organic			Non Organic			Raw			Process		
		ND	%		ND	%		ND	%		ND	%	
	Broccoli	0	0	.	11	2	81.8	11	2	81.8	0	0	.
	Carrots	1	0	100	25	8	68	26	8	69.2	0	0	.
	Cauliflower	0	0	.	12	1	91.7	12	1	91.7	0	0	.
	Celery	0	0	.	1	1	0	1	1	0	0	0	.
	Celery leaves	0	0	.	1	1	0	1	1	0	0	0	.
	Courgettes	0	0	.	68	5	92.6	68	5	92.6	0	0	.
	Cucumbers	8	1	87.5	89	17	80.9	97	18	81.4	0	0	.
	Head cabbage	0	0	.	19	0	100	19	0	100	0	0	.
	Leek	0	0	.	18	1	94.4	18	1	94.4	0	0	.
	Lentils (fresh)	1	0	100	0	0	.	1	0	100	0	0	.
	Lettuce	6	3	50	61	29	52.5	67	32	52.2	0	0	.
	Lettuce and other salad plants, including Brassica	0	0	.	30	3	90	30	3	90	0	0	.
	Melons	1	0	100	46	5	89.1	47	5	89.4	0	0	.
	Okra, ladys fingers	0	0	.	12	1	91.7	12	1	91.7	0	0	.
	Onions	0	0	.	16	0	100	16	0	100	0	0	.
	Other kind of lettuce and other salad plants, including Brassicacea	0	0	.	1	1	0	1	1	0	0	0	.
	Parsley	0	0	.	6	2	66.7	6	2	66.7	0	0	.
	Peas (with pods)	0	0	.	4	2	50	4	2	50	0	0	.
	Peas (without pods)	2	0	100	24	2	91.7	26	2	92.3	0	0	.
	Peppers	1	1	0	80	14	82.5	81	15	81.5	0	0	.
	Potatoes	1	0	100	99	14	85.9	100	14	86	0	0	.
	Pumpkins	0	0	.	10	0	100	10	0	100	0	0	.
	Rocket, Rucola	0	0	.	5	2	60	5	2	60	0	0	.
	Spinach	1	0	100	36	8	77.8	37	8	78.4	0	0	.
	Spinach and similar (leaves)	2	0	100	35	9	74.3	37	9	75.7	0	0	.
	Tomatoes	13	3	76.9	107	47	56.1	119	50	58	1	0	100
	Vine leaves (grape leaves)	0	0	.	29	14	51.7	27	12	55.6	2	2	0

ND = number of samples with residues above the reporting level (LOQ) % = percentage samples below reporting level (LOQ)

Figures in bold are subtotals and totals for product groups

Pesticide monitoring 2013 Greece on September 22, 2014 at 03:27:57 PM

**Table A2-b: Samples above reporting level, number of samples above reporting level and percentage of samples below the reporting level
Part (b) - Variables related to the type of production and the samples processing**

Strategy=Surveillance

Product Class	Product	Organic			Non Organic			Raw			Process		
		ND	%		ND	%		ND	%		ND	%	
	Watermelons	0	0	.	34	0	100	34	0	100	0	0	.
Vegetables		38	8	78.9	1018	200	80.4	1053	206	80.4	3	2	33.3
		87	18	79.3	2183	641	70.6	1914	603	68.5	356	56	84.3

**ND = number of samples with residues above the reporting level (LOQ) % = percentage samples below reporting level (LOQ)
Figures in bold are subtotals and totals for product groups**

Pesticide monitoring 2013 Greece on September 22, 2014 at 03:27:57 PM
Table A3: Scope of analytical methods, number of samples analysed for each residue by matrix

<i>Row number</i>	<i>Compound</i>	<i>Animal Products</i>	<i>Nr Found</i>	<i>MRL Ex</i>
1	2,4-D	9	0	0
4	Abamectin (sum)	10	0	0
5	Acephate	10	0	0
6	Acetamiprid	10	0	0
7	Acetochlor	1	0	0
8	Aclonifen	1	0	0
9	Acrinathrin	31	0	0
10	Alachlor	16	0	0
11	Aldicarb	10	0	0
12	Aldicarb (sum)	10	0	0
13	Aldicarb sulfone	10	0	0
14	Aldicarb sulfoxide	10	0	0
15	Aldrin	39	0	0
16	Aldrin and Dieldrin	15	0	0
18	Ametryn	16	0	0
21	Asulam	1	0	0
23	Atrazine	16	0	0
24	Avermectin B1a	1	0	0
25	Avermectin B1b	1	0	0
26	Azimsulfuron	16	0	0
27	Azinphos-ethyl	40	0	0
28	Azinphos-methyl	25	0	0
29	Azoxystrobin	25	0	0
31	Benalaxyl (sum)	16	0	0
33	Benfluralin	1	0	0
34	Benfuracarb	1	0	0
35	Bensulfuron-ethyl	16	0	0
36	Bentazone	1	0	0
38	Benzoximate	1	0	0
39	Bifenthrin	31	0	0

Pesticide monitoring 2013 Greece on September 22, 2014 at 03:27:57 PM
Table A3: Scope of analytical methods, number of samples analysed for each residue by matrix

<i>Row number</i>	<i>Compound</i>	<i>Animal Products</i>	<i>Nr Found</i>	<i>MRL Ex</i>
41	Bitertanol	24	0	0
42	Boscalid	25	0	0
45	Bromophos-ethyl	1	0	0
46	Bromopropylate	31	0	0
47	Bromuconazole (sum)	25	0	0
48	Bupirimate	25	0	0
49	Buprofezin	25	0	0
50	Cadusafos	25	0	0
51	Captafol	15	0	0
54	Carbaryl	25	0	0
55	Carbendazim	15	0	0
56	Carbendazim and benomyl	25	0	0
57	Carbofuran	10	0	0
58	Carbofuran (sum)	25	0	0
59	Carbofuran, 3-hydroxy	10	0	0
60	Carbosulfan	16	0	0
61	Carboxin	1	0	0
62	Chlorbromuron	16	0	0
63	Chlordane (sum)	30	0	0
66	Chlorfenvinphos	25	0	0
67	Chloridazon	1	0	0
69	Chlorobenzilate	15	0	0
70	Chlorothalonil	16	0	0
71	Chlorotoluron	16	0	0
72	Chloroxuron	1	0	0
74	Chlorpropham (sum)	1	0	0
75	Chlorpyrifos	40	0	0
76	Chlorpyrifos-methyl	40	0	0
77	Chlorsulfuron	1	0	0
79	Cinerin	1	0	0

Pesticide monitoring 2013 Greece on September 22, 2014 at 03:27:57 PM
Table A3: Scope of analytical methods, number of samples analysed for each residue by matrix

<i>Row number</i>	<i>Compound</i>	<i>Animal Products</i>	<i>Nr Found</i>	<i>MRL Ex</i>
80	Cinerin I	1	0	0
81	Cinerin II	1	0	0
82	Clethodim (sum)	16	0	0
83	Clofentezine	16	0	0
84	Clothianidin	1	0	0
85	Coumaphos	10	0	0
86	Cyanazine	1	0	0
88	Cyfluthrin (sum)	16	0	0
89	Cymoxanil	1	0	0
91	Cypermethrin (sum)	31	0	0
92	Cyproconazole	25	0	0
93	Cyprodinil	10	0	0
94	Cyromazine	1	0	0
95	DDD, p,p-	30	0	0
96	DDE, o,p-	15	0	0
97	DDE, p,p-	30	0	0
98	DDT (sum)	30	0	0
99	DDT, o,p-	15	0	0
100	DDT, p,p-	30	0	0
102	Deltamethrin	15	0	0
104	Demeton-S-methyl	16	0	0
106	Demeton-S-methyl sulfone	10	0	0
108	Diafenthiuron	1	0	0
109	Diazinon	40	0	0
111	Dichlofluanid	31	0	0
113	Dichloroaniline, 3,5-	1	0	0
114	Dichlorprop	9	0	0
115	Dichlorvos	1	0	0
116	Dicloran	15	0	0
117	Dicofol (sum)	15	0	0

Pesticide monitoring 2013 Greece on September 22, 2014 at 03:27:57 PM
Table A3: Scope of analytical methods, number of samples analysed for each residue by matrix

<i>Row number</i>	<i>Compound</i>	<i>Animal Products</i>	<i>Nr Found</i>	<i>MRL Ex</i>
118	Dicofol o, p'	15	0	0
119	Dicofol p, p'	15	0	0
120	Dicrotophos	1	0	0
121	Dieldrin	30	0	0
122	Diethofencarb	16	0	0
123	Difenoconazole	25	0	0
124	Diflubenzuron	16	0	0
125	Diflufenican	16	0	0
126	Dimethoate	40	0	0
127	Dimethoate (sum)	25	0	0
128	Dimethomorph	25	0	0
130	Diniconazole	15	0	0
131	Dinitramine	15	0	0
132	Dinobuton	15	0	0
134	Dinocap (sum)	1	0	0
137	Diphenamid	1	0	0
138	Diphenylamine	10	0	0
139	Disulfoton	16	0	0
140	Disulfoton (sum baby and infant food)	16	0	0
141	Disulfoton sulfone	16	0	0
142	Disulfoton sulfoxide	16	0	0
144	Diuron	2	0	0
145	Diuron	2	0	0
146	Dodemorph	15	0	0
147	EPN	1	0	0
148	Emamectin benzoate B1a, expressed as emamectin	1	0	0
149	Endosulfan (sum)	31	0	0
150	Endosulfansulfate	30	0	0
151	Endrin	30	0	0
152	Epoxiconazole	25	0	0

Pesticide monitoring 2013 Greece on September 22, 2014 at 03:27:57 PM
Table A3: Scope of analytical methods, number of samples analysed for each residue by matrix

<i>Row number</i>	<i>Compound</i>	<i>Animal Products</i>	<i>Nr Found</i>	<i>MRL Ex</i>
154	Ethalfuralin	15	0	0
157	Ethion	16	0	0
158	Ethirimol	1	0	0
159	Ethofumesate	16	0	0
160	Ethofumesate (sum)	16	0	0
161	Ethoprophos	25	0	0
162	Ethoxyquin	1	0	0
163	Etofenprox	1	0	0
164	Etoxazole	16	0	0
165	Etrimfos	24	0	0
166	Famoxadone	16	0	0
167	Fenamidone	16	0	0
168	Fenamiphos	16	0	0
169	Fenamiphos (sum)	1	0	0
170	Fenamiphos sulfone	1	0	0
171	Fenamiphos sulfoxide	1	0	0
172	Fenarimol	24	0	0
173	Fenazaquin	25	0	0
174	Fenbuconazole	25	0	0
176	Fenhexamid	25	0	0
177	Fenitrothion	40	0	0
178	Fenoxycarb	25	0	0
179	Fenpropathrin	31	0	0
180	Fenpropidin	1	0	0
181	Fenpropimorph	25	0	0
182	Fenpyroximate	16	0	0
184	Fensulfothion	16	0	0
185	Fensulfothion (sum baby and infant food)	16	0	0
186	Fensulfothion oxon	16	0	0
187	Fensulfothion oxon sulphone	16	0	0

Pesticide monitoring 2013 Greece on September 22, 2014 at 03:27:57 PM
Table A3: Scope of analytical methods, number of samples analysed for each residue by matrix

<i>Row number</i>	<i>Compound</i>	<i>Animal Products</i>	<i>Nr Found</i>	<i>MRL Ex</i>
188	Fensulfothion sulfone	16	0	0
189	Fenthion	31	0	0
190	Fenthion (sum)	31	0	0
191	Fenthion oxon	16	0	0
192	Fenthion oxon sulfone	16	0	0
193	Fenthion oxonsulfoxide	16	0	0
194	Fenthion sulfone	31	0	0
195	Fenthion sulfoxide	31	0	0
198	Fenvalerate and Esfenvalerate (Sum of RR and SS isomers)	15	0	0
199	Fenvalerate and Esfenvalerate (Sum of RS and SR isomers)	15	0	0
201	Fipronil	9	0	0
205	Fluazifop (free acid)	9	0	0
209	Flucythrinate	16	0	0
211	Fludioxonil	9	0	0
212	Flufenacet	1	0	0
213	Flufenacet (sum)	1	0	0
214	Flufenoxuron	10	0	0
215	Fluometuron	1	0	0
216	Fluopicolide	1	0	0
217	Fluquinconazole	25	0	0
218	Fluroxypyr	10	0	0
219	Fluroxypyr (sum)	1	0	0
220	Flusilazole	25	0	0
221	Flutolanil	1	0	0
222	Flutriafol	25	0	0
223	Fluvalinate	15	0	0
224	Folpet	16	0	0
225	Foramsulfuron	1	0	0
226	Formetanate	1	0	0
227	Formetanate	1	0	0

Pesticide monitoring 2013 Greece on September 22, 2014 at 03:27:57 PM
Table A3: Scope of analytical methods, number of samples analysed for each residue by matrix

<i>Row number</i>	<i>Compound</i>	<i>Animal Products</i>	<i>Nr Found</i>	<i>MRL Ex</i>
228	Fosthiazate	16	0	0
229	Furathiocarb	16	0	0
232	Haloxypop	9	0	0
236	Heptachlor	30	0	0
237	Heptachlor (sum of heptachlor and heptachlor epoxide expressed as heptachlor)	30	0	0
238	Heptachlor endo-epoxide	15	0	0
239	Heptachlor epoxide	15	0	0
240	Heptachlor exo-epoxide	15	0	0
241	Heptenophos	15	0	0
242	Hexachlorobenzene	30	0	0
243	Hexachlorocyclohexane (HCH), alpha-isomer	30	0	0
244	Hexachlorocyclohexane (HCH), beta-isomer	30	0	0
245	Hexachlorocyclohexane (HCH), sum of isomers, except the gamma isomer	15	0	0
246	Hexaconazole	25	0	0
247	Hexythiazox	25	0	0
248	Imazalil	25	0	0
249	Imazamethabenz-methyl	1	0	0
250	Imidacloprid	10	0	0
251	Indoxacarb as sum of the isomers S and R	25	0	0
254	Iprodione	15	0	0
255	Iprovalicarb	25	0	0
256	Isofenphos-methyl	25	0	0
257	Isoprothiolane	1	0	0
258	Isoproturon	10	0	0
259	Jasmolin I	1	0	0
260	Jasmolin II	1	0	0
261	Kresoxim-methyl	25	0	0
262	Lambda-Cyhalothrin	30	0	0
263	Lindane (Gamma-isomer of hexachlorociclohexane (HCH))	30	0	0
264	Linuron	25	0	0

Pesticide monitoring 2013 Greece on September 22, 2014 at 03:27:57 PM
Table A3: Scope of analytical methods, number of samples analysed for each residue by matrix

<i>Row number</i>	<i>Compound</i>	<i>Animal Products</i>	<i>Nr Found</i>	<i>MRL Ex</i>
265	Lufenuron	10	0	0
266	MCPA	9	0	0
267	Malaoxon	40	0	0
268	Malathion	40	0	0
269	Malathion (sum of malathion and malaoxon expressed as malathion)	40	0	0
270	Mecarbam	1	0	0
271	Mecoprop	9	0	0
272	Mecoprop (sum of mecoprop-p and mecoprop expressed as mecoprop)	9	0	0
273	Mepanipyrim	25	0	0
274	Mepanipyrim (Mepanipyrim and its metabolite (2-anilino-4-(2-hydroxypropyl)-6-methylpyrimidine) expressed as mepanipyrim)	16	0	0
277	Metaflumizone (sum of E- and Z- isomers)	1	0	0
279	Metalaxyl (Metalaxyl including other mixtures of constituent isomers including Metalaxyl-M (sum of isomers))	25	0	0
282	Metamitron	1	0	0
283	Metazachlor	1	0	0
284	Metconazole	25	0	0
285	Methabenzthiazuron	1	0	0
286	Methacrifos	40	0	0
287	Methamidophos	10	0	0
288	Methidathion	30	0	0
289	Methiocarb	10	0	0
290	Methiocarb (sum of methiocarb and methiocarb sulfoxide and sulfone, expressed as methiocarb)	10	0	0
291	Methiocarb sulfone	10	0	0
292	Methiocarb sulfoxide	10	0	0
293	Metholachlor	1	0	0
294	Metholachlor and metholachlor-S (Metholachlor including other mixtures of constituent isomers including S-metholachlor (sum of isomers))	1	0	0
295	Methomyl	10	0	0
296	Methomyl and thiodicarb (sum of methomyl and thiodicarb expressed as methomyl)	10	0	0
297	Methoxychlor	15	0	0
298	Methoxyfenozide	25	0	0
299	Metobromuron	16	0	0

Pesticide monitoring 2013 Greece on September 22, 2014 at 03:27:57 PM
Table A3: Scope of analytical methods, number of samples analysed for each residue by matrix

<i>Row number</i>	<i>Compound</i>	<i>Animal Products</i>	<i>Nr Found</i>	<i>MRL Ex</i>
300	Metoxuron	1	0	0
302	Metribuzin	1	0	0
303	Metsulfuron-methyl	16	0	0
304	Mevinphos (sum of E- and Z-isomers)	1	0	0
305	Monocrotophos	10	0	0
306	Monolinuron	16	0	0
307	Myclobutanil	25	0	0
308	Naled	16	0	0
309	Napropamide	1	0	0
310	Nicosulfuron	16	0	0
311	Nitenpyram	1	0	0
313	Nuarimol	1	0	0
314	Omethoate	25	0	0
316	Oxadiazon	1	0	0
317	Oxadixyl	10	0	0
318	Oxamyl	10	0	0
320	Oxydemeton-methyl	10	0	0
321	Oxydemeton-methyl (sum of oxydemeton-methyl and demeton-S-methylsulfone expressed as oxydemeton-methyl)	10	0	0
322	Oxyfluorfen	16	0	0
323	Paclobutrazol	10	0	0
325	Paraoxon-methyl	30	0	0
326	Parathion	30	0	0
327	Parathion-methyl	30	0	0
328	Parathion-methyl (sum of Parathion-methyl and paraoxon-methyl expressed as Parathion-methyl)	30	0	0
329	Penconazole	25	0	0
330	Pencycuron	1	0	0
331	Pendimethalin	40	0	0
332	Pentachloroaniline	15	0	0
333	Permethrin (sum of isomers)	39	0	0
334	Phenothrin	1	0	0

Pesticide monitoring 2013 Greece on September 22, 2014 at 03:27:57 PM
Table A3: Scope of analytical methods, number of samples analysed for each residue by matrix

<i>Row number</i>	<i>Compound</i>	<i>Animal Products</i>	<i>Nr Found</i>	<i>MRL Ex</i>
335	Phenthoate	1	0	0
337	Phorate (sum of phorate, its oxygen analogue and their sulfones expressed as phorate)	16	0	0
340	Phosalone	16	0	0
341	Phosmet	31	0	0
342	Phosmet (phosmet and phosmet oxon expressed as phosmet)	16	0	0
343	Phosmet oxon	16	0	0
345	Phoxim	1	0	0
346	Picoxystrobin	10	0	0
347	Pirimicarb	25	0	0
348	Pirimicarb (sum of Pirimicarb and desmethyl pirimicarb expressed as Pirimicarb)	25	0	0
349	Pirimicarb desmethyl	10	0	0
352	Pirimiphos-methyl	40	0	0
353	Primisulfuron	16	0	0
354	Prochloraz	25	0	0
355	Prochloraz (sum of prochloraz and its metabolites containing the 2,4,6-Trichlorophenol moiety expressed as prochloraz)	16	0	0
356	Procymidone	16	0	0
357	Profenofos	31	0	0
360	Prometryn	15	0	0
361	Propachlor	15	0	0
363	Propamocarb	1	0	0
364	Propamocarb (sum of propamocarb and its salt expressed as propamocarb)	1	0	0
366	Propargite	16	0	0
368	Propham	1	0	0
369	Propiconazole	25	0	0
370	Propoxur	9	0	0
371	Propyzamide	24	0	0
376	Prothiofos	1	0	0
377	Pymetrozine	1	0	0
378	Pyraclostrobin	25	0	0
379	Pyrazophos	40	0	0

Pesticide monitoring 2013 Greece on September 22, 2014 at 03:27:57 PM
Table A3: Scope of analytical methods, number of samples analysed for each residue by matrix

<i>Row number</i>	<i>Compound</i>	<i>Animal Products</i>	<i>Nr Found</i>	<i>MRL Ex</i>
380	Pyrethrin I	1	0	0
381	Pyrethrin II	1	0	0
382	Pyrethrins	1	0	0
383	Pyridaben	16	0	0
384	Pyridate	1	0	0
385	Pyridate (sum of pyridate, its hydrolysis product CL 9673 (6-chloro-4-hydroxy-3-phenylpyridazin) and hydrolysable conjugates of CL 9673 expressed as pyridate)	1	0	0
386	Pyrifenox	16	0	0
387	Pyrimethanil	25	0	0
388	Pyriproxyfen	25	0	0
389	Quinalphos	16	0	0
390	Quinoxifen	10	0	0
391	Quintozene	30	0	0
392	Quintozene (sum of quintozene and pentachloro-aniline expressed as quintozene)	16	0	0
393	Resmethrin (resmethrin including other mixtures of constituent isomers (sum of isomers))	31	0	0
394	Rimsulfuron	1	0	0
396	Sethoxydim	16	0	0
397	Simazine	1	0	0
399	Spinosad (sum of Spinosyn A and Spinosyn D, expressed as Spinosad)	25	0	0
400	Spinosyn A	25	0	0
401	Spinosyn D	25	0	0
402	Spirodiclofen	1	0	0
403	Spiroxamine	25	0	0
404	Tebuconazole	10	0	0
405	Tebufenozide	25	0	0
406	Tebufenpyrad	25	0	0
407	Tecnazene	30	0	0
408	Teflubenzuron	9	0	0
410	Temephos	16	0	0
411	Terbufos	31	0	0
412	Terbufos (sum baby and infant food)	16	0	0

Pesticide monitoring 2013 Greece on September 22, 2014 at 03:27:57 PM
Table A3: Scope of analytical methods, number of samples analysed for each residue by matrix

<i>Row number</i>	<i>Compound</i>	<i>Animal Products</i>	<i>Nr Found</i>	<i>MRL Ex</i>
413	Terbufos sulfone	16	0	0
414	Terbufos sulfoxide	16	0	0
415	Terbuthylazine	16	0	0
416	Terbutryn	1	0	0
417	Tetrachlorvinphos	1	0	0
418	Tetraconazole	25	0	0
419	Tetradifon	30	0	0
420	Thiabendazole	10	0	0
422	Thiacloprid	10	0	0
423	Thiametoxam	10	0	0
424	Thiametoxam (sum of thiametoxam and clothianidin expressed as thiametoxam)	10	0	0
425	Thifensulfuron-methyl	1	0	0
427	Thiodicarb	25	0	0
428	Thiophanate-methyl	25	0	0
429	Tolclofos-methyl	31	0	0
430	Tolyfluanid	31	0	0
431	Tolyfluanid (Sum of tolyfluanid and dimethylaminosulfotoluidide expressed as tolyfluanid)	16	0	0
432	Tralkoxydim	1	0	0
435	Triadimefon	25	0	0
436	Triadimefon (sum of Triadimefon and Triadimenol)	25	0	0
437	Triadimenol	25	0	0
438	Triasulfuron	1	0	0
439	Triazophos	40	0	0
442	Tricyclazole	1	0	0
443	Trifloxystrobin	25	0	0
445	Trifluralin	30	0	0
447	Triticonazole	10	0	0
448	Vamidothion	1	0	0
449	Vinclozolin	30	0	0
451	Zoxamide	1	0	0

Pesticide monitoring 2013 Greece on September 22, 2014 at 03:27:57 PM
Table A3: Scope of analytical methods, number of samples analysed for each residue by matrix

<i>Row number</i>	<i>Compound</i>	<i>Animal Products</i>	<i>Nr Found</i>	<i>MRL Ex</i>
452	alpha-Endosulfan	30	0	0
454	beta-Endosulfan	30	0	0
455	cis-Chlordane	30	0	0
457	tau-Fluvalinate	30	0	0
458	trans-Chlordane	30	0	0
		5760	0	0

Pesticide monitoring 2013 Greece on September 22, 2014 at 03:27:57 PM
Table A3: Scope of analytical methods, number of samples analysed for each residue by matrix

<i>Row number</i>	<i>Compound</i>	<i>Baby/Infant Food</i>	<i>Nr Found</i>	<i>MRL Ex</i>
1	2,4-D	6	0	0
4	Abamectin (sum)	19	0	0
5	Acephate	19	0	0
6	Acetamiprid	19	0	0
7	Acetochlor	13	0	0
8	Aclonifen	13	0	0
9	Acrinathrin	19	0	0
10	Alachlor	19	0	0
11	Aldicarb	19	0	0
12	Aldicarb (sum)	19	0	0
13	Aldicarb sulfone	19	0	0
14	Aldicarb sulfoxide	19	0	0
15	Aldrin	18	0	0
16	Aldrin and Dieldrin	12	0	0
18	Ametryn	13	0	0
21	Asulam	13	0	0
23	Atrazine	13	0	0
24	Avermectin B1a	13	0	0
25	Avermectin B1b	13	0	0
26	Azimsulfuron	13	0	0
27	Azinphos-ethyl	19	0	0
28	Azinphos-methyl	19	0	0
29	Azoxystrobin	19	0	0
31	Benalaxyl (sum)	13	0	0
33	Benfluralin	19	0	0
34	Benfuracarb	13	0	0
35	Bensulfuron-ethyl	13	0	0
36	Bentazone	11	0	0
37	Bentazone (sum animal products)	12	0	0
38	Benzoximate	13	0	0

Pesticide monitoring 2013 Greece on September 22, 2014 at 03:27:57 PM
Table A3: Scope of analytical methods, number of samples analysed for each residue by matrix

Row number	Compound	Baby/Infant Food	Nr Found	MRL Ex
39	Bifenthrin	19	0	0
41	Bitertanol	18	0	0
42	Boscalid	19	0	0
43	Bromacil	2	0	0
45	Bromophos-ethyl	13	0	0
46	Bromopropylate	19	0	0
47	Bromuconazole (sum)	19	0	0
48	Bupirimate	19	0	0
49	Buprofezin	19	0	0
50	Cadusafos	19	0	0
51	Captafol	12	0	0
52	Captan	12	0	0
54	Carbaryl	19	0	0
56	Carbendazim and benomyl	19	0	0
57	Carbofuran	19	0	0
58	Carbofuran (sum)	19	0	0
59	Carbofuran, 3-hydroxy	19	0	0
60	Carbosulfan	13	0	0
61	Carboxin	13	0	0
62	Chlorbromuron	13	0	0
63	Chlordane (sum)	18	0	0
64	Chlorfenapyr	18	0	0
66	Chlorfenvinphos	19	0	0
67	Chloridazon	13	0	0
69	Chlorobenzilate	18	0	0
70	Chlorothalonil	19	0	0
71	Chlorotoluron	13	0	0
72	Chloroxuron	13	0	0
73	Chlorpropham	6	0	0
74	Chlorpropham (sum)	13	0	0

Pesticide monitoring 2013 Greece on September 22, 2014 at 03:27:57 PM
Table A3: Scope of analytical methods, number of samples analysed for each residue by matrix

Row number	Compound	Baby/Infant Food	Nr Found	MRL Ex
75	Chlorpyrifos	19	0	0
76	Chlorpyrifos-methyl	19	0	0
77	Chlorsulfuron	13	0	0
78	Chlorthal-dimethyl	12	0	0
79	Cinerin	13	0	0
80	Cinerin I	13	0	0
81	Cinerin II	13	0	0
82	Clethodim (sum)	13	0	0
83	Clofentezine	13	0	0
84	Clothianidin	19	0	0
85	Coumaphos	19	0	0
86	Cyanazine	13	0	0
88	Cyfluthrin (sum)	19	0	0
89	Cymoxanil	13	0	0
91	Cypermethrin (sum)	19	0	0
92	Cyproconazole	19	0	0
93	Cyprodinil	19	0	0
94	Cyromazine	13	0	0
95	DDD, p,p-	18	0	0
96	DDE, o,p-	12	0	0
97	DDE, p,p-	18	0	0
98	DDT (sum)	18	0	0
99	DDT, o,p-	18	0	0
100	DDT, p,p-	18	0	0
102	Deltamethrin	18	0	0
104	Demeton-S-methyl	13	0	0
105	Demeton-S-methyl (sum baby and infant food)	6	0	0
106	Demeton-S-methyl sulfone	13	0	0
107	Desmetryn	12	0	0
108	Diafenthiuron	13	0	0

Pesticide monitoring 2013 Greece on September 22, 2014 at 03:27:57 PM
Table A3: Scope of analytical methods, number of samples analysed for each residue by matrix

Row number	Compound	Baby/Infant Food	Nr Found	MRL Ex
109	Diazinon	19	0	0
111	Dichlofluanid	19	0	0
113	Dichloroaniline, 3,5-	13	0	0
114	Dichlorprop	6	0	0
115	Dichlorvos	13	0	0
116	Dicloran	12	0	0
117	Dicofol (sum)	12	0	0
118	Dicofol o, p'	12	0	0
119	Dicofol p, p'	12	0	0
120	Dicrotophos	13	0	0
121	Dieldrin	18	0	0
122	Diethofencarb	13	0	0
123	Difenoconazole	19	0	0
124	Diflubenzuron	13	0	0
125	Diflufenican	19	0	0
126	Dimethoate	19	0	0
127	Dimethoate (sum)	19	0	0
128	Dimethomorph	19	0	0
130	Diniconazole	12	0	0
131	Dinitramine	12	0	0
132	Dinobuton	12	0	0
133	Dinocap	10	0	0
134	Dinocap (sum)	10	0	0
137	Diphenamid	13	0	0
138	Diphenylamine	19	0	0
139	Disulfoton	13	0	0
140	Disulfoton (sum baby and infant food)	13	0	0
141	Disulfoton sulfone	13	0	0
142	Disulfoton sulfoxide	13	0	0
144	Diuron	26	0	0

Row number	Compound	Baby/Infant Food	Nr Found	MRL Ex
145	Diuron	26	0	0
146	Dodemorph	12	0	0
147	EPN	13	0	0
148	Emamectin benzoate B1a, expressed as emamectin	13	0	0
149	Endosulfan (sum)	19	0	0
150	Endosulfansulfate	18	0	0
151	Endrin	18	0	0
152	Epoxiconazole	19	0	0
154	Ethalfuralin	18	0	0
157	Ethion	13	0	0
158	Ethirimol	13	0	0
159	Ethofumesate	13	0	0
160	Ethofumesate (sum)	13	0	0
161	Ethoprophos	19	0	0
162	Ethoxyquin	13	0	0
163	Etofenprox	13	0	0
164	Etoxazole	13	0	0
165	Etrimfos	6	0	0
166	Famoxadone	19	0	0
167	Fenamidone	13	0	0
168	Fenamiphos	13	0	0
169	Fenamiphos (sum)	13	0	0
170	Fenamiphos sulfone	13	0	0
171	Fenamiphos sulfoxide	13	0	0
172	Fenarimol	18	0	0
173	Fenazaquin	19	0	0
174	Fenbuconazole	19	0	0
176	Fenhexamid	19	0	0
177	Fenitrothion	19	0	0
178	Fenoxycarb	19	0	0

Pesticide monitoring 2013 Greece on September 22, 2014 at 03:27:57 PM
Table A3: Scope of analytical methods, number of samples analysed for each residue by matrix

<i>Row number</i>	<i>Compound</i>	<i>Baby/Infant Food</i>	<i>Nr Found</i>	<i>MRL Ex</i>
179	Fenpropathrin	19	0	0
180	Fenpropidin	13	0	0
181	Fenpropimorph	19	0	0
182	Fenpyroximate	13	0	0
184	Fensulfothion	13	0	0
185	Fensulfothion (sum baby and infant food)	13	0	0
186	Fensulfothion oxon	13	0	0
187	Fensulfothion oxon sulphone	13	0	0
188	Fensulfothion sulfone	13	0	0
189	Fenthion	13	0	0
190	Fenthion (sum)	13	0	0
191	Fenthion oxon	13	0	0
192	Fenthion oxon sulfone	13	0	0
193	Fenthion oxonsulfoxide	13	0	0
194	Fenthion sulfone	13	0	0
195	Fenthion sulfoxide	13	0	0
198	Fenvalerate and Esfenvalerate (Sum of RR and SS isomers)	18	0	0
199	Fenvalerate and Esfenvalerate (Sum of RS and SR isomers)	18	0	0
201	Fipronil	16	0	0
202	Fipronil (sum)	10	0	0
203	Fipronil desulfinyl	10	0	0
204	Fipronil sulfone	10	0	0
205	Fluazifop (free acid)	6	0	0
208	Fluazinam	10	0	0
209	Flucythrinate	13	0	0
211	Fludioxonil	16	0	0
212	Flufenacet	13	0	0
213	Flufenacet (sum)	13	0	0
214	Flufenoxuron	19	0	0
215	Fluometuron	13	0	0

Pesticide monitoring 2013 Greece on September 22, 2014 at 03:27:57 PM
Table A3: Scope of analytical methods, number of samples analysed for each residue by matrix

<i>Row number</i>	<i>Compound</i>	<i>Baby/Infant Food</i>	<i>Nr Found</i>	<i>MRL Ex</i>
216	Fluopicolide	13	0	0
217	Fluquinconazole	19	0	0
218	Fluroxypyr	9	0	0
219	Fluroxypyr (sum)	3	0	0
220	Flusilazole	19	0	0
221	Flutolanil	13	0	0
222	Flutriafol	19	0	0
223	Fluvalinate	6	0	0
224	Folpet	13	0	0
225	Foramsulfuron	13	0	0
226	Formetanate	13	0	0
227	Formetanate	13	0	0
228	Fosthiazate	13	0	0
229	Furathiocarb	13	0	0
232	Haloxyfop	6	0	0
236	Heptachlor	18	0	0
237	Heptachlor (sum of heptachlor and heptachlor epoxide expressed as heptachlor)	18	0	0
238	Heptachlor endo-epoxide	6	0	0
239	Heptachlor epoxide	12	0	0
240	Heptachlor exo-epoxide	6	0	0
241	Heptenophos	18	0	0
242	Hexachlorobenzene	18	0	0
243	Hexachlorocyclohexane (HCH), alpha-isomer	18	0	0
244	Hexachlorocyclohexane (HCH), beta-isomer	18	0	0
245	Hexachlorocyclohexane (HCH), sum of isomers, except the gamma isomer	18	0	0
246	Hexaconazole	19	0	0
247	Hexythiazox	19	0	0
248	Imazalil	19	0	0
249	Imazamethabenz-methyl	13	0	0
250	Imidacloprid	19	0	0

Pesticide monitoring 2013 Greece on September 22, 2014 at 03:27:57 PM
Table A3: Scope of analytical methods, number of samples analysed for each residue by matrix

<i>Row number</i>	<i>Compound</i>	<i>Baby/Infant Food</i>	<i>Nr Found</i>	<i>MRL Ex</i>
251	Indoxacarb as sum of the isomers S and R	19	0	0
252	Ioxynil	10	0	0
253	Ioxynil, including its esters expressed as ioxynil	10	0	0
254	Iprodione	18	0	0
255	Iprovalicarb	19	0	0
256	Isofenphos-methyl	19	0	0
257	Isoprothiolane	13	0	0
258	Isoproturon	19	0	0
259	Jasmolin I	13	0	0
260	Jasmolin II	13	0	0
261	Kresoxim-methyl	19	0	0
262	Lambda-Cyhalothrin	18	0	0
263	Lindane (Gamma-isomer of hexachlorocyclohexane (HCH))	18	0	0
264	Linuron	19	0	0
265	Lufenuron	19	0	0
266	MCPA	6	0	0
267	Malaoxon	19	0	0
268	Malathion	19	0	0
269	Malathion (sum of malathion and malaoxon expressed as malathion)	19	0	0
270	Mecarbam	13	0	0
271	Mecoprop	6	0	0
272	Mecoprop (sum of mecoprop-p and mecoprop expressed as mecoprop)	6	0	0
273	Mepanipyrim	19	0	0
274	Mepanipyrim (Mepanipyrim and its metabolite (2-anilino-4-(2-hydroxypropyl)-6-methylpyrimidine) expressed as mepanipyrim)	13	0	0
277	Metaflumizone (sum of E- and Z- isomers)	13	0	0
279	Metalaxyl (Metalaxyl including other mixtures of constituent isomers including Metalaxyl-M (sum of isomers))	19	0	0
282	Metamitron	13	0	0
283	Metazachlor	13	0	0
284	Metconazole	19	0	0
285	Methabenzthiazuron	13	0	0

Pesticide monitoring 2013 Greece on September 22, 2014 at 03:27:57 PM
Table A3: Scope of analytical methods, number of samples analysed for each residue by matrix

Row number	Compound	Baby/Infant Food	Nr Found	MRL Ex
286	Methacrifos	19	0	0
287	Methamidophos	19	0	0
288	Methidathion	18	0	0
289	Methiocarb	19	0	0
290	Methiocarb (sum of methiocarb and methiocarb sulfoxide and sulfone, expressed as methiocarb)	19	0	0
291	Methiocarb sulfone	19	0	0
292	Methiocarb sulfoxide	19	0	0
293	Metholachlor	19	0	0
294	Metholachlor and metholachlor-S (Metholachlor including other mixtures of constituent isomers including S-metholachlor (sum of isomers))	13	0	0
295	Methomyl	19	0	0
296	Methomyl and thiodicarb (sum of methomyl and thiodicarb expressed as methomyl)	19	0	0
297	Methoxychlor	18	0	0
298	Methoxyfenozone	19	0	0
299	Metobromuron	13	0	0
300	Metoxuron	13	0	0
302	Metribuzin	13	0	0
303	Metsulfuron-methyl	13	0	0
304	Mevinphos (sum of E- and Z-isomers)	13	0	0
305	Monocrotophos	19	0	0
306	Monolinuron	13	0	0
307	Myclobutanil	19	0	0
308	Naled	13	0	0
309	Napropamide	13	0	0
310	Nicosulfuron	13	0	0
311	Nitenpyram	13	0	0
312	Nitrofen	18	0	0
313	Nuarimol	13	0	0
314	Omethoate	19	0	0
316	Oxadiazon	13	0	0
317	Oxadixyl	19	0	0

Pesticide monitoring 2013 Greece on September 22, 2014 at 03:27:57 PM
Table A3: Scope of analytical methods, number of samples analysed for each residue by matrix

<i>Row number</i>	<i>Compound</i>	<i>Baby/Infant Food</i>	<i>Nr Found</i>	<i>MRL Ex</i>
318	Oxamyl	19	0	0
319	Oxychlorane	6	0	0
320	Oxydemeton-methyl	13	0	0
321	Oxydemeton-methyl (sum of oxydemeton-methyl and demeton-S-methylsulfone expressed as oxydemeton-methyl)	13	0	0
322	Oxyfluorfen	19	0	0
323	Paclobutrazol	19	0	0
325	Paraoxon-methyl	18	0	0
326	Parathion	18	0	0
327	Parathion-methyl	18	0	0
328	Parathion-methyl (sum of Parathion-methyl and paraoxon-methyl expressed as Parathion-methyl)	18	0	0
329	Penconazole	19	0	0
330	Pencycuron	13	0	0
331	Pendimethalin	19	0	0
332	Pentachloroaniline	12	0	0
333	Permethrin (sum of isomers)	18	0	0
334	Phenothrin	13	0	0
335	Phenthoate	13	0	0
337	Phorate (sum of phorate, its oxygen analogue and their sulfones expressed as phorate)	13	0	0
340	Phosalone	13	0	0
341	Phosmet	19	0	0
342	Phosmet (phosmet and phosmet oxon expressed as phosmet)	13	0	0
343	Phosmet oxon	13	0	0
345	Phoxim	13	0	0
346	Picoxystrobin	19	0	0
347	Pirimicarb	19	0	0
348	Pirimicarb (sum of Pirimicarb and desmethyl pirimicarb expressed as Pirimicarb)	19	0	0
349	Pirimicarb desmethyl	19	0	0
352	Pirimiphos-methyl	19	0	0
353	Primisulfuron	13	0	0
354	Prochloraz	19	0	0

Pesticide monitoring 2013 Greece on September 22, 2014 at 03:27:57 PM
Table A3: Scope of analytical methods, number of samples analysed for each residue by matrix

<i>Row number</i>	<i>Compound</i>	<i>Baby/Infant Food</i>	<i>Nr Found</i>	<i>MRL Ex</i>
355	Prochloraz (sum of prochloraz and its metabolites containing the 2,4,6-Trichlorophenol moiety expressed as prochloraz)	13	0	0
356	Procymidone	19	0	0
357	Profenofos	19	0	0
360	Prometryn	12	0	0
361	Propachlor	12	0	0
362	Propachlor: oxalinic derivate of propachlor, expressed as propachlor	12	0	0
363	Propamocarb	13	0	0
364	Propamocarb (sum of propamocarb and its salt expressed as propamocarb)	13	0	0
365	Propanil	12	0	0
366	Propargite	13	0	0
368	Propham	13	0	0
369	Propiconazole	19	0	0
370	Propoxur	6	0	0
371	Propyzamide	18	0	0
374	Prothioconazole (prothioconazole-desthio)	10	0	0
376	Prothiofos	19	0	0
377	Pymetrozine	13	0	0
378	Pyraclostrobin	19	0	0
379	Pyrazophos	19	0	0
380	Pyrethrin I	13	0	0
381	Pyrethrin II	13	0	0
382	Pyrethrins	13	0	0
383	Pyridaben	13	0	0
384	Pyridate	13	0	0
385	Pyridate (sum of pyridate, its hydrolysis product CL 9673 (6-chloro-4-hydroxy-3-phenylpyridazin) and hydrolysable conjugates of CL 9673 expressed as pyridate)	13	0	0
386	Pyrifenox	13	0	0
387	Pyrimethanil	19	0	0
388	Pyriproxyfen	19	0	0
389	Quinalphos	13	0	0
390	Quinoxifen	19	0	0

Pesticide monitoring 2013 Greece on September 22, 2014 at 03:27:57 PM
Table A3: Scope of analytical methods, number of samples analysed for each residue by matrix

<i>Row number</i>	<i>Compound</i>	<i>Baby/Infant Food</i>	<i>Nr Found</i>	<i>MRL Ex</i>
391	Quintozene	18	0	0
392	Quintozene (sum of quintozene and pentachloro-aniline expressed as quintozene)	13	0	0
393	Resmethrin (resmethrin including other mixtures of constituent isomers (sum of isomers))	9	0	0
394	Rimsulfuron	13	0	0
396	Sethoxydim	13	0	0
397	Simazine	13	0	0
399	Spinosad (sum of Spinosyn A and Spinosyn D, expressed as Spinosad)	19	0	0
400	Spinosyn A	19	0	0
401	Spinosyn D	19	0	0
402	Spirodiclofen	13	0	0
403	Spiroxamine	19	0	0
404	Tebuconazole	19	0	0
405	Tebufenozide	19	0	0
406	Tebufenpyrad	19	0	0
407	Tecnazene	18	0	0
408	Teflubenzuron	16	0	0
409	Tefluthrin	12	0	0
410	Temephos	3	0	0
411	Terbufos	19	0	0
412	Terbufos (sum baby and infant food)	19	0	0
413	Terbufos sulfone	19	0	0
414	Terbufos sulfoxide	19	0	0
415	Terbuthylazine	13	0	0
416	Terbutryn	13	0	0
417	Tetrachlorvinphos	3	0	0
418	Tetraconazole	19	0	0
419	Tetradifon	18	0	0
420	Thiabendazole	19	0	0
422	Thiacloprid	19	0	0
423	Thiametoxam	19	0	0

Pesticide monitoring 2013 Greece on September 22, 2014 at 03:27:57 PM
Table A3: Scope of analytical methods, number of samples analysed for each residue by matrix

<i>Row number</i>	<i>Compound</i>	<i>Baby/Infant Food</i>	<i>Nr Found</i>	<i>MRL Ex</i>
424	Thiametoxam (sum of thiametoxam and clothianidin expressed as thiametoxam)	19	0	0
425	Thifensulfuron-methyl	13	0	0
426	Thiobencarb	2	0	0
427	Thiodicarb	19	0	0
428	Thiophanate-methyl	19	0	0
429	Tolclofos-methyl	19	0	0
430	Tolyfluanid	19	0	0
431	Tolyfluanid (Sum of tolyfluanid and dimethylaminosulfotoluidide expressed as tolyfluanid)	13	0	0
432	Tralkoxydim	13	0	0
435	Triadimefon	19	0	0
436	Triadimefon (sum of Triadimefon and Triadimenol)	19	0	0
437	Triadimenol	19	0	0
438	Triasulfuron	13	0	0
439	Triazophos	19	0	0
442	Tricyclazole	13	1	1
443	Trifloxystrobin	19	0	0
444	Triflumuron	10	0	0
445	Trifluralin	18	0	0
447	Triticonazole	19	0	0
448	Vamidothion	13	0	0
449	Vinclozolin	18	0	0
450	Vinclozolin (sum of Vinclozolin and all metabolites containing the 3,5-dichloraniline moiety, expressed as Vinclozolin)	12	0	0
451	Zoxamide	13	0	0
452	alpha-Endosulfan	18	0	0
454	beta-Endosulfan	18	0	0
455	cis-Chlordane	18	0	0
457	tau-Fluvalinate	18	0	0
458	trans-Chlordane	18	0	0
		5910	1	1

Pesticide monitoring 2013 Greece on September 22, 2014 at 03:27:57 PM
Table A3: Scope of analytical methods, number of samples analysed for each residue by matrix

<i>Row number</i>	<i>Compound</i>	<i>Cereals</i>	<i>Nr Found</i>	<i>MRL Ex</i>
1	2,4-D	18	0	0
4	Abamectin (sum)	41	0	0
5	Acephate	42	0	0
6	Acetamiprid	42	0	0
7	Acetochlor	23	0	0
8	Aclonifen	23	0	0
9	Acrinathrin	42	0	0
10	Alachlor	42	0	0
11	Aldicarb	41	0	0
12	Aldicarb (sum)	44	0	0
13	Aldicarb sulfone	41	0	0
14	Aldicarb sulfoxide	41	0	0
15	Aldrin	54	0	0
16	Aldrin and Dieldrin	36	0	0
18	Ametryn	44	0	0
21	Asulam	23	0	0
22	Atraton	20	0	0
23	Atrazine	43	0	0
24	Avermectin B1a	23	0	0
25	Avermectin B1b	23	0	0
26	Azimsulfuron	23	0	0
27	Azinphos-ethyl	41	0	0
28	Azinphos-methyl	62	0	0
29	Azoxystrobin	62	0	0
30	Benalaxyl	1	0	0
31	Benalaxyl (sum)	24	0	0
33	Benfluralin	41	0	0
34	Benfuracarb	24	0	0
35	Bensulfuron-ethyl	23	0	0
36	Bentazone	18	0	0

Pesticide monitoring 2013 Greece on September 22, 2014 at 03:27:57 PM
Table A3: Scope of analytical methods, number of samples analysed for each residue by matrix

<i>Row number</i>	<i>Compound</i>	<i>Cereals</i>	<i>Nr Found</i>	<i>MRL Ex</i>
37	Bentazone (sum animal products)	15	0	0
38	Benzoximate	23	0	0
39	Bifenthrin	42	0	0
41	Bitertanol	34	0	0
42	Boscalid	42	0	0
43	Bromacil	5	0	0
44	Bromide ion	4	0	0
45	Bromophos-ethyl	23	0	0
46	Bromopropylate	42	0	0
47	Bromuconazole (sum)	42	0	0
48	Bupirimate	42	0	0
49	Buprofezin	48	0	0
50	Cadusafos	42	0	0
51	Captafol	15	0	0
52	Captan	36	0	0
53	Captan/Folpet (sum)	1	0	0
54	Carbaryl	44	0	0
56	Carbendazim and benomyl	41	0	0
57	Carbofuran	42	0	0
58	Carbofuran (sum)	45	0	0
59	Carbofuran, 3-hydroxy	42	0	0
60	Carbosulfan	24	0	0
61	Carboxin	23	0	0
62	Chlorbromuron	23	0	0
63	Chlordane (sum)	33	0	0
64	Chlorfenapyr	34	0	0
65	Chlorfenson	20	0	0
66	Chlorfenvinphos	42	0	0
67	Chloridazon	23	0	0
68	Chlormequat	1	0	0

Pesticide monitoring 2013 Greece on September 22, 2014 at 03:27:57 PM
Table A3: Scope of analytical methods, number of samples analysed for each residue by matrix

<i>Row number</i>	<i>Compound</i>	<i>Cereals</i>	<i>Nr Found</i>	<i>MRL Ex</i>
69	Chlorobenzilate	34	0	0
70	Chlorothalonil	62	0	0
71	Chlorotoluron	23	0	0
72	Chloroxuron	23	0	0
73	Chlorpropham	19	0	0
74	Chlorpropham (sum)	24	0	0
75	Chlorpyrifos	62	0	0
76	Chlorpyrifos-methyl	42	0	0
77	Chlorsulfuron	23	0	0
78	Chlorthal-dimethyl	15	0	0
79	Cinerin	23	0	0
80	Cinerin I	23	0	0
81	Cinerin II	23	0	0
82	Clethodim (sum)	23	0	0
83	Clofentezine	24	0	0
84	Clothianidin	41	0	0
85	Coumaphos	61	0	0
86	Cyanazine	23	0	0
87	Cyfluthrin	1	0	0
88	Cyfluthrin (sum)	42	0	0
89	Cymoxanil	24	0	0
90	Cypermethrin	1	0	0
91	Cypermethrin (sum)	62	0	0
92	Cyproconazole	42	0	0
93	Cyprodinil	42	0	0
94	Cyromazine	23	0	0
95	DDD, p,p-	33	0	0
96	DDE, o,p-	15	0	0
97	DDE, p,p-	33	0	0
98	DDT (sum)	54	0	0

Pesticide monitoring 2013 Greece on September 22, 2014 at 03:27:57 PM
Table A3: Scope of analytical methods, number of samples analysed for each residue by matrix

<i>Row number</i>	<i>Compound</i>	<i>Cereals</i>	<i>Nr Found</i>	<i>MRL Ex</i>
99	DDT, o,p-	34	0	0
100	DDT, p,p-	34	0	0
102	Deltamethrin	54	1	0
103	Demeton	20	0	0
104	Demeton-S-methyl	42	0	0
106	Demeton-S-methyl sulfone	42	0	0
107	Desmetryn	15	0	0
108	Diafenthiuron	23	0	0
109	Diazinon	62	0	0
110	Dichlobenil	1	0	0
111	Dichlofluanid	62	0	0
112	Dichlofluanid and DMSA (sum of Dichlofluanid and DMSA)	1	0	0
113	Dichloroaniline, 3,5-	23	0	0
114	Dichlorprop	18	0	0
115	Dichlorvos	44	0	0
116	Dicloran	16	0	0
117	Dicofol (sum)	36	0	0
118	Dicofol o, p'	16	0	0
119	Dicofol p, p'	16	0	0
120	Dicrotophos	23	0	0
121	Dieldrin	54	0	0
122	Diethofencarb	23	0	0
123	Difenoconazole	42	0	0
124	Diflubenzuron	25	0	0
125	Diflufenican	41	0	0
126	Dimethoate	42	0	0
127	Dimethoate (sum)	42	0	0
128	Dimethomorph	42	0	0
130	Diniconazole	16	0	0
131	Dinitramine	15	0	0

Pesticide monitoring 2013 Greece on September 22, 2014 at 03:27:57 PM
Table A3: Scope of analytical methods, number of samples analysed for each residue by matrix

<i>Row number</i>	<i>Compound</i>	<i>Cereals</i>	<i>Nr Found</i>	<i>MRL Ex</i>
132	Dinobuton	15	0	0
133	Dinocap	10	0	0
134	Dinocap (sum)	14	0	0
136	Dioxacarb	3	0	0
137	Diphenamid	23	0	0
138	Diphenylamine	42	0	0
139	Disulfoton	44	0	0
140	Disulfoton (sum baby and infant food)	41	0	0
141	Disulfoton sulfone	41	0	0
142	Disulfoton sulfoxide	41	0	0
143	Dithiocarbamates	4	0	0
144	Diuron	46	0	0
145	Diuron	46	0	0
146	Dodemorph	15	0	0
147	EPN	24	0	0
148	Emamectin benzoate B1a, expressed as emamectin	23	0	0
149	Endosulfan (sum)	62	0	0
150	Endosulfansulfate	34	0	0
151	Endrin	54	0	0
152	Epoxiconazole	42	0	0
154	Ethalfuralin	34	0	0
155	Ethephon	1	0	0
156	Ethiofencarb	3	0	0
157	Ethion	24	0	0
158	Ethirimol	23	0	0
159	Ethofumesate	23	0	0
160	Ethofumesate (sum)	23	0	0
161	Ethoprophos	62	0	0
162	Ethoxyquin	23	0	0
163	Etofenprox	23	0	0

Pesticide monitoring 2013 Greece on September 22, 2014 at 03:27:57 PM
Table A3: Scope of analytical methods, number of samples analysed for each residue by matrix

Row number	Compound	Cereals	Nr Found	MRL Ex
164	Etoxazole	23	0	0
165	Etrimfos	18	0	0
166	Famoxadone	42	0	0
167	Fenamidone	23	0	0
168	Fenamiphos	24	0	0
169	Fenamiphos (sum)	24	0	0
170	Fenamiphos sulfone	23	0	0
171	Fenamiphos sulfoxide	23	0	0
172	Fenarimol	34	0	0
173	Fenazaquin	42	0	0
174	Fenbuconazole	42	0	0
175	Fenchlorphos	20	0	0
176	Fenhexamid	42	0	0
177	Fenitrothion	42	0	0
178	Fenoxycarb	62	0	0
179	Fenpropathrin	62	0	0
180	Fenpropidin	23	0	0
181	Fenpropimorph	42	0	0
182	Fenpyroximate	23	0	0
183	Fenson	20	0	0
184	Fensulfothion	23	0	0
185	Fensulfothion (sum baby and infant food)	23	0	0
186	Fensulfothion oxon	23	0	0
187	Fensulfothion oxon sulphone	23	0	0
188	Fensulfothion sulfone	23	0	0
189	Fenthion	62	0	0
190	Fenthion (sum)	42	0	0
191	Fenthion oxon	23	0	0
192	Fenthion oxon sulfone	23	0	0
193	Fenthion oxonsulfoxide	23	0	0

Pesticide monitoring 2013 Greece on September 22, 2014 at 03:27:57 PM
Table A3: Scope of analytical methods, number of samples analysed for each residue by matrix

Row number	Compound	Cereals	Nr Found	MRL Ex
194	Fenthion sulfone	41	0	0
195	Fenthion sulfoxide	42	0	0
196	Fenvalerate	21	0	0
197	Fenvalerate (sum of RR, SS, RS and SR isomers)	1	0	0
198	Fenvalerate and Esfenvalerate (Sum of RR and SS isomers)	33	0	0
199	Fenvalerate and Esfenvalerate (Sum of RS and SR isomers)	33	0	0
201	Fipronil	29	0	0
202	Fipronil (sum)	11	0	0
203	Fipronil desulfinyl	10	0	0
204	Fipronil sulfone	10	0	0
205	Fluazifop (free acid)	18	0	0
208	Fluazinam	11	0	0
209	Flucythrinate	24	0	0
210	Flucythrinate (sum of isomers expressed as flucythrinate)	1	0	0
211	Fludioxonil	29	0	0
212	Flufenacet	23	0	0
213	Flufenacet (sum)	23	0	0
214	Flufenoxuron	41	0	0
215	Fluometuron	23	0	0
216	Fluopicolide	23	0	0
217	Fluquinconazole	42	0	0
218	Fluroxypyr	31	0	0
219	Fluroxypyr (sum)	13	0	0
220	Flusilazole	42	0	0
221	Flutolanil	23	0	0
222	Flutriafol	42	0	0
223	Fluvalinate	19	0	0
224	Folpet	44	0	0
225	Foramsulfuron	23	0	0
226	Formetanate	23	0	0

Pesticide monitoring 2013 Greece on September 22, 2014 at 03:27:57 PM
Table A3: Scope of analytical methods, number of samples analysed for each residue by matrix

<i>Row number</i>	<i>Compound</i>	<i>Cereals</i>	<i>Nr Found</i>	<i>MRL Ex</i>
227	Formetanate	23	0	0
228	Fosthiazate	23	0	0
229	Furathiocarb	23	0	0
230	Glyphosate	1	0	0
231	HCH, delta-	20	0	0
232	Haloxfop	18	0	0
236	Heptachlor	34	0	0
237	Heptachlor (sum of heptachlor and heptachlor epoxide expressed as heptachlor)	54	0	0
238	Heptachlor endo-epoxide	18	0	0
239	Heptachlor epoxide	15	0	0
240	Heptachlor exo-epoxide	18	0	0
241	Heptenophos	34	0	0
242	Hexachlorobenzene	33	0	0
243	Hexachlorocyclohexane (HCH), alpha-isomer	33	0	0
244	Hexachlorocyclohexane (HCH), beta-isomer	33	0	0
245	Hexachlorocyclohexane (HCH), sum of isomers, except the gamma isomer	33	0	0
246	Hexaconazole	42	0	0
247	Hexythiazox	42	0	0
248	Imazalil	42	0	0
249	Imazamethabenz-methyl	23	0	0
250	Imidacloprid	41	0	0
251	Indoxacarb as sum of the isomers S and R	42	0	0
252	Ioxynil	10	0	0
253	Ioxynil, including its esters expressed as ioxynil	10	0	0
254	Iprodione	54	0	0
255	Iprovalicarb	42	0	0
256	Isofenphos-methyl	42	0	0
257	Isoprothiolane	23	0	0
258	Isoproturon	41	0	0
259	Jasmolin I	23	0	0

Pesticide monitoring 2013 Greece on September 22, 2014 at 03:27:57 PM
Table A3: Scope of analytical methods, number of samples analysed for each residue by matrix

Row number	Compound	Cereals	Nr Found	MRL Ex
260	Jasmolin II	23	0	0
261	Kresoxim-methyl	42	0	0
262	Lambda-Cyhalothrin	34	0	0
263	Lindane (Gamma-isomer of hexachlorociclohexane (HCH))	54	0	0
264	Linuron	42	0	0
265	Lufenuron	41	0	0
266	MCPA	18	0	0
267	Malaoxon	42	0	0
268	Malathion	42	0	0
269	Malathion (sum of malathion and malaoxon expressed as malathion)	42	0	0
270	Mecarbam	24	0	0
271	Mecoprop	18	0	0
272	Mecoprop (sum of mecoprop-p and mecoprop expressed as mecoprop)	18	0	0
273	Mepanipyrim	42	0	0
274	Mepanipyrim (Mepanipyrim and its metabolite (2-anilino-4-(2-hydroxypropyl)-6-methylpyrimidine) expressed as mepanipyrim)	24	0	0
275	Mepiquat	1	0	0
276	Merphos	20	0	0
277	Metaflumizone (sum of E- and Z- isomers)	23	0	0
278	Metalaxyl	1	0	0
279	Metalaxyl (Metalaxyl including other mixtures of constituent isomers including Metalaxyl-M (sum of isomers))	42	0	0
280	Metalaxyl-M	6	0	0
282	Metamitron	23	0	0
283	Metazachlor	23	0	0
284	Metconazole	42	0	0
285	Methabenzthiazuron	23	0	0
286	Methacrifos	41	0	0
287	Methamidophos	42	0	0
288	Methidathion	34	0	0
289	Methiocarb	45	0	0
290	Methiocarb (sum of methiocarb and methiocarb sulfoxide and sulfone, expressed as methiocarb)	42	0	0

Pesticide monitoring 2013 Greece on September 22, 2014 at 03:27:57 PM
Table A3: Scope of analytical methods, number of samples analysed for each residue by matrix

<i>Row number</i>	<i>Compound</i>	<i>Cereals</i>	<i>Nr Found</i>	<i>MRL Ex</i>
291	Methiocarb sulfone	41	0	0
292	Methiocarb sulfoxide	41	0	0
293	Metholachlor	42	0	0
294	Metholachlor and metholachlor-S (Metholachlor including other mixtures of constituent isomers including S-metholachlor (sum of isomers))	24	0	0
295	Methomyl	44	0	0
296	Methomyl and thiodicarb (sum of methomyl and thiodicarb expressed as methomyl)	41	0	0
297	Methoxychlor	53	0	0
298	Methoxyfenozide	41	0	0
299	Metobromuron	23	0	0
300	Metoxuron	23	0	0
301	Metrafenone	1	0	0
302	Metribuzin	24	0	0
303	Metsulfuron-methyl	23	0	0
304	Mevinphos (sum of E- and Z-isomers)	43	0	0
305	Monocrotophos	42	0	0
306	Monolinuron	23	0	0
307	Myclobutanil	42	0	0
308	Naled	23	0	0
309	Napropamide	23	0	0
310	Nicosulfuron	23	0	0
311	Nitenpyram	23	0	0
312	Nitrofen	33	0	0
313	Nuarimol	23	0	0
314	Omethoate	42	0	0
315	Orthophenylphenol	18	0	0
316	Oxadiazon	24	0	0
317	Oxadixyl	42	0	0
318	Oxamyl	44	0	0
319	Oxychlorane	18	0	0
320	Oxydemeton-methyl	42	0	0

Pesticide monitoring 2013 Greece on September 22, 2014 at 03:27:57 PM
Table A3: Scope of analytical methods, number of samples analysed for each residue by matrix

<i>Row number</i>	<i>Compound</i>	<i>Cereals</i>	<i>Nr Found</i>	<i>MRL Ex</i>
321	Oxydemeton-methyl (sum of oxydemeton-methyl and demeton-S-methylsulfone expressed as oxydemeton-methyl)	42	0	0
322	Oxyfluorfen	42	0	0
323	Paclobutrazol	42	0	0
325	Paraoxon-methyl	34	0	0
326	Parathion	34	0	0
327	Parathion-methyl	54	0	0
328	Parathion-methyl (sum of Parathion-methyl and paraoxon-methyl expressed as Parathion-methyl)	34	0	0
329	Penconazole	42	0	0
330	Pencycuron	24	0	0
331	Pendimethalin	48	0	0
332	Pentachloroaniline	35	0	0
333	Permethrin (sum of isomers)	54	0	0
334	Phenothrin	23	0	0
335	Phenthoate	24	0	0
336	Phorate	21	0	0
337	Phorate (sum of phorate, its oxygen analogue and their sulfones expressed as phorate)	24	0	0
338	Phorate sulfone	1	0	0
339	Phorate sulfoxide	1	0	0
340	Phosalone	24	0	0
341	Phosmet	42	0	0
342	Phosmet (phosmet and phosmet oxon expressed as phosmet)	24	0	0
343	Phosmet oxon	23	0	0
344	Phosphamidon	1	0	0
345	Phoxim	23	0	0
346	Picoxystrobin	41	0	0
347	Pirimicarb	62	0	0
348	Pirimicarb (sum of Pirimicarb and desmethyl pirimicarb expressed as Pirimicarb)	42	0	0
349	Pirimicarb desmethyl	41	0	0
350	Pirimicarb, desmethylformamido-	1	0	0
352	Pirimiphos-methyl	42	5	0

Row number	Compound	Cereals	Nr Found	MRL Ex
353	Primisulfuron	23	0	0
354	Prochloraz	42	0	0
355	Prochloraz (sum of prochloraz and its metabolites containing the 2,4,6-Trichlorophenol moiety expressed as prochloraz)	24	0	0
356	Procymidone	62	0	0
357	Profenofos	42	0	0
358	Promecarb	3	0	0
359	Prometon	20	0	0
360	Prometryn	36	0	0
361	Propachlor	16	0	0
362	Propachlor: oxalinic derivate of propachlor, expressed as propachlor	15	0	0
363	Propamocarb	23	0	0
364	Propamocarb (sum of propamocarb and its salt expressed as propamocarb)	23	0	0
365	Propanil	15	0	0
366	Propargite	24	0	0
367	Propazine	20	0	0
368	Propham	23	0	0
369	Propiconazole	42	0	0
370	Propoxur	22	0	0
371	Propyzamide	34	0	0
372	Propyzamide (sum of propyzamide and all metabolites containing the 3,5-dichlorobenzoic acid fraction expressed as propyzamide)	1	0	0
373	Prothioconazole	1	0	0
374	Prothioconazole (prothioconazole-desthio)	10	0	0
376	Prothiofos	62	0	0
377	Pymetrozine	23	0	0
378	Pyraclostrobin	42	0	0
379	Pyrazophos	42	0	0
380	Pyrethrin I	23	0	0
381	Pyrethrin II	23	0	0
382	Pyrethrins	23	0	0
383	Pyridaben	24	0	0

Pesticide monitoring 2013 Greece on September 22, 2014 at 03:27:57 PM
Table A3: Scope of analytical methods, number of samples analysed for each residue by matrix

<i>Row number</i>	<i>Compound</i>	<i>Cereals</i>	<i>Nr Found</i>	<i>MRL Ex</i>
384	Pyridate	23	0	0
385	Pyridate (sum of pyridate, its hydrolysis product CL 9673 (6-chloro-4-hydroxy-3-phenylpyridazin) and hydrolysable conjugates of CL 9673 expressed as pyridate)	23	0	0
386	Pyrifenox	24	0	0
387	Pyrimethanil	42	0	0
388	Pyriproxyfen	42	0	0
389	Quinalphos	24	0	0
390	Quinoxifen	42	0	0
391	Quintozene	53	0	0
392	Quintozene (sum of quintozene and pentachloro-aniline expressed as quintozene)	23	0	0
393	Resmethrin (resmethrin including other mixtures of constituent isomers (sum of isomers))	51	0	0
394	Rimsulfuron	23	0	0
395	Secbumeton	20	0	0
396	Sethoxydim	23	0	0
397	Simazine	43	0	0
398	Simetryn	20	0	0
399	Spinosad (sum of Spinosyn A and Spinosyn D, expressed as Spinosad)	41	0	0
400	Spinosyn A	41	0	0
401	Spinosyn D	41	0	0
402	Spirodiclofen	23	0	0
403	Spiroxamine	41	0	0
404	Tebuconazole	42	0	0
405	Tebufenozide	41	0	0
406	Tebufenpyrad	42	0	0
407	Tecnazene	53	0	0
408	Teflubenzuron	28	0	0
409	Tefluthrin	16	0	0
410	Temephos	13	0	0
411	Terbufos	41	0	0
412	Terbufos (sum baby and infant food)	41	0	0
413	Terbufos sulfone	41	0	0

Pesticide monitoring 2013 Greece on September 22, 2014 at 03:27:57 PM
Table A3: Scope of analytical methods, number of samples analysed for each residue by matrix

<i>Row number</i>	<i>Compound</i>	<i>Cereals</i>	<i>Nr Found</i>	<i>MRL Ex</i>
414	Terbufos sulfoxide	41	0	0
415	Terbutylazine	44	0	0
416	Terbutryn	23	0	0
417	Tetrachlorvinphos	33	0	0
418	Tetraconazole	42	0	0
419	Tetradifon	34	0	0
420	Thiabendazole	42	0	0
421	Thiabendazole (sum animal products)	1	0	0
422	Thiacloprid	42	0	0
423	Thiametoxam	42	0	0
424	Thiametoxam (sum of thiametoxam and clothianidin expressed as thiametoxam)	42	0	0
425	Thifensulfuron-methyl	23	0	0
426	Thiobencarb	5	0	0
427	Thiodicarb	44	0	0
428	Thiophanate-methyl	41	0	0
429	Tolclofos-methyl	42	0	0
430	Tolyfluanid	42	0	0
431	Tolyfluanid (Sum of tolyfluanid and dimethylaminosulfotoluidide expressed as tolyfluanid)	24	0	0
432	Tralkoxydim	23	0	0
435	Triadimefon	62	0	0
436	Triadimefon (sum of Triadimefon and Triadimenol)	42	0	0
437	Triadimenol	62	0	0
438	Triasulfuron	23	0	0
439	Triazophos	42	0	0
440	Trichlorfon	1	0	0
441	Trichloronat	20	0	0
442	Tricyclazole	23	6	0
443	Trifloxystrobin	42	0	0
444	Triflumuron	10	0	0
445	Trifluralin	34	0	0

Pesticide monitoring 2013 Greece on September 22, 2014 at 03:27:57 PM
Table A3: Scope of analytical methods, number of samples analysed for each residue by matrix

<i>Row number</i>	<i>Compound</i>	<i>Cereals</i>	<i>Nr Found</i>	<i>MRL Ex</i>
447	Triticonazole	42	0	0
448	Vamidothion	23	0	0
449	Vinclozolin	54	0	0
450	Vinclozolin (sum of Vinclozolin and all metabolites containing the 3,5-dichloraniline moiety, expressed as Vinclozolin)	16	0	0
451	Zoxamide	23	0	0
452	alpha-Endosulfan	34	0	0
454	beta-Endosulfan	34	0	0
455	cis-Chlordane	33	0	0
457	tau-Fluvalinate	34	0	0
458	trans-Chlordane	33	0	0
		13155	12	0

Pesticide monitoring 2013 Greece on September 22, 2014 at 03:27:57 PM
Table A3: Scope of analytical methods, number of samples analysed for each residue by matrix

<i>Row number</i>	<i>Compound</i>	<i>Fruit and Nuts</i>	<i>Nr Found</i>	<i>MRL Ex</i>
1	2,4-D	57	0	0
2	2,4-Dimethylphenylformamide	169	0	0
3	2,4-dimethylanilin	169	0	0
4	Abamectin (sum)	183	0	0
5	Acephate	524	0	0
6	Acetamiprid	442	22	0
7	Acetochlor	134	0	0
8	Aclonifen	176	0	0
9	Acrinathrin	795	0	0
10	Alachlor	570	0	0
11	Aldicarb	356	0	0
12	Aldicarb (sum)	359	0	0
13	Aldicarb sulfone	356	0	0
14	Aldicarb sulfoxide	356	0	0
15	Aldrin	540	0	0
16	Aldrin and Dieldrin	679	0	0
18	Ametryn	270	0	0
19	Amitraz	169	0	0
20	Amitraz (sum)	169	0	0
21	Asulam	126	0	0
22	Atraton	49	0	0
23	Atrazine	349	0	0
24	Avermectin B1a	126	0	0
25	Avermectin B1b	126	0	0
26	Azimsulfuron	135	0	0
27	Azinphos-ethyl	311	0	0
28	Azinphos-methyl	700	0	0
29	Azoxystrobin	791	18	1
30	Benalaxyl	86	0	0
31	Benalaxyl (sum)	221	0	0

Pesticide monitoring 2013 Greece on September 22, 2014 at 03:27:57 PM
Table A3: Scope of analytical methods, number of samples analysed for each residue by matrix

<i>Row number</i>	<i>Compound</i>	<i>Fruit and Nuts</i>	<i>Nr Found</i>	<i>MRL Ex</i>
32	Bendiocarb	8	0	0
33	Benfluralin	333	0	0
34	Benfuracarb	385	0	0
35	Bensulfuron-ethyl	135	0	0
36	Bentazone	89	0	0
37	Bentazone (sum animal products)	77	0	0
38	Benzoximate	134	0	0
39	Bifenthrin	798	5	0
40	Binapacryl	102	0	0
41	Bitertanol	394	3	0
42	Boscalid	547	75	0
43	Bromacil	45	0	0
44	Bromide ion	15	0	0
45	Bromophos-ethyl	323	0	0
46	Bromopropylate	683	0	0
47	Bromuconazole (sum)	443	0	0
48	Bupirimate	661	2	0
49	Buprofezin	501	3	0
50	Cadusafos	581	0	0
51	Captafol	185	0	0
52	Captan	544	12	0
53	Captan/Folpet (sum)	364	10	0
54	Carbaryl	360	0	0
55	Carbendazim	166	27	0
56	Carbendazim and benomyl	357	42	1
57	Carbofuran	484	0	0
58	Carbofuran (sum)	488	0	0
59	Carbofuran, 3-hydroxy	442	0	0
60	Carbosulfan	386	0	0
61	Carboxin	134	0	0

Pesticide monitoring 2013 Greece on September 22, 2014 at 03:27:57 PM
Table A3: Scope of analytical methods, number of samples analysed for each residue by matrix

<i>Row number</i>	<i>Compound</i>	<i>Fruit and Nuts</i>	<i>Nr Found</i>	<i>MRL Ex</i>
62	Chlorbromuron	135	0	0
63	Chlordane (sum)	339	0	0
64	Chlorfenapyr	489	0	0
65	Chlorfenson	49	0	0
66	Chlorfenvinphos	525	0	0
67	Chloridazon	134	0	0
68	Chlormequat	1	0	0
69	Chlorobenzilate	394	0	0
70	Chlorothalonil	783	1	0
71	Chlorotoluron	135	0	0
72	Chloroxuron	134	0	0
73	Chlorpropham	185	0	0
74	Chlorpropham (sum)	254	0	0
75	Chlorpyrifos	849	173	1
76	Chlorpyrifos-methyl	725	2	0
77	Chlorsulfuron	134	0	0
78	Chlorthal-dimethyl	85	0	0
79	Cinerin	134	0	0
80	Cinerin I	134	0	0
81	Cinerin II	134	0	0
82	Clethodim (sum)	135	0	0
83	Clofentezine	386	1	0
84	Clothianidin	356	0	0
85	Coumaphos	240	0	0
86	Cyanazine	134	0	0
87	Cyfluthrin	323	13	0
88	Cyfluthrin (sum)	765	20	0
89	Cymoxanil	220	0	0
90	Cypermethrin	426	9	0
91	Cypermethrin (sum)	822	13	1

Pesticide monitoring 2013 Greece on September 22, 2014 at 03:27:57 PM
Table A3: Scope of analytical methods, number of samples analysed for each residue by matrix

<i>Row number</i>	<i>Compound</i>	<i>Fruit and Nuts</i>	<i>Nr Found</i>	<i>MRL Ex</i>
92	Cyproconazole	443	0	0
93	Cyprodinil	515	13	0
94	Cyromazine	134	0	0
95	DDD, p,p-	143	0	0
96	DDE, o,p-	86	0	0
97	DDE, p,p-	143	0	0
98	DDT (sum)	602	0	0
99	DDT, o,p-	489	0	0
100	DDT, p,p-	532	0	0
102	Deltamethrin	788	19	0
103	Demeton	49	0	0
104	Demeton-S-methyl	495	0	0
106	Demeton-S-methyl sulfone	277	0	0
107	Desmetryn	127	0	0
108	Diafenthiuron	299	0	0
109	Diazinon	749	0	0
110	Dichlobenil	86	0	0
111	Dichlofluanid	784	0	0
112	Dichlofluanid and DMSA (sum of Dichlofluanid and DMSA)	86	0	0
113	Dichloroaniline, 3,5-	126	0	0
114	Dichlorprop	57	0	0
115	Dichlorvos	516	0	0
116	Dicloran	576	0	0
117	Dicofol (sum)	545	0	0
118	Dicofol o, p'	172	0	0
119	Dicofol p, p'	379	0	0
120	Dicrotophos	299	0	0
121	Dieldrin	582	0	0
122	Diethofencarb	135	0	0
123	Difenoconazole	709	5	0

Pesticide monitoring 2013 Greece on September 22, 2014 at 03:27:57 PM
Table A3: Scope of analytical methods, number of samples analysed for each residue by matrix

<i>Row number</i>	<i>Compound</i>	<i>Fruit and Nuts</i>	<i>Nr Found</i>	<i>MRL Ex</i>
124	Diflubenzuron	135	2	0
125	Diflufenican	192	0	0
126	Dimethoate	618	6	0
127	Dimethoate (sum)	658	9	7
128	Dimethomorph	443	5	0
129	Dimoxystrobin	165	0	0
130	Diniconazole	466	0	0
131	Dinitramine	86	0	0
132	Dinobuton	391	0	0
133	Dinocap	40	0	0
134	Dinocap (sum)	71	0	0
135	Dinotefuran	165	0	0
136	Dioxacarb	3	0	0
137	Diphenamid	134	0	0
138	Diphenylamine	541	7	0
139	Disulfoton	591	0	0
140	Disulfoton (sum baby and infant food)	330	0	0
141	Disulfoton sulfone	234	0	0
142	Disulfoton sulfoxide	234	0	0
143	Dithiocarbamates	112	3	0
144	Diuron	252	0	0
145	Diuron	252	0	0
146	Dodemorph	86	0	0
147	EPN	481	0	0
148	Emamectin benzoate B1a, expressed as emamectin	126	0	0
149	Endosulfan (sum)	821	0	0
150	Endosulfansulfate	539	0	0
151	Endrin	681	0	0
152	Epoxiconazole	443	0	0
153	Esfenvalerate	207	0	0

Pesticide monitoring 2013 Greece on September 22, 2014 at 03:27:57 PM
Table A3: Scope of analytical methods, number of samples analysed for each residue by matrix

<i>Row number</i>	<i>Compound</i>	<i>Fruit and Nuts</i>	<i>Nr Found</i>	<i>MRL Ex</i>
154	Ethalfuralin	551	0	0
155	Ethephon	6	0	0
156	Ethiofencarb	3	0	0
157	Ethion	615	0	0
158	Ethirimol	134	0	0
159	Ethofumesate	135	0	0
160	Ethofumesate (sum)	135	0	0
161	Ethoprophos	574	0	0
162	Ethoxyquin	341	0	0
163	Etofenprox	299	14	0
164	Etoxazole	135	1	0
165	Etrimfos	57	0	0
166	Famoxadone	278	1	0
167	Fenamidone	300	0	0
168	Fenamiphos	428	0	0
169	Fenamiphos (sum)	427	0	0
170	Fenamiphos sulfone	299	0	0
171	Fenamiphos sulfoxide	299	0	0
172	Fenarimol	556	0	0
173	Fenazaquin	443	0	0
174	Fenbuconazole	443	15	0
175	Fenchlorphos	49	0	0
176	Fenhexamid	665	7	0
177	Fenitrothion	629	0	0
178	Fenoxycarb	492	12	0
179	Fenpropathrin	818	0	0
180	Fenpropidin	299	0	0
181	Fenpropimorph	443	2	0
182	Fenpyroximate	135	0	0
183	Fenson	49	0	0

Pesticide monitoring 2013 Greece on September 22, 2014 at 03:27:57 PM
Table A3: Scope of analytical methods, number of samples analysed for each residue by matrix

<i>Row number</i>	<i>Compound</i>	<i>Fruit and Nuts</i>	<i>Nr Found</i>	<i>MRL Ex</i>
184	Fensulfothion	135	0	0
185	Fensulfothion (sum baby and infant food)	135	0	0
186	Fensulfothion oxon	135	0	0
187	Fensulfothion oxon sulphone	135	0	0
188	Fensulfothion sulfone	135	0	0
189	Fenthion	595	0	0
190	Fenthion (sum)	546	0	0
191	Fenthion oxon	135	0	0
192	Fenthion oxon sulfone	135	0	0
193	Fenthion oxonsulfoxide	135	0	0
194	Fenthion sulfone	295	0	0
195	Fenthion sulfoxide	381	0	0
196	Fenvalerate	445	0	0
197	Fenvalerate (sum of RR, SS, RS and SR isomers)	128	0	0
198	Fenvalerate and Esfenvalerate (Sum of RR and SS isomers)	400	0	0
199	Fenvalerate and Esfenvalerate (Sum of RS and SR isomers)	420	0	0
200	Fenvalerate/Esfenvalerate (sum)	165	0	0
201	Fipronil	183	0	0
202	Fipronil (sum)	126	0	0
203	Fipronil desulfinyl	48	0	0
204	Fipronil sulfone	40	0	0
205	Fluazifop (free acid)	60	0	0
206	Fluazifop-P-butyl	3	0	0
207	Fluazifop-P-butyl (sum)	3	0	0
208	Fluazinam	288	0	0
209	Flucythrinate	346	0	0
210	Flucythrinate (sum of isomers expressed as flucythrinate)	86	0	0
211	Fludioxonil	398	7	0
212	Flufenacet	134	0	0
213	Flufenacet (sum)	134	0	0

Pesticide monitoring 2013 Greece on September 22, 2014 at 03:27:57 PM
Table A3: Scope of analytical methods, number of samples analysed for each residue by matrix

<i>Row number</i>	<i>Compound</i>	<i>Fruit and Nuts</i>	<i>Nr Found</i>	<i>MRL Ex</i>
214	Flufenoxuron	432	2	0
215	Fluometuron	134	0	0
216	Fluopicolide	299	1	0
217	Fluquinconazole	581	4	0
218	Fluroxypyr	143	0	0
219	Fluroxypyr (sum)	86	0	0
220	Flusilazole	443	0	0
221	Flutolanil	299	0	0
222	Flutriafol	443	0	0
223	Fluvalinate	143	0	0
224	Folpet	643	0	0
225	Foramsulfuron	126	0	0
226	Formetanate	291	1	0
227	Formetanate	291	1	1
228	Fosthiazate	396	0	0
229	Furathiocarb	135	0	0
230	Glyphosate	1	0	0
231	HCH, delta-	49	0	0
232	Haloxypop	60	0	0
233	Haloxypop including haloxypop-R	3	0	0
234	Haloxypop-ethoxyethylester	3	0	0
235	Haloxypop-methyl	3	0	0
236	Heptachlor	325	0	0
237	Heptachlor (sum of heptachlor and heptachlor epoxide expressed as heptachlor)	509	0	0
238	Heptachlor endo-epoxide	57	0	0
239	Heptachlor epoxide	86	0	0
240	Heptachlor exo-epoxide	57	0	0
241	Heptenophos	367	0	0
242	Hexachlorobenzene	320	0	0
243	Hexachlorocyclohexane (HCH), alpha-isomer	239	0	0

Pesticide monitoring 2013 Greece on September 22, 2014 at 03:27:57 PM
Table A3: Scope of analytical methods, number of samples analysed for each residue by matrix

<i>Row number</i>	<i>Compound</i>	<i>Fruit and Nuts</i>	<i>Nr Found</i>	<i>MRL Ex</i>
244	Hexachlorocyclohexane (HCH), beta-isomer	239	0	0
245	Hexachlorocyclohexane (HCH), sum of isomers, except the gamma isomer	393	0	0
246	Hexaconazole	696	0	0
247	Hexythiazox	443	0	0
248	Imazalil	454	44	1
249	Imazamethabenz-methyl	134	0	0
250	Imidacloprid	356	12	0
251	Indoxacarb as sum of the isomers S and R	569	9	0
252	Ioxynil	40	0	0
253	Ioxynil, including its esters expressed as ioxynil	40	0	0
254	Iprodione	778	16	0
255	Iprovalicarb	443	0	0
256	Isofenphos-methyl	539	0	0
257	Isoprothiolane	134	0	0
258	Isoproturon	191	0	0
259	Jasmolin I	134	0	0
260	Jasmolin II	134	0	0
261	Kresoxim-methyl	749	0	0
262	Lambda-Cyhalothrin	753	9	0
263	Lindane (Gamma-isomer of hexachlorocyclohexane (HCH))	765	0	0
264	Linuron	453	0	0
265	Lufenuron	356	0	0
266	MCPA	57	0	0
267	Malaoxon	581	0	0
268	Malathion	588	0	0
269	Malathion (sum of malathion and malaoxon expressed as malathion)	725	0	0
270	Mecarbam	594	0	0
271	Mecoprop	57	0	0
272	Mecoprop (sum of mecoprop-p and mecoprop expressed as mecoprop)	57	0	0
273	Mepanipyrim	443	0	0

Pesticide monitoring 2013 Greece on September 22, 2014 at 03:27:57 PM
Table A3: Scope of analytical methods, number of samples analysed for each residue by matrix

<i>Row number</i>	<i>Compound</i>	<i>Fruit and Nuts</i>	<i>Nr Found</i>	<i>MRL Ex</i>
274	Mepanipyrim (Mepanipyrim and its metabolite (2-anilino-4-(2-hydroxypropyl)-6-methylpyrimidine) expressed as mepanipyrim)	386	0	0
275	Mepiquat	1	0	0
276	Merphos	49	0	0
277	Metaflumizone (sum of E- and Z- isomers)	299	0	0
278	Metalaxyl	304	2	0
279	Metalaxyl (Metalaxyl including other mixtures of constituent isomers including Metalaxyl-M (sum of isomers))	485	2	0
280	Metalaxyl-M	5	0	0
282	Metamitron	134	0	0
283	Metazachlor	134	0	0
284	Metconazole	443	0	0
285	Methabenzthiazuron	134	0	0
286	Methacrifos	284	0	0
287	Methamidophos	524	0	0
288	Methidathion	579	0	0
289	Methiocarb	445	0	0
290	Methiocarb (sum of methiocarb and methiocarb sulfoxide and sulfone, expressed as methiocarb)	442	0	0
291	Methiocarb sulfone	356	0	0
292	Methiocarb sulfoxide	356	0	0
293	Metholachlor	277	0	0
294	Metholachlor and metholachlor-S (Metholachlor including other mixtures of constituent isomers including S-metholachlor (sum of isomers))	220	0	0
295	Methomyl	359	0	0
296	Methomyl and thiodicarb (sum of methomyl and thiodicarb expressed as methomyl)	356	0	0
297	Methoxychlor	192	0	0
298	Methoxyfenozide	357	9	0
299	Metobromuron	135	0	0
300	Metoxuron	134	0	0
301	Metrafenone	86	0	0
302	Metribuzin	464	0	0
303	Metsulfuron-methyl	135	0	0
304	Mevinphos (sum of E- and Z-isomers)	390	0	0

Pesticide monitoring 2013 Greece on September 22, 2014 at 03:27:57 PM
Table A3: Scope of analytical methods, number of samples analysed for each residue by matrix

<i>Row number</i>	<i>Compound</i>	<i>Fruit and Nuts</i>	<i>Nr Found</i>	<i>MRL Ex</i>
305	Monocrotophos	524	0	0
306	Monolinuron	135	0	0
307	Myclobutanil	731	9	0
308	Naled	135	0	0
309	Napropamide	134	0	0
310	Nicosulfuron	135	0	0
311	Nitenpyram	134	0	0
312	Nitrofen	142	0	0
313	Nuarimol	134	0	0
314	Omethoate	588	4	0
315	Orthophenylphenol	59	0	0
316	Oxadiazon	374	0	0
317	Oxadixyl	442	0	0
318	Oxamyl	359	0	0
319	Oxychlordane	57	0	0
320	Oxydemeton-methyl	442	0	0
321	Oxydemeton-methyl (sum of oxydemeton-methyl and demeton-S-methylsulfone expressed as oxydemeton-methyl)	538	0	0
322	Oxyfluorfen	278	0	0
323	Paclobutrazol	442	0	0
324	Paraoxon	207	0	0
325	Paraoxon-methyl	532	0	0
326	Parathion	712	0	0
327	Parathion-methyl	611	0	0
328	Parathion-methyl (sum of Parathion-methyl and paraoxon-methyl expressed as Parathion-methyl)	701	0	0
329	Penconazole	701	12	0
330	Pencycuron	385	0	0
331	Pendimethalin	781	0	0
332	Pentachloroaniline	231	0	0
333	Permethrin (sum of isomers)	762	0	0
334	Phenothrin	126	0	0

Pesticide monitoring 2013 Greece on September 22, 2014 at 03:27:57 PM
Table A3: Scope of analytical methods, number of samples analysed for each residue by matrix

<i>Row number</i>	<i>Compound</i>	<i>Fruit and Nuts</i>	<i>Nr Found</i>	<i>MRL Ex</i>
335	Phenthoate	425	0	0
336	Phorate	438	0	0
337	Phorate (sum of phorate, its oxygen analogue and their sulfones expressed as phorate)	524	0	0
338	Phorate sulfone	224	0	0
339	Phorate sulfoxide	224	0	0
340	Phosalone	703	1	0
341	Phosmet	546	7	0
342	Phosmet (phosmet and phosmet oxon expressed as phosmet)	594	12	0
343	Phosmet oxon	135	0	0
344	Phosphamidon	126	0	0
345	Phoxim	299	0	0
346	Picoxystrobin	191	0	0
347	Pirimicarb	637	2	0
348	Pirimicarb (sum of Pirimicarb and desmethyl pirimicarb expressed as Pirimicarb)	588	2	0
349	Pirimicarb desmethyl	191	0	0
350	Pirimicarb, desmethylformamido-	86	0	0
351	Pirimiphos-ethyl	42	0	0
352	Pirimiphos-methyl	621	4	0
353	Primisulfuron	135	0	0
354	Prochloraz	590	5	0
355	Prochloraz (sum of prochloraz and its metabolites containing the 2,4,6-Trichlorophenol moiety expressed as prochloraz)	482	6	0
356	Procymidone	767	0	0
357	Profenofos	611	0	0
358	Promecarb	3	0	0
359	Prometon	49	0	0
360	Prometryn	263	0	0
361	Propachlor	172	0	0
362	Propachlor: oxalinic derivate of propachlor, expressed as propachlor	132	0	0
363	Propamocarb	127	1	0
364	Propamocarb (sum of propamocarb and its salt expressed as propamocarb)	127	1	0

Row number	Compound	Fruit and Nuts	Nr Found	MRL Ex
365	Propanil	173	0	0
366	Propargite	386	11	0
367	Propazine	49	0	0
368	Propham	176	0	0
369	Propiconazole	704	0	0
370	Propoxur	146	0	0
371	Propyzamide	596	0	0
372	Propyzamide (sum of propyzamide and all metabolites containing the 3,5-dichlorobenzoic acid fraction expressed as propyzamide)	86	0	0
373	Prothioconazole	86	0	0
374	Prothioconazole (prothioconazole-desthio)	213	0	0
375	Prothioconazole (sum animal products)	8	0	0
376	Prothiofos	587	0	0
377	Pymetrozine	134	0	0
378	Pyraclostrobin	444	34	0
379	Pyrazophos	663	1	0
380	Pyrethrin I	134	0	0
381	Pyrethrin II	134	0	0
382	Pyrethrins	134	0	0
383	Pyridaben	386	2	0
384	Pyridate	126	0	0
385	Pyridate (sum of pyridate, its hydrolysis product CL 9673 (6-chloro-4-hydroxy-3-phenylpyridazin) and hydrolysable conjugates of CL 9673 expressed as pyridate)	126	0	0
386	Pyrifenoxy	482	0	0
387	Pyrimethanil	515	10	0
388	Pyriproxyfen	443	3	0
389	Quinalphos	522	0	0
390	Quinoxifen	725	0	0
391	Quintozene	399	0	0
392	Quintozene (sum of quintozene and pentachloro-aniline expressed as quintozene)	477	0	0
393	Resmethrin (resmethrin including other mixtures of constituent isomers (sum of isomers))	193	0	0

Pesticide monitoring 2013 Greece on September 22, 2014 at 03:27:57 PM
Table A3: Scope of analytical methods, number of samples analysed for each residue by matrix

<i>Row number</i>	<i>Compound</i>	<i>Fruit and Nuts</i>	<i>Nr Found</i>	<i>MRL Ex</i>
394	Rimsulfuron	126	0	0
395	Secbumeton	49	0	0
396	Sethoxydim	135	0	0
397	Simazine	225	0	0
398	Simetryn	49	0	0
399	Spinosad (sum of Spinosyn A and Spinosyn D, expressed as Spinosad)	357	5	0
400	Spinosyn A	357	5	0
401	Spinosyn D	192	1	0
402	Spirodiclofen	299	1	0
403	Spiroxamine	359	7	0
404	Tebuconazole	442	23	0
405	Tebufenozide	357	1	0
406	Tebufenpyrad	444	2	0
407	Tecnazene	192	0	0
408	Teflubenzuron	105	0	0
409	Tefluthrin	586	0	0
410	Temephos	95	0	0
411	Terbufos	192	0	0
412	Terbufos (sum baby and infant food)	192	0	0
413	Terbufos sulfone	192	0	0
414	Terbufos sulfoxide	192	0	0
415	Terbutylazine	312	0	0
416	Terbutryn	134	0	0
417	Tetrachlorvinphos	143	0	0
418	Tetraconazole	562	2	0
419	Tetradifon	702	0	0
420	Thiabendazole	443	26	0
421	Thiabendazole (sum animal products)	86	0	0
422	Thiacloprid	442	31	1
423	Thiametoxam	442	4	0

Pesticide monitoring 2013 Greece on September 22, 2014 at 03:27:57 PM
Table A3: Scope of analytical methods, number of samples analysed for each residue by matrix

<i>Row number</i>	<i>Compound</i>	<i>Fruit and Nuts</i>	<i>Nr Found</i>	<i>MRL Ex</i>
424	Thiametoxam (sum of thiametoxam and clothianidin expressed as thiametoxam)	442	3	0
425	Thifensulfuron-methyl	126	0	0
426	Thiobencarb	202	0	0
427	Thiodicarb	360	0	0
428	Thiophanate-methyl	357	25	1
429	Tolclofos-methyl	669	0	0
430	Tolyfluanid	720	0	0
431	Tolyfluanid (Sum of tolyfluanid and dimethylaminosulfotoluidide expressed as tolyfluanid)	524	0	0
432	Tralkoxydim	134	0	0
433	Tralomethrin	165	0	0
434	Trans-permethrin	165	0	0
435	Triadimefon	663	2	0
436	Triadimefon (sum of Triadimefon and Triadimenol)	601	4	0
437	Triadimenol	534	2	0
438	Triasulfuron	126	0	0
439	Triazophos	621	0	0
440	Trichlorfon	251	0	0
441	Trichloronat	49	0	0
442	Tricyclazole	134	0	0
443	Trifloxystrobin	676	15	0
444	Triflumuron	205	0	0
445	Trifluralin	537	0	0
446	Triforine	165	0	0
447	Triticonazole	442	0	0
448	Vamidothion	299	0	0
449	Vinclozolin	641	0	0
450	Vinclozolin (sum of Vinclozolin and all metabolites containing the 3,5-dichloraniline moiety, expressed as Vinclozolin)	674	0	0
451	Zoxamide	299	0	0
452	alpha-Endosulfan	539	0	0
453	beta-Cyfluthrin	138	3	0

Pesticide monitoring 2013 Greece on September 22, 2014 at 03:27:57 PM
Table A3: Scope of analytical methods, number of samples analysed for each residue by matrix

<i>Row number</i>	<i>Compound</i>	<i>Fruit and Nuts</i>	<i>Nr Found</i>	<i>MRL Ex</i>
454	beta-Endosulfan	539	0	0
455	cis-Chlordane	185	0	0
456	cis-Permethrin	165	0	0
457	tau-Fluvalinate	674	0	0
458	trans-Chlordane	185	0	0
		145741	980	15

Pesticide monitoring 2013 Greece on September 22, 2014 at 03:27:57 PM
Table A3: Scope of analytical methods, number of samples analysed for each residue by matrix

Row number	Compound	Infusions	Nr Found	MRL Ex
4	Abamectin (sum)	3	0	0
5	Acephate	3	0	0
6	Acetamiprid	3	0	0
7	Acetochlor	3	0	0
8	Aclonifen	3	0	0
9	Acrinathrin	3	0	0
10	Alachlor	3	0	0
11	Aldicarb	3	0	0
12	Aldicarb (sum)	3	0	0
13	Aldicarb sulfone	3	0	0
14	Aldicarb sulfoxide	3	0	0
15	Aldrin	3	0	0
16	Aldrin and Dieldrin	3	0	0
18	Ametryn	3	0	0
21	Asulam	3	0	0
23	Atrazine	3	0	0
24	Avermectin B1a	3	0	0
25	Avermectin B1b	3	0	0
26	Azimsulfuron	3	0	0
27	Azinphos-ethyl	3	0	0
28	Azinphos-methyl	3	0	0
29	Azoxystrobin	3	0	0
31	Benalaxyl (sum)	3	0	0
33	Benfluralin	3	0	0
34	Benfuracarb	3	0	0
35	Bensulfuron-ethyl	3	0	0
36	Bentazone	3	0	0
37	Bentazone (sum animal products)	3	0	0
38	Benzoximate	3	0	0
39	Bifenthrin	3	0	0

Pesticide monitoring 2013 Greece on September 22, 2014 at 03:27:57 PM
Table A3: Scope of analytical methods, number of samples analysed for each residue by matrix

<i>Row number</i>	<i>Compound</i>	<i>Infusions</i>	<i>Nr Found</i>	<i>MRL Ex</i>
41	Bitertanol	3	0	0
42	Boscalid	3	0	0
45	Bromophos-ethyl	3	0	0
46	Bromopropylate	3	0	0
47	Bromuconazole (sum)	3	0	0
48	Bupirimate	3	0	0
49	Buprofezin	3	0	0
50	Cadusafos	3	0	0
51	Captafol	3	0	0
52	Captan	3	0	0
54	Carbaryl	3	0	0
56	Carbendazim and benomyl	3	0	0
57	Carbofuran	3	0	0
58	Carbofuran (sum)	3	0	0
59	Carbofuran, 3-hydroxy	3	0	0
60	Carbosulfan	3	0	0
61	Carboxin	3	0	0
62	Chlorbromuron	3	0	0
63	Chlordane (sum)	3	0	0
64	Chlorfenapyr	3	0	0
66	Chlorfenvinphos	3	0	0
67	Chloridazon	3	0	0
69	Chlorobenzilate	3	0	0
70	Chlorothalonil	3	0	0
71	Chlorotoluron	3	0	0
72	Chloroxuron	3	0	0
74	Chlorpropham (sum)	3	0	0
75	Chlorpyrifos	3	1	0
76	Chlorpyrifos-methyl	3	0	0
77	Chlorsulfuron	3	0	0

Pesticide monitoring 2013 Greece on September 22, 2014 at 03:27:57 PM
Table A3: Scope of analytical methods, number of samples analysed for each residue by matrix

<i>Row number</i>	<i>Compound</i>	<i>Infusions</i>	<i>Nr Found</i>	<i>MRL Ex</i>
78	Chlorthal-dimethyl	3	0	0
79	Cinerin	3	0	0
80	Cinerin I	3	0	0
81	Cinerin II	3	0	0
82	Clethodim (sum)	3	0	0
83	Clofentezine	3	0	0
84	Clothianidin	3	0	0
85	Coumaphos	3	0	0
86	Cyanazine	3	0	0
88	Cyfluthrin (sum)	3	0	0
89	Cymoxanil	3	0	0
91	Cypermethrin (sum)	3	0	0
92	Cyproconazole	3	0	0
93	Cyprodinil	3	0	0
94	Cyromazine	3	0	0
95	DDD, p,p-	3	0	0
96	DDE, o,p-	3	0	0
97	DDE, p,p-	3	0	0
98	DDT (sum)	3	0	0
99	DDT, o,p-	3	0	0
100	DDT, p,p-	3	0	0
102	Deltamethrin	3	0	0
104	Demeton-S-methyl	3	0	0
106	Demeton-S-methyl sulfone	3	0	0
107	Desmetryn	3	0	0
108	Diafenthiuron	3	0	0
109	Diazinon	3	0	0
111	Dichlofluanid	3	0	0
113	Dichloroaniline, 3,5-	3	0	0
115	Dichlorvos	3	0	0

Pesticide monitoring 2013 Greece on September 22, 2014 at 03:27:57 PM
Table A3: Scope of analytical methods, number of samples analysed for each residue by matrix

<i>Row number</i>	<i>Compound</i>	<i>Infusions</i>	<i>Nr Found</i>	<i>MRL Ex</i>
116	Dicloran	3	0	0
117	Dicofol (sum)	3	0	0
118	Dicofol o, p'	3	0	0
119	Dicofol p, p'	3	0	0
120	Dicrotophos	3	0	0
121	Dieldrin	3	0	0
122	Diethofencarb	3	0	0
123	Difenoconazole	3	0	0
124	Diflubenzuron	3	0	0
125	Diflufenican	3	0	0
126	Dimethoate	3	0	0
127	Dimethoate (sum)	3	0	0
128	Dimethomorph	3	0	0
130	Diniconazole	3	0	0
131	Dinitramine	3	0	0
132	Dinobuton	3	0	0
133	Dinocap	3	0	0
134	Dinocap (sum)	3	0	0
137	Diphenamid	3	0	0
138	Diphenylamine	3	0	0
139	Disulfoton	3	0	0
140	Disulfoton (sum baby and infant food)	3	0	0
141	Disulfoton sulfone	3	0	0
142	Disulfoton sulfoxide	3	0	0
144	Diuron	6	0	0
145	Diuron	6	0	0
146	Dodemorph	3	0	0
147	EPN	3	0	0
148	Emamectin benzoate B1a, expressed as emamectin	3	0	0
149	Endosulfan (sum)	3	0	0

Pesticide monitoring 2013 Greece on September 22, 2014 at 03:27:57 PM
Table A3: Scope of analytical methods, number of samples analysed for each residue by matrix

<i>Row number</i>	<i>Compound</i>	<i>Infusions</i>	<i>Nr Found</i>	<i>MRL Ex</i>
150	Endosulfansulfate	3	0	0
151	Endrin	3	0	0
152	Epoxiconazole	3	0	0
154	Ethalfuralin	3	0	0
157	Ethion	3	0	0
158	Ethirimol	3	0	0
159	Ethofumesate	3	0	0
160	Ethofumesate (sum)	3	0	0
161	Ethoprophos	3	0	0
162	Ethoxyquin	3	0	0
163	Etofenprox	3	0	0
164	Etoxazole	3	0	0
166	Famoxadone	3	0	0
167	Fenamidone	3	0	0
168	Fenamiphos	3	0	0
169	Fenamiphos (sum)	3	0	0
170	Fenamiphos sulfone	3	0	0
171	Fenamiphos sulfoxide	3	0	0
172	Fenarimol	3	0	0
173	Fenazaquin	3	0	0
174	Fenbuconazole	3	0	0
176	Fenhexamid	3	0	0
177	Fenitrothion	3	0	0
178	Fenoxycarb	3	0	0
179	Fenpropathrin	3	0	0
180	Fenpropidin	3	0	0
181	Fenpropimorph	3	0	0
182	Fenpyroximate	3	0	0
184	Fensulfothion	3	0	0
185	Fensulfothion (sum baby and infant food)	3	0	0

Pesticide monitoring 2013 Greece on September 22, 2014 at 03:27:57 PM
Table A3: Scope of analytical methods, number of samples analysed for each residue by matrix

<i>Row number</i>	<i>Compound</i>	<i>Infusions</i>	<i>Nr Found</i>	<i>MRL Ex</i>
186	Fensulfothion oxon	3	0	0
187	Fensulfothion oxon sulphone	3	0	0
188	Fensulfothion sulfone	3	0	0
189	Fenthion	3	0	0
190	Fenthion (sum)	3	0	0
191	Fenthion oxon	3	0	0
192	Fenthion oxon sulfone	3	0	0
193	Fenthion oxonsulfoxide	3	0	0
194	Fenthion sulfone	3	0	0
195	Fenthion sulfoxide	3	0	0
198	Fenvalerate and Esfenvalerate (Sum of RR and SS isomers)	3	0	0
199	Fenvalerate and Esfenvalerate (Sum of RS and SR isomers)	3	0	0
201	Fipronil	3	0	0
202	Fipronil (sum)	3	0	0
203	Fipronil desulfinyl	3	0	0
204	Fipronil sulfone	3	0	0
208	Fluazinam	3	0	0
209	Flucythrinate	3	0	0
211	Fludioxonil	3	0	0
212	Flufenacet	3	0	0
213	Flufenacet (sum)	3	0	0
214	Flufenoxuron	3	0	0
215	Fluometuron	3	0	0
216	Fluopicolide	3	0	0
217	Fluquinconazole	3	0	0
220	Flusilazole	3	0	0
221	Flutolanil	3	0	0
222	Flutriafol	3	0	0
224	Folpet	3	0	0
225	Foramsulfuron	3	0	0

Pesticide monitoring 2013 Greece on September 22, 2014 at 03:27:57 PM
Table A3: Scope of analytical methods, number of samples analysed for each residue by matrix

<i>Row number</i>	<i>Compound</i>	<i>Infusions</i>	<i>Nr Found</i>	<i>MRL Ex</i>
226	Formetanate	3	0	0
227	Formetanate	3	0	0
228	Fosthiazate	3	0	0
229	Furathiocarb	3	0	0
236	Heptachlor	3	0	0
237	Heptachlor (sum of heptachlor and heptachlor epoxide expressed as heptachlor)	3	0	0
239	Heptachlor epoxide	3	0	0
241	Heptenophos	3	0	0
242	Hexachlorobenzene	3	0	0
243	Hexachlorocyclohexane (HCH), alpha-isomer	3	0	0
244	Hexachlorocyclohexane (HCH), beta-isomer	3	0	0
245	Hexachlorocyclohexane (HCH), sum of isomers, except the gamma isomer	3	0	0
246	Hexaconazole	3	0	0
247	Hexythiazox	3	0	0
248	Imazalil	3	0	0
249	Imazamethabenz-methyl	3	0	0
250	Imidacloprid	3	0	0
251	Indoxacarb as sum of the isomers S and R	3	0	0
252	Ioxynil	3	0	0
253	Ioxynil, including its esters expressed as ioxynil	3	0	0
254	Iprodione	3	0	0
255	Iprovalicarb	3	0	0
256	Isofenphos-methyl	3	0	0
257	Isoprothiolane	3	0	0
258	Isoproturon	3	0	0
259	Jasmolin I	3	0	0
260	Jasmolin II	3	0	0
261	Kresoxim-methyl	3	0	0
262	Lambda-Cyhalothrin	3	0	0
263	Lindane (Gamma-isomer of hexachlorociclohexane (HCH))	3	0	0

Pesticide monitoring 2013 Greece on September 22, 2014 at 03:27:57 PM
Table A3: Scope of analytical methods, number of samples analysed for each residue by matrix

<i>Row number</i>	<i>Compound</i>	<i>Infusions</i>	<i>Nr Found</i>	<i>MRL Ex</i>
264	Linuron	3	0	0
265	Lufenuron	3	0	0
267	Malaoxon	3	0	0
268	Malathion	3	0	0
269	Malathion (sum of malathion and malaoxon expressed as malathion)	3	0	0
270	Mecarbam	3	0	0
273	Mepanipyrim	3	0	0
274	Mepanipyrim (Mepanipyrim and its metabolite (2-anilino-4-(2-hydroxypropyl)-6-methylpyrimidine) expressed as mepanipyrim)	3	0	0
277	Metaflumizone (sum of E- and Z- isomers)	3	0	0
279	Metalaxyl (Metalaxyl including other mixtures of constituent isomers including Metalaxyl-M (sum of isomers))	3	0	0
282	Metamitron	3	0	0
283	Metazachlor	3	0	0
284	Metconazole	3	0	0
285	Methabenzthiazuron	3	0	0
286	Methacrifos	3	0	0
287	Methamidophos	3	0	0
288	Methidathion	3	0	0
289	Methiocarb	3	0	0
290	Methiocarb (sum of methiocarb and methiocarb sulfoxide and sulfone, expressed as methiocarb)	3	0	0
291	Methiocarb sulfone	3	0	0
292	Methiocarb sulfoxide	3	0	0
293	Metholachlor	3	0	0
294	Metholachlor and metholachlor-S (Metholachlor including other mixtures of constituent isomers including S-metholachlor (sum of isomers))	3	0	0
295	Methomyl	3	0	0
296	Methomyl and thiodicarb (sum of methomyl and thiodicarb expressed as methomyl)	3	0	0
297	Methoxychlor	3	0	0
298	Methoxyfenozone	3	0	0
299	Metobromuron	3	0	0
300	Metoxuron	3	0	0
302	Metribuzin	3	0	0

Pesticide monitoring 2013 Greece on September 22, 2014 at 03:27:57 PM
Table A3: Scope of analytical methods, number of samples analysed for each residue by matrix

Row number	Compound	Infusions	Nr Found	MRL Ex
303	Metsulfuron-methyl	3	0	0
304	Mevinphos (sum of E- and Z-isomers)	3	0	0
305	Monocrotophos	3	0	0
306	Monolinuron	3	0	0
307	Myclobutanil	3	0	0
308	Naled	3	0	0
309	Napropamide	3	0	0
310	Nicosulfuron	3	0	0
311	Nitenpyram	3	0	0
312	Nitrofen	3	0	0
313	Nuarimol	3	0	0
314	Omethoate	3	0	0
316	Oxadiazon	3	0	0
317	Oxadixyl	3	0	0
318	Oxamyl	3	0	0
320	Oxydemeton-methyl	3	0	0
321	Oxydemeton-methyl (sum of oxydemeton-methyl and demeton-S-methylsulfone expressed as oxydemeton-methyl)	3	0	0
322	Oxyfluorfen	3	0	0
323	Paclobutrazol	3	0	0
325	Paraoxon-methyl	3	0	0
326	Parathion	3	0	0
327	Parathion-methyl	3	0	0
328	Parathion-methyl (sum of Parathion-methyl and paraoxon-methyl expressed as Parathion-methyl)	3	0	0
329	Penconazole	3	0	0
330	Pencycuron	3	0	0
331	Pendimethalin	3	0	0
332	Pentachloroaniline	3	0	0
333	Permethrin (sum of isomers)	3	0	0
334	Phenothrin	3	0	0
335	Phenthoate	3	0	0

Pesticide monitoring 2013 Greece on September 22, 2014 at 03:27:57 PM
Table A3: Scope of analytical methods, number of samples analysed for each residue by matrix

<i>Row number</i>	<i>Compound</i>	<i>Infusions</i>	<i>Nr Found</i>	<i>MRL Ex</i>
337	Phorate (sum of phorate, its oxygen analogue and their sulfones expressed as phorate)	3	0	0
340	Phosalone	3	0	0
341	Phosmet	3	0	0
342	Phosmet (phosmet and phosmet oxon expressed as phosmet)	3	0	0
343	Phosmet oxon	3	0	0
345	Phoxim	3	0	0
346	Picoxystrobin	3	0	0
347	Pirimicarb	3	0	0
348	Pirimicarb (sum of Pirimicarb and desmethyl pirimicarb expressed as Pirimicarb)	3	0	0
349	Pirimicarb desmethyl	3	0	0
352	Pirimiphos-methyl	3	0	0
353	Primisulfuron	3	0	0
354	Prochloraz	3	0	0
355	Prochloraz (sum of prochloraz and its metabolites containing the 2,4,6-Trichlorophenol moiety expressed as prochloraz)	3	0	0
356	Procymidone	3	0	0
357	Profenofos	3	0	0
360	Prometryn	3	0	0
361	Propachlor	3	0	0
362	Propachlor: oxalinic derivate of propachlor, expressed as propachlor	3	0	0
363	Propamocarb	3	0	0
364	Propamocarb (sum of propamocarb and its salt expressed as propamocarb)	3	0	0
365	Propanil	3	0	0
366	Propargite	3	0	0
368	Propham	3	0	0
369	Propiconazole	3	0	0
371	Propyzamide	3	0	0
374	Prothioconazole (prothioconazole-desthio)	3	0	0
376	Prothiofos	3	0	0
377	Pymetrozine	3	0	0
378	Pyraclostrobin	3	0	0

Pesticide monitoring 2013 Greece on September 22, 2014 at 03:27:57 PM
Table A3: Scope of analytical methods, number of samples analysed for each residue by matrix

<i>Row number</i>	<i>Compound</i>	<i>Infusions</i>	<i>Nr Found</i>	<i>MRL Ex</i>
379	Pyrazophos	3	0	0
380	Pyrethrin I	3	0	0
381	Pyrethrin II	3	0	0
382	Pyrethrins	3	0	0
383	Pyridaben	3	0	0
384	Pyridate	3	0	0
385	Pyridate (sum of pyridate, its hydrolysis product CL 9673 (6-chloro-4-hydroxy-3-phenylpyridazin) and hydrolysable conjugates of CL 9673 expressed as pyridate)	3	0	0
386	Pyrifenox	3	0	0
387	Pyrimethanil	3	0	0
388	Pyriproxyfen	3	0	0
389	Quinalphos	3	0	0
390	Quinoxifen	3	0	0
391	Quintozene	3	0	0
392	Quintozene (sum of quintozene and pentachloro-aniline expressed as quintozene)	3	0	0
394	Rimsulfuron	3	0	0
396	Sethoxydim	3	0	0
397	Simazine	3	0	0
399	Spinosad (sum of Spinosyn A and Spinosyn D, expressed as Spinosad)	3	0	0
400	Spinosyn A	3	0	0
401	Spinosyn D	3	0	0
402	Spirodiclofen	3	0	0
403	Spiroxamine	3	0	0
404	Tebuconazole	3	0	0
405	Tebufenozide	3	0	0
406	Tebufenpyrad	3	0	0
407	Tecnazene	3	0	0
408	Teflubenzuron	3	0	0
409	Tefluthrin	3	0	0
411	Terbufos	3	0	0
412	Terbufos (sum baby and infant food)	3	0	0

Pesticide monitoring 2013 Greece on September 22, 2014 at 03:27:57 PM
Table A3: Scope of analytical methods, number of samples analysed for each residue by matrix

Row number	Compound	Infusions	Nr Found	MRL Ex
413	Terbufos sulfone	3	0	0
414	Terbufos sulfoxide	3	0	0
415	Terbutylazine	3	0	0
416	Terbutryn	3	0	0
418	Tetraconazole	3	0	0
419	Tetradifon	3	0	0
420	Thiabendazole	3	0	0
422	Thiacloprid	3	0	0
423	Thiametoxam	3	0	0
424	Thiametoxam (sum of thiametoxam and clothianidin expressed as thiametoxam)	3	0	0
425	Thifensulfuron-methyl	3	0	0
427	Thiodicarb	3	0	0
428	Thiophanate-methyl	3	0	0
429	Tolclofos-methyl	3	0	0
430	Tolyfluanid	3	0	0
431	Tolyfluanid (Sum of tolyfluanid and dimethylaminosulfotoluidide expressed as tolyfluanid)	3	0	0
432	Tralkoxydim	3	0	0
435	Triadimefon	3	0	0
436	Triadimefon (sum of Triadimefon and Triadimenol)	3	0	0
437	Triadimenol	3	0	0
438	Triasulfuron	3	0	0
439	Triazophos	3	0	0
442	Tricyclazole	3	0	0
443	Trifloxystrobin	3	0	0
444	Triflumuron	3	0	0
445	Trifluralin	3	0	0
447	Triticonazole	3	0	0
448	Vamidothion	3	0	0
449	Vinclozolin	3	0	0
450	Vinclozolin (sum of Vinclozolin and all metabolites containing the 3,5-dichloraniline moiety, expressed as Vinclozolin)	3	0	0

Pesticide monitoring 2013 Greece on September 22, 2014 at 03:27:57 PM
Table A3: Scope of analytical methods, number of samples analysed for each residue by matrix

<i>Row number</i>	<i>Compound</i>	<i>Infusions</i>	<i>Nr Found</i>	<i>MRL Ex</i>
451	Zoxamide	3	0	0
452	alpha-Endosulfan	3	0	0
454	beta-Endosulfan	3	0	0
455	cis-Chlordane	3	0	0
457	tau-Fluvalinate	3	0	0
458	trans-Chlordane	3	0	0
		1104	1	0

Pesticide monitoring 2013 Greece on September 22, 2014 at 03:27:57 PM
Table A3: Scope of analytical methods, number of samples analysed for each residue by matrix

<i>Row number</i>	<i>Compound</i>	<i>Oil plants</i>	<i>Nr Found</i>	<i>MRL Exc</i>
1	2,4-D	2	0	0
4	Abamectin (sum)	2	0	0
5	Acephate	20	0	0
6	Acetamiprid	5	0	0
7	Acetochlor	3	0	0
8	Aclonifen	3	0	0
9	Acrinathrin	35	0	0
10	Alachlor	35	0	0
11	Aldicarb	5	0	0
12	Aldicarb (sum)	5	0	0
13	Aldicarb sulfone	5	0	0
14	Aldicarb sulfoxide	5	0	0
15	Aldrin	35	0	0
16	Aldrin and Dieldrin	3	0	0
17	Alphamethrin	186	2	0
18	Ametryn	3	0	0
23	Atrazine	189	0	0
26	Azimsulfuron	3	0	0
27	Azinphos-ethyl	236	0	0
28	Azinphos-methyl	191	0	0
29	Azoxystrobin	5	0	0
31	Benalaxyl (sum)	3	0	0
32	Bendiocarb	3	0	0
33	Benfluralin	35	0	0
34	Benfuracarb	3	0	0
35	Bensulfuron-ethyl	3	0	0
38	Benzoximate	3	0	0
39	Bifenthrin	35	0	0
41	Bitertanol	5	0	0
42	Boscalid	5	0	0

Pesticide monitoring 2013 Greece on September 22, 2014 at 03:27:57 PM
Table A3: Scope of analytical methods, number of samples analysed for each residue by matrix

<i>Row number</i>	<i>Compound</i>	<i>Oil plants</i>	<i>Nr Found</i>	<i>MRL Exc</i>
43	Bromacil	3	0	0
45	Bromophos-ethyl	3	0	0
46	Bromopropylate	35	0	0
47	Bromuconazole (sum)	5	0	0
48	Bupirimate	20	0	0
49	Buprofezin	206	0	0
50	Cadusafos	5	0	0
51	Captafol	3	0	0
54	Carbaryl	5	0	0
56	Carbendazim and benomyl	5	0	0
57	Carbofuran	5	0	0
58	Carbofuran (sum)	5	0	0
59	Carbofuran, 3-hydroxy	5	0	0
60	Carbosulfan	3	0	0
61	Carboxin	3	0	0
62	Chlorbromuron	3	0	0
63	Chlordane (sum)	35	0	0
64	Chlorfenapyr	35	0	0
66	Chlorfenvinphos	20	0	0
67	Chloridazon	3	0	0
69	Chlorobenzilate	35	0	0
70	Chlorothalonil	5	0	0
71	Chlorotoluron	3	0	0
72	Chloroxuron	3	0	0
73	Chlorpropham	32	0	0
75	Chlorpyrifos	236	20	0
76	Chlorpyrifos-methyl	236	0	0
77	Chlorsulfuron	3	0	0
78	Chlorthal-dimethyl	3	0	0
79	Cinerin	3	0	0

Pesticide monitoring 2013 Greece on September 22, 2014 at 03:27:57 PM
Table A3: Scope of analytical methods, number of samples analysed for each residue by matrix

Row number	Compound	Oil plants	Nr Found	MRL Exc
80	Cinerin I	3	0	0
81	Cinerin II	3	0	0
82	Clethodim (sum)	3	0	0
83	Clofentezine	3	0	0
84	Clothianidin	5	0	0
85	Coumaphos	5	0	0
86	Cyanazine	3	0	0
88	Cyfluthrin (sum)	236	3	0
89	Cymoxanil	3	0	0
91	Cypermethrin (sum)	236	2	0
92	Cyproconazole	5	0	0
93	Cyprodinil	5	0	0
94	Cyromazine	3	0	0
95	DDD, p,p-	35	0	0
96	DDE, o,p-	3	0	0
97	DDE, p,p-	35	0	0
98	DDT (sum)	35	0	0
99	DDT, o,p-	35	0	0
100	DDT, p,p-	35	0	0
102	Deltamethrin	236	1	0
104	Demeton-S-methyl	3	0	0
106	Demeton-S-methyl sulfone	5	0	0
107	Desmetryn	3	0	0
108	Diafenthiuron	3	0	0
109	Diazinon	236	2	0
111	Dichlofluanid	35	0	0
114	Dichlorprop	2	0	0
115	Dichlorvos	18	0	0
116	Dicloran	3	0	0
117	Dicofol (sum)	3	0	0

Pesticide monitoring 2013 Greece on September 22, 2014 at 03:27:57 PM
Table A3: Scope of analytical methods, number of samples analysed for each residue by matrix

<i>Row number</i>	<i>Compound</i>	<i>Oil plants</i>	<i>Nr Found</i>	<i>MRL Exc</i>
118	Dicofol o, p'	3	0	0
119	Dicofol p, p'	3	0	0
120	Dicrotophos	3	0	0
121	Dieldrin	35	0	0
122	Diethofencarb	3	0	0
123	Difenoconazole	5	0	0
124	Diflubenzuron	3	0	0
125	Diflufenican	5	0	0
126	Dimethoate	191	6	0
127	Dimethoate (sum)	206	6	0
128	Dimethomorph	5	0	0
130	Diniconazole	3	0	0
131	Dinitramine	3	0	0
132	Dinobuton	3	0	0
134	Dinocap (sum)	3	0	0
137	Diphenamid	3	0	0
138	Diphenylamine	5	0	0
139	Disulfoton	3	0	0
140	Disulfoton (sum baby and infant food)	5	0	0
141	Disulfoton sulfone	5	0	0
142	Disulfoton sulfoxide	5	0	0
146	Dodemorph	3	0	0
147	EPN	3	0	0
149	Endosulfan (sum)	221	0	0
150	Endosulfansulfate	221	0	0
151	Endrin	35	0	0
152	Epoxiconazole	5	0	0
154	Ethalfuralin	35	0	0
157	Ethion	204	0	0
158	Ethirimol	3	0	0

Pesticide monitoring 2013 Greece on September 22, 2014 at 03:27:57 PM
Table A3: Scope of analytical methods, number of samples analysed for each residue by matrix

<i>Row number</i>	<i>Compound</i>	<i>Oil plants</i>	<i>Nr Found</i>	<i>MRL Exc</i>
159	Ethofumesate	3	0	0
160	Ethofumesate (sum)	3	0	0
161	Ethoprophos	20	0	0
162	Ethoxyquin	3	0	0
163	Etofenprox	3	0	0
164	Etoxazole	3	0	0
165	Etrimfos	32	0	0
166	Famoxadone	35	0	0
167	Fenamidone	3	0	0
168	Fenamiphos	3	0	0
169	Fenamiphos (sum)	3	0	0
170	Fenamiphos sulfone	3	0	0
171	Fenamiphos sulfoxide	3	0	0
172	Fenarimol	5	0	0
173	Fenazaquin	5	0	0
174	Fenbuconazole	5	0	0
176	Fenhexamid	5	0	0
177	Fenitrothion	236	0	0
178	Fenoxycarb	5	0	0
179	Fenpropathrin	35	0	0
180	Fenpropidin	3	0	0
181	Fenpropimorph	5	0	0
182	Fenpyroximate	3	0	0
184	Fensulfothion	3	0	0
185	Fensulfothion (sum baby and infant food)	3	0	0
186	Fensulfothion oxon	3	0	0
187	Fensulfothion oxon sulphone	3	0	0
188	Fensulfothion sulfone	3	0	0
189	Fenthion	221	0	0
190	Fenthion (sum)	191	0	0

Pesticide monitoring 2013 Greece on September 22, 2014 at 03:27:57 PM
Table A3: Scope of analytical methods, number of samples analysed for each residue by matrix

<i>Row number</i>	<i>Compound</i>	<i>Oil plants</i>	<i>Nr Found</i>	<i>MRL Exc</i>
191	Fenthion oxon	189	0	0
192	Fenthion oxon sulfone	189	0	0
193	Fenthion oxonsulfoxide	189	0	0
194	Fenthion sulfone	191	0	0
195	Fenthion sulfoxide	191	0	0
198	Fenvalerate and Esfenvalerate (Sum of RR and SS isomers)	35	0	0
199	Fenvalerate and Esfenvalerate (Sum of RS and SR isomers)	35	0	0
201	Fipronil	2	0	0
203	Fipronil desulfinyl	3	0	0
205	Fluazifop (free acid)	2	0	0
208	Fluazinam	3	0	0
209	Flucythrinate	3	0	0
211	Fludioxonil	5	0	0
212	Flufenacet	3	0	0
213	Flufenacet (sum)	3	0	0
214	Flufenoxuron	5	0	0
215	Fluometuron	3	0	0
216	Fluopicolide	3	0	0
217	Fluquinconazole	5	0	0
218	Fluroxypyr	2	0	0
220	Flusilazole	5	0	0
221	Flutolanil	3	0	0
222	Flutriafol	5	0	0
223	Fluvalinate	32	0	0
224	Folpet	3	0	0
228	Fosthiazate	3	0	0
229	Furathiocarb	3	0	0
232	Haloxypop	2	0	0
236	Heptachlor	35	0	0
237	Heptachlor (sum of heptachlor and heptachlor epoxide expressed as heptachlor)	35	0	0

Pesticide monitoring 2013 Greece on September 22, 2014 at 03:27:57 PM
Table A3: Scope of analytical methods, number of samples analysed for each residue by matrix

<i>Row number</i>	<i>Compound</i>	<i>Oil plants</i>	<i>Nr Found</i>	<i>MRL Exc</i>
238	Heptachlor endo-epoxide	32	0	0
239	Heptachlor epoxide	3	0	0
240	Heptachlor exo-epoxide	32	0	0
241	Heptenophos	35	0	0
242	Hexachlorobenzene	35	0	0
243	Hexachlorocyclohexane (HCH), alpha-isomer	35	0	0
244	Hexachlorocyclohexane (HCH), beta-isomer	35	0	0
245	Hexachlorocyclohexane (HCH), sum of isomers, except the gamma isomer	35	0	0
246	Hexaconazole	5	0	0
247	Hexythiazox	5	0	0
248	Imazalil	5	0	0
249	Imazamethabenz-methyl	3	0	0
250	Imidacloprid	5	0	0
251	Indoxacarb as sum of the isomers S and R	5	0	0
254	Iprodione	35	0	0
255	Iprovalicarb	5	0	0
256	Isufenphos-methyl	5	0	0
257	Isoprothiolane	3	0	0
258	Isoproturon	5	0	0
259	Jasmolin I	3	0	0
260	Jasmolin II	3	0	0
261	Kresoxim-methyl	191	0	0
262	Lambda-Cyhalothrin	236	0	0
263	Lindane (Gamma-isomer of hexachlorocyclohexane (HCH))	35	0	0
264	Linuron	5	0	0
265	Lufenuron	5	0	0
266	MCPA	2	0	0
267	Malaoxon	35	0	0
268	Malathion	221	0	0
269	Malathion (sum of malathion and malaoxon expressed as malathion)	236	0	0

Pesticide monitoring 2013 Greece on September 22, 2014 at 03:27:57 PM
Table A3: Scope of analytical methods, number of samples analysed for each residue by matrix

<i>Row number</i>	<i>Compound</i>	<i>Oil plants</i>	<i>Nr Found</i>	<i>MRL Exc</i>
270	Mecarbam	3	0	0
271	Mecoprop	2	0	0
272	Mecoprop (sum of mecoprop-p and mecoprop expressed as mecoprop)	2	0	0
273	Mepanipyrim	5	0	0
274	Mepanipyrim (Mepanipyrim and its metabolite (2-anilino-4-(2-hydroxypropyl)-6-methylpyrimidine) expressed as mepanipyrim)	3	0	0
277	Metaflumizone (sum of E- and Z- isomers)	3	0	0
279	Metalaxyl (Metalaxyl including other mixtures of constituent isomers including Metalaxyl-M (sum of isomers))	5	0	0
282	Metamitron	3	0	0
283	Metazachlor	3	0	0
284	Metconazole	5	0	0
285	Methabenzthiazuron	3	0	0
286	Methacrifos	35	0	0
287	Methamidophos	20	1	1
288	Methidathion	236	0	0
289	Methiocarb	5	0	0
290	Methiocarb (sum of methiocarb and methiocarb sulfoxide and sulfone, expressed as methiocarb)	5	0	0
291	Methiocarb sulfone	5	0	0
292	Methiocarb sulfoxide	5	0	0
293	Metholachlor	35	0	0
294	Metholachlor and metholachlor-S (Metholachlor including other mixtures of constituent isomers including S-metholachlor (sum of isomers))	3	0	0
295	Methomyl	5	0	0
296	Methomyl and thiodicarb (sum of methomyl and thiodicarb expressed as methomyl)	5	0	0
297	Methoxychlor	35	0	0
298	Methoxyfenozide	5	0	0
299	Metobromuron	3	0	0
300	Metoxuron	3	0	0
302	Metribuzin	3	0	0
303	Metsulfuron-methyl	3	0	0
304	Mevinphos (sum of E- and Z-isomers)	3	0	0
305	Monocrotophos	5	0	0

<i>Row number</i>	<i>Compound</i>	<i>Oil plants</i>	<i>Nr Found</i>	<i>MRL Exc</i>
306	Monolinuron	3	0	0
307	Myclobutanil	5	0	0
308	Naled	3	0	0
309	Napropamide	3	0	0
310	Nicosulfuron	3	0	0
311	Nitenpyram	3	0	0
312	Nitrofen	35	0	0
313	Nuarimol	3	0	0
314	Omethoate	191	0	0
315	Orthophenylphenol	32	0	0
316	Oxadiazon	3	0	0
317	Oxadixyl	5	0	0
318	Oxamyl	5	0	0
319	Oxychlordane	32	0	0
320	Oxydemeton-methyl	5	0	0
321	Oxydemeton-methyl (sum of oxydemeton-methyl and demeton-S-methylsulfone expressed as oxydemeton-methyl)	5	0	0
322	Oxyfluorfen	35	1	0
323	Paclobutrazol	5	0	0
325	Paraoxon-methyl	35	0	0
326	Parathion	236	0	0
327	Parathion-methyl	221	0	0
328	Parathion-methyl (sum of Parathion-methyl and paraoxon-methyl expressed as Parathion-methyl)	236	0	0
329	Penconazole	5	0	0
330	Pencycuron	3	0	0
331	Pendimethalin	35	0	0
332	Pentachloroaniline	3	0	0
333	Permethrin (sum of isomers)	35	0	0
335	Phenthoate	18	0	0
337	Phorate (sum of phorate, its oxygen analogue and their sulfones expressed as phorate)	3	0	0
340	Phosalone	204	0	0

Pesticide monitoring 2013 Greece on September 22, 2014 at 03:27:57 PM
Table A3: Scope of analytical methods, number of samples analysed for each residue by matrix

<i>Row number</i>	<i>Compound</i>	<i>Oil plants</i>	<i>Nr Found</i>	<i>MRL Exc</i>
341	Phosmet	236	0	0
342	Phosmet (phosmet and phosmet oxon expressed as phosmet)	18	0	0
343	Phosmet oxon	3	0	0
344	Phosphamidon	15	0	0
345	Phoxim	3	0	0
346	Picoxystrobin	5	0	0
347	Pirimicarb	191	0	0
348	Pirimicarb (sum of Pirimicarb and desmethyl pirimicarb expressed as Pirimicarb)	191	0	0
349	Pirimicarb desmethyl	5	0	0
352	Pirimiphos-methyl	50	0	0
353	Primisulfuron	3	0	0
354	Prochloraz	5	0	0
355	Prochloraz (sum of prochloraz and its metabolites containing the 2,4,6-Trichlorophenol moiety expressed as prochloraz)	3	0	0
356	Procymidone	221	0	0
357	Profenofos	35	0	0
360	Prometryn	189	0	0
361	Propachlor	3	0	0
362	Propachlor: oxalinic derivate of propachlor, expressed as propachlor	3	0	0
365	Propanil	3	0	0
366	Propargite	3	0	0
368	Propham	3	0	0
369	Propiconazole	5	0	0
370	Propoxur	2	0	0
371	Propyzamide	5	0	0
374	Prothioconazole (prothioconazole-desthio)	3	0	0
375	Prothioconazole (sum animal products)	3	0	0
376	Prothiofos	35	0	0
377	Pymetrozine	3	0	0
378	Pyraclostrobin	5	0	0
379	Pyrazophos	50	0	0

Pesticide monitoring 2013 Greece on September 22, 2014 at 03:27:57 PM
Table A3: Scope of analytical methods, number of samples analysed for each residue by matrix

<i>Row number</i>	<i>Compound</i>	<i>Oil plants</i>	<i>Nr Found</i>	<i>MRL Exc</i>
380	Pyrethrin I	3	0	0
381	Pyrethrin II	3	0	0
382	Pyrethrins	3	0	0
383	Pyridaben	3	0	0
386	Pyrifenox	3	0	0
387	Pyrimethanil	20	0	0
388	Pyriproxyfen	5	0	0
389	Quinalphos	18	0	0
390	Quinoxyfen	5	0	0
391	Quintozene	35	0	0
392	Quintozene (sum of quintozene and pentachloro-aniline expressed as quintozene)	3	0	0
393	Resmethrin (resmethrin including other mixtures of constituent isomers (sum of isomers))	32	0	0
396	Sethoxydim	3	0	0
397	Simazine	189	0	0
399	Spinosad (sum of Spinosyn A and Spinosyn D, expressed as Spinosad)	5	0	0
400	Spinosyn A	5	0	0
401	Spinosyn D	5	0	0
402	Spirodiclofen	3	0	0
403	Spiroxamine	5	0	0
404	Tebuconazole	5	0	0
405	Tebufenozide	5	0	0
406	Tebufenpyrad	5	0	0
407	Tecnazene	35	0	0
408	Teflubenzuron	5	0	0
409	Tefluthrin	3	0	0
410	Temephos	3	0	0
411	Terbufos	35	0	0
412	Terbufos (sum baby and infant food)	5	0	0
413	Terbufos sulfone	5	0	0
414	Terbufos sulfoxide	5	0	0

Pesticide monitoring 2013 Greece on September 22, 2014 at 03:27:57 PM
Table A3: Scope of analytical methods, number of samples analysed for each residue by matrix

<i>Row number</i>	<i>Compound</i>	<i>Oil plants</i>	<i>Nr Found</i>	<i>MRL Exc</i>
415	Terbutylazine	3	0	0
416	Terbutryn	3	0	0
417	Tetrachlorvinphos	3	0	0
418	Tetraconazole	5	0	0
419	Tetradifon	35	0	0
420	Thiabendazole	5	0	0
422	Thiacloprid	5	0	0
423	Thiametoxam	5	0	0
424	Thiametoxam (sum of thiametoxam and clothianidin expressed as thiametoxam)	5	0	0
427	Thiodicarb	5	0	0
428	Thiophanate-methyl	5	0	0
429	Tolclofos-methyl	236	0	0
430	Tolyfluanid	35	0	0
431	Tolyfluanid (Sum of tolyfluanid and dimethylaminosulfotoluidide expressed as tolyfluanid)	3	0	0
432	Tralkoxydim	3	0	0
435	Triadimefon	5	0	0
436	Triadimefon (sum of Triadimefon and Triadimenol)	5	0	0
437	Triadimenol	5	0	0
439	Triazophos	20	0	0
442	Tricyclazole	3	0	0
443	Trifloxystrobin	20	0	0
445	Trifluralin	50	1	0
447	Triticonazole	5	0	0
448	Vamidothion	3	0	0
449	Vinclozolin	35	0	0
450	Vinclozolin (sum of Vinclozolin and all metabolites containing the 3,5-dichloraniline moiety, expressed as Vinclozolin)	3	0	0
451	Zoxamide	3	1	0
452	alpha-Endosulfan	221	0	0
453	beta-Cyfluthrin	186	3	0
454	beta-Endosulfan	221	0	0

Pesticide monitoring 2013 Greece on September 22, 2014 at 03:27:57 PM
Table A3: Scope of analytical methods, number of samples analysed for each residue by matrix

<i>Row number</i>	<i>Compound</i>	<i>Oil plants</i>	<i>Nr Found</i>	<i>MRL Exc</i>
455	cis-Chlordane	35	0	0
457	tau-Fluvalinate	35	0	0
458	trans-Chlordane	35	0	0
		12708	49	1

Pesticide monitoring 2013 Greece on September 22, 2014 at 03:27:57 PM
Table A3: Scope of analytical methods, number of samples analysed for each residue by matrix

Row number	Compound	Pulses	Nr Found	MRL Ex
1	2,4-D	12	0	0
4	Abamectin (sum)	21	0	0
5	Acephate	22	0	0
6	Acetamiprid	22	0	0
7	Acetochlor	9	0	0
8	Aclonifen	9	0	0
9	Acrinathrin	22	0	0
10	Alachlor	22	0	0
11	Aldicarb	21	0	0
12	Aldicarb (sum)	21	0	0
13	Aldicarb sulfone	21	0	0
14	Aldicarb sulfoxide	21	0	0
15	Aldrin	18	0	0
16	Aldrin and Dieldrin	6	0	0
18	Ametryn	10	0	0
21	Asulam	9	0	0
23	Atrazine	9	0	0
24	Avermectin B1a	9	0	0
25	Avermectin B1b	9	0	0
26	Azimsulfuron	9	0	0
27	Azinphos-ethyl	21	0	0
28	Azinphos-methyl	22	0	0
29	Azoxystrobin	22	0	0
30	Benalaxyl	1	0	0
31	Benalaxyl (sum)	10	0	0
33	Benfluralin	21	0	0
34	Benfuracarb	10	0	0
35	Bensulfuron-ethyl	9	0	0
36	Bentazone	5	0	0
37	Bentazone (sum animal products)	5	0	0

Row number	Compound	Pulses	Nr Found	MRL Ex
38	Benzoximate	9	0	0
39	Bifenthrin	22	0	0
41	Bitertanol	18	0	0
42	Boscalid	22	0	0
43	Bromacil	4	0	0
45	Bromophos-ethyl	9	0	0
46	Bromopropylate	22	0	0
47	Bromuconazole (sum)	22	0	0
48	Bupirimate	22	0	0
49	Buprofezin	22	0	0
50	Cadusafos	22	0	0
51	Captafol	5	0	0
52	Captan	6	0	0
53	Captan/Folpet (sum)	1	0	0
54	Carbaryl	21	0	0
56	Carbendazim and benomyl	21	1	0
57	Carbofuran	22	0	0
58	Carbofuran (sum)	22	0	0
59	Carbofuran, 3-hydroxy	22	0	0
60	Carbosulfan	10	0	0
61	Carboxin	9	0	0
62	Chlorbromuron	9	0	0
63	Chlordane (sum)	17	0	0
64	Chlorfenapyr	18	0	0
66	Chlorfenvinphos	22	0	0
67	Chloridazon	9	0	0
69	Chlorobenzilate	18	0	0
70	Chlorothalonil	22	0	0
71	Chlorotoluron	9	0	0
72	Chloroxuron	9	0	0

Row number	Compound	Pulses	Nr Found	MRL Ex
73	Chlorpropham	13	0	0
74	Chlorpropham (sum)	10	0	0
75	Chlorpyrifos	22	2	1
76	Chlorpyrifos-methyl	22	0	0
77	Chlorsulfuron	9	0	0
78	Chlorthal-dimethyl	5	0	0
79	Cinerin	9	0	0
80	Cinerin I	9	0	0
81	Cinerin II	9	0	0
82	Clethodim (sum)	9	0	0
83	Clofentezine	10	0	0
84	Clothianidin	21	0	0
85	Coumaphos	21	0	0
86	Cyanazine	9	0	0
87	Cyfluthrin	1	0	0
88	Cyfluthrin (sum)	22	0	0
89	Cymoxanil	10	0	0
90	Cypermethrin	1	0	0
91	Cypermethrin (sum)	22	0	0
92	Cyproconazole	22	0	0
93	Cyprodinil	22	0	0
94	Cyromazine	9	0	0
95	DDD, p,p-	17	0	0
96	DDE, o,p-	5	0	0
97	DDE, p,p-	17	0	0
98	DDT (sum)	18	0	0
99	DDT, o,p-	18	0	0
100	DDT, p,p-	18	0	0
102	Deltamethrin	18	0	0
104	Demeton-S-methyl	10	0	0

Row number	Compound	Pulses	Nr Found	MRL Ex
106	Demeton-S-methyl sulfone	22	0	0
107	Desmetryn	5	0	0
108	Diafenthiuron	9	0	0
109	Diazinon	22	0	0
110	Dichlobenil	1	0	0
111	Dichlofluanid	22	0	0
112	Dichlofluanid and DMSA (sum of Dichlofluanid and DMSA)	1	0	0
113	Dichloroaniline, 3,5-	9	0	0
114	Dichlorprop	12	0	0
115	Dichlorvos	10	0	0
116	Dicloran	6	0	0
117	Dicofol (sum)	6	0	0
118	Dicofol o, p'	6	0	0
119	Dicofol p, p'	6	0	0
120	Dicrotophos	9	0	0
121	Dieldrin	18	0	0
122	Diethofencarb	9	0	0
123	Difenoconazole	22	0	0
124	Diflubenzuron	9	0	0
125	Diflufenican	21	0	0
126	Dimethoate	22	0	0
127	Dimethoate (sum)	22	0	0
128	Dimethomorph	22	0	0
130	Diniconazole	6	0	0
131	Dinitramine	5	0	0
132	Dinobuton	5	0	0
133	Dinocap	1	0	0
134	Dinocap (sum)	3	0	0
137	Diphenamid	9	0	0
138	Diphenylamine	22	0	0

Pesticide monitoring 2013 Greece on September 22, 2014 at 03:27:57 PM
Table A3: Scope of analytical methods, number of samples analysed for each residue by matrix

<i>Row number</i>	<i>Compound</i>	<i>Pulses</i>	<i>Nr Found</i>	<i>MRL Ex</i>
139	Disulfoton	10	0	0
140	Disulfoton (sum baby and infant food)	21	0	0
141	Disulfoton sulfone	21	0	0
142	Disulfoton sulfoxide	21	0	0
144	Diuron	18	0	0
145	Diuron	18	0	0
146	Dodemorph	5	0	0
147	EPN	10	0	0
148	Emamectin benzoate B1a, expressed as emamectin	9	0	0
149	Endosulfan (sum)	22	0	0
150	Endosulfansulfate	18	0	0
151	Endrin	18	0	0
152	Epoxiconazole	22	0	0
154	Ethalfuralin	18	0	0
157	Ethion	10	0	0
158	Ethirimol	9	0	0
159	Ethofumesate	9	0	0
160	Ethofumesate (sum)	9	0	0
161	Ethoprophos	22	0	0
162	Ethoxyquin	9	0	0
163	Etofenprox	9	0	0
164	Etoxazole	9	0	0
165	Etrimfos	12	0	0
166	Famoxadone	22	0	0
167	Fenamidone	9	0	0
168	Fenamiphos	10	0	0
169	Fenamiphos (sum)	10	0	0
170	Fenamiphos sulfone	9	0	0
171	Fenamiphos sulfoxide	9	0	0
172	Fenarimol	18	0	0

Pesticide monitoring 2013 Greece on September 22, 2014 at 03:27:57 PM
Table A3: Scope of analytical methods, number of samples analysed for each residue by matrix

<i>Row number</i>	<i>Compound</i>	<i>Pulses</i>	<i>Nr Found</i>	<i>MRL Ex</i>
173	Fenazaquin	22	0	0
174	Fenbuconazole	22	0	0
176	Fenhexamid	22	0	0
177	Fenitrothion	22	0	0
178	Fenoxycarb	22	0	0
179	Fenpropathrin	22	0	0
180	Fenpropidin	9	0	0
181	Fenpropimorph	22	0	0
182	Fenpyroximate	9	0	0
184	Fensulfothion	9	0	0
185	Fensulfothion (sum baby and infant food)	9	0	0
186	Fensulfothion oxon	9	0	0
187	Fensulfothion oxon sulphone	9	0	0
188	Fensulfothion sulfone	9	0	0
189	Fenthion	22	0	0
190	Fenthion (sum)	22	0	0
191	Fenthion oxon	9	0	0
192	Fenthion oxon sulfone	9	0	0
193	Fenthion oxonsulfoxide	9	0	0
194	Fenthion sulfone	21	0	0
195	Fenthion sulfoxide	22	0	0
196	Fenvalerate	1	0	0
197	Fenvalerate (sum of RR, SS, RS and SR isomers)	1	0	0
198	Fenvalerate and Esfenvalerate (Sum of RR and SS isomers)	17	0	0
199	Fenvalerate and Esfenvalerate (Sum of RS and SR isomers)	17	0	0
201	Fipronil	14	0	0
202	Fipronil (sum)	2	0	0
203	Fipronil desulfinyl	1	0	0
204	Fipronil sulfone	1	0	0
205	Fluazifop (free acid)	12	0	0

Row number	Compound	Pulses	Nr Found	MRL Ex
208	Fluazinam	2	0	0
209	Flucythrinate	10	0	0
210	Flucythrinate (sum of isomers expressed as flucythrinate)	1	0	0
211	Fludioxonil	14	0	0
212	Flufenacet	9	0	0
213	Flufenacet (sum)	9	0	0
214	Flufenoxuron	21	0	0
215	Fluometuron	9	0	0
216	Fluopicolide	9	0	0
217	Fluquinconazole	22	0	0
218	Fluroxypyr	20	0	0
219	Fluroxypyr (sum)	8	0	0
220	Flusilazole	22	0	0
221	Flutolanil	9	0	0
222	Flutriafol	22	0	0
223	Fluvalinate	13	0	0
224	Folpet	10	0	0
225	Foramsulfuron	9	0	0
226	Formetanate	9	0	0
227	Formetanate	9	0	0
228	Fosthiazate	9	0	0
229	Furathiocarb	9	0	0
232	Haloxypop	12	0	0
236	Heptachlor	18	0	0
237	Heptachlor (sum of heptachlor and heptachlor epoxide expressed as heptachlor)	18	0	0
238	Heptachlor endo-epoxide	12	0	0
239	Heptachlor epoxide	5	0	0
240	Heptachlor exo-epoxide	12	0	0
241	Heptenophos	18	0	0
242	Hexachlorobenzene	17	0	0

Pesticide monitoring 2013 Greece on September 22, 2014 at 03:27:57 PM
Table A3: Scope of analytical methods, number of samples analysed for each residue by matrix

<i>Row number</i>	<i>Compound</i>	<i>Pulses</i>	<i>Nr Found</i>	<i>MRL Ex</i>
243	Hexachlorocyclohexane (HCH), alpha-isomer	17	0	0
244	Hexachlorocyclohexane (HCH), beta-isomer	17	0	0
245	Hexachlorocyclohexane (HCH), sum of isomers, except the gamma isomer	17	0	0
246	Hexaconazole	22	0	0
247	Hexythiazox	22	0	0
248	Imazalil	22	0	0
249	Imazamethabenz-methyl	9	0	0
250	Imidacloprid	21	0	0
251	Indoxacarb as sum of the isomers S and R	22	0	0
252	Ioxynil	1	0	0
253	Ioxynil, including its esters expressed as ioxynil	1	0	0
254	Iprodione	18	0	0
255	Iprovalicarb	22	0	0
256	Isfenphos-methyl	22	0	0
257	Isoprothiolane	9	0	0
258	Isoproturon	21	0	0
259	Jasmolin I	9	0	0
260	Jasmolin II	9	0	0
261	Kresoxim-methyl	22	0	0
262	Lambda-Cyhalothrin	18	0	0
263	Lindane (Gamma-isomer of hexachlorocyclohexane (HCH))	18	0	0
264	Linuron	22	0	0
265	Lufenuron	21	0	0
266	MCPA	12	0	0
267	Malaoxon	22	0	0
268	Malathion	22	0	0
269	Malathion (sum of malathion and malaoxon expressed as malathion)	22	0	0
270	Mecarbam	10	0	0
271	Mecoprop	12	0	0
272	Mecoprop (sum of mecoprop-p and mecoprop expressed as mecoprop)	12	0	0

Pesticide monitoring 2013 Greece on September 22, 2014 at 03:27:57 PM
Table A3: Scope of analytical methods, number of samples analysed for each residue by matrix

<i>Row number</i>	<i>Compound</i>	<i>Pulses</i>	<i>Nr Found</i>	<i>MRL Ex</i>
273	Mepanipyrim	22	0	0
274	Mepanipyrim (Mepanipyrim and its metabolite (2-anilino-4-(2-hydroxypropyl)-6-methylpyrimidine) expressed as mepanipyrim)	10	0	0
277	Metaflumizone (sum of E- and Z- isomers)	9	0	0
278	Metalaxyl	1	0	0
279	Metalaxyl (Metalaxyl including other mixtures of constituent isomers including Metalaxyl-M (sum of isomers))	22	0	0
282	Metamitron	9	0	0
283	Metazachlor	9	0	0
284	Metconazole	22	0	0
285	Methabenzthiazuron	9	0	0
286	Methacrifos	21	0	0
287	Methamidophos	22	0	0
288	Methidathion	18	0	0
289	Methiocarb	22	0	0
290	Methiocarb (sum of methiocarb and methiocarb sulfoxide and sulfone, expressed as methiocarb)	22	0	0
291	Methiocarb sulfone	21	0	0
292	Methiocarb sulfoxide	21	0	0
293	Metholachlor	22	0	0
294	Metholachlor and metholachlor-S (Metholachlor including other mixtures of constituent isomers including S-metholachlor (sum of isomers))	10	0	0
295	Methomyl	21	0	0
296	Methomyl and thiodicarb (sum of methomyl and thiodicarb expressed as methomyl)	21	0	0
297	Methoxychlor	17	0	0
298	Methoxyfenozide	21	0	0
299	Metobromuron	9	0	0
300	Metoxuron	9	0	0
301	Metrafenone	1	0	0
302	Metribuzin	10	0	0
303	Metsulfuron-methyl	9	0	0
304	Mevinphos (sum of E- and Z-isomers)	9	0	0
305	Monocrotophos	22	0	0
306	Monolinuron	9	0	0

Pesticide monitoring 2013 Greece on September 22, 2014 at 03:27:57 PM
 Table A3: Scope of analytical methods, number of samples analysed for each residue by matrix

Row number	Compound	Pulses	Nr Found	MRL Ex
307	Myclobutanil	22	0	0
308	Naled	9	0	0
309	Napropamide	9	0	0
310	Nicosulfuron	9	0	0
311	Nitenpyram	9	0	0
312	Nitrofen	17	0	0
313	Nuarimol	9	0	0
314	Omethoate	22	0	0
315	Orthophenylphenol	12	0	0
316	Oxadiazon	10	0	0
317	Oxadixyl	22	0	0
318	Oxamyl	21	0	0
319	Oxychlorane	12	0	0
320	Oxydemeton-methyl	22	0	0
321	Oxydemeton-methyl (sum of oxydemeton-methyl and demeton-S-methylsulfone expressed as oxydemeton-methyl)	22	0	0
322	Oxyfluorfen	22	0	0
323	Paclobutrazol	22	0	0
325	Paraoxon-methyl	18	0	0
326	Parathion	18	0	0
327	Parathion-methyl	18	0	0
328	Parathion-methyl (sum of Parathion-methyl and paraoxon-methyl expressed as Parathion-methyl)	18	0	0
329	Penconazole	22	0	0
330	Pencycuron	10	0	0
331	Pendimethalin	22	0	0
332	Pentachloroaniline	5	0	0
333	Permethrin (sum of isomers)	18	0	0
334	Phenothrin	9	0	0
335	Phenthoate	10	0	0
336	Phorate	1	0	0
337	Phorate (sum of phorate, its oxygen analogue and their sulfones expressed as phorate)	10	0	0

Pesticide monitoring 2013 Greece on September 22, 2014 at 03:27:57 PM
Table A3: Scope of analytical methods, number of samples analysed for each residue by matrix

<i>Row number</i>	<i>Compound</i>	<i>Pulses</i>	<i>Nr Found</i>	<i>MRL Ex</i>
338	Phorate sulfone	1	0	0
339	Phorate sulfoxide	1	0	0
340	Phosalone	10	0	0
341	Phosmet	22	0	0
342	Phosmet (phosmet and phosmet oxon expressed as phosmet)	10	0	0
343	Phosmet oxon	9	0	0
344	Phosphamidon	1	0	0
345	Phoxim	9	0	0
346	Picoxystrobin	21	0	0
347	Pirimicarb	22	0	0
348	Pirimicarb (sum of Pirimicarb and desmethyl pirimicarb expressed as Pirimicarb)	22	0	0
349	Pirimicarb desmethyl	21	0	0
350	Pirimicarb, desmethylformamido-	1	0	0
352	Pirimiphos-methyl	22	0	0
353	Primisulfuron	9	0	0
354	Prochloraz	22	0	0
355	Prochloraz (sum of prochloraz and its metabolites containing the 2,4,6-Trichlorophenol moiety expressed as prochloraz)	10	0	0
356	Procymidone	22	0	0
357	Profenofos	22	0	0
360	Prometryn	6	0	0
361	Propachlor	6	0	0
362	Propachlor: oxalinic derivate of propachlor, expressed as propachlor	5	0	0
363	Propamocarb	9	0	0
364	Propamocarb (sum of propamocarb and its salt expressed as propamocarb)	9	0	0
365	Propanil	5	0	0
366	Propargite	10	0	0
368	Propham	9	0	0
369	Propiconazole	22	0	0
370	Propoxur	13	0	0
371	Propyzamide	18	0	0

Pesticide monitoring 2013 Greece on September 22, 2014 at 03:27:57 PM
Table A3: Scope of analytical methods, number of samples analysed for each residue by matrix

Row number	Compound	Pulses	Nr Found	MRL Ex
372	Propyzamide (sum of propyzamide and all metabolites containing the 3,5-dichlorobenzoic acid fraction expressed as propyzamide)	1	0	0
373	Prothioconazole	1	0	0
374	Prothioconazole (prothioconazole-desthio)	1	0	0
376	Prothiofos	22	0	0
377	Pymetrozine	9	0	0
378	Pyraclostrobin	22	0	0
379	Pyrazophos	22	0	0
380	Pyrethrin I	9	0	0
381	Pyrethrin II	9	0	0
382	Pyrethrins	9	0	0
383	Pyridaben	10	0	0
384	Pyridate	9	0	0
385	Pyridate (sum of pyridate, its hydrolysis product CL 9673 (6-chloro-4-hydroxy-3-phenylpyridazin) and hydrolysable conjugates of CL 9673 expressed as pyridate)	9	0	0
386	Pyrifenoxy	10	0	0
387	Pyrimethanil	22	0	0
388	Pyriproxyfen	22	0	0
389	Quinalphos	10	0	0
390	Quinoxifen	22	0	0
391	Quintozene	17	0	0
392	Quintozene (sum of quintozene and pentachloro-aniline expressed as quintozene)	9	0	0
393	Resmethrin (resmethrin including other mixtures of constituent isomers (sum of isomers))	20	0	0
394	Rimsulfuron	9	0	0
396	Sethoxydim	9	0	0
397	Simazine	9	0	0
399	Spinosad (sum of Spinosyn A and Spinosyn D, expressed as Spinosad)	21	0	0
400	Spinosyn A	21	0	0
401	Spinosyn D	21	0	0
402	Spirodiclofen	9	0	0
403	Spiroxamine	21	0	0
404	Tebuconazole	22	0	0

Pesticide monitoring 2013 Greece on September 22, 2014 at 03:27:57 PM
Table A3: Scope of analytical methods, number of samples analysed for each residue by matrix

<i>Row number</i>	<i>Compound</i>	<i>Pulses</i>	<i>Nr Found</i>	<i>MRL Ex</i>
405	Tebufenozide	21	0	0
406	Tebufenpyrad	22	0	0
407	Tecnazene	17	0	0
408	Teflubenzuron	13	0	0
409	Tefluthrin	6	0	0
410	Temephos	8	0	0
411	Terbufos	21	0	0
412	Terbufos (sum baby and infant food)	21	0	0
413	Terbufos sulfone	21	0	0
414	Terbufos sulfoxide	21	0	0
415	Terbutylazine	10	0	0
416	Terbutryn	9	0	0
417	Tetrachlorvinphos	8	0	0
418	Tetraconazole	22	0	0
419	Tetradifon	18	0	0
420	Thiabendazole	22	0	0
421	Thiabendazole (sum animal products)	1	0	0
422	Thiacloprid	22	0	0
423	Thiametoxam	22	0	0
424	Thiametoxam (sum of thiametoxam and clothianidin expressed as thiametoxam)	22	0	0
425	Thifensulfuron-methyl	9	0	0
426	Thiobencarb	4	0	0
427	Thiodicarb	21	0	0
428	Thiophanate-methyl	21	0	0
429	Tolclofos-methyl	22	0	0
430	Tolyfluanid	22	0	0
431	Tolyfluanid (Sum of tolyfluanid and dimethylaminosulfotoluidide expressed as tolyfluanid)	10	0	0
432	Tralkoxydim	9	0	0
435	Triadimefon	22	0	0
436	Triadimefon (sum of Triadimefon and Triadimenol)	22	0	0

Pesticide monitoring 2013 Greece on September 22, 2014 at 03:27:57 PM
Table A3: Scope of analytical methods, number of samples analysed for each residue by matrix

<i>Row number</i>	<i>Compound</i>	<i>Pulses</i>	<i>Nr Found</i>	<i>MRL Ex</i>
437	Triadimenol	22	0	0
438	Triasulfuron	9	0	0
439	Triazophos	22	0	0
440	Trichlorfon	1	0	0
442	Tricyclazole	9	0	0
443	Trifloxystrobin	22	0	0
444	Triflumuron	1	0	0
445	Trifluralin	18	0	0
447	Triticonazole	22	0	0
448	Vamidothion	9	0	0
449	Vinclozolin	18	0	0
450	Vinclozolin (sum of Vinclozolin and all metabolites containing the 3,5-dichloraniline moiety, expressed as Vinclozolin)	6	0	0
451	Zoxamide	9	0	0
452	alpha-Endosulfan	18	0	0
454	beta-Endosulfan	18	0	0
455	cis-Chlordane	17	0	0
457	tau-Fluvalinate	18	0	0
458	trans-Chlordane	17	0	0
		5739	3	1

Pesticide monitoring 2013 Greece on September 22, 2014 at 03:27:57 PM
Table A3: Scope of analytical methods, number of samples analysed for each residue by matrix

Row number	Compound	Spices	Nr Found	MRL Ex
4	Abamectin (sum)	3	0	0
5	Acephate	4	0	0
6	Acetamiprid	4	0	0
7	Acetochlor	3	0	0
8	Aclonifen	3	0	0
9	Acrinathrin	4	0	0
10	Alachlor	4	0	0
11	Aldicarb	3	0	0
12	Aldicarb (sum)	3	0	0
13	Aldicarb sulfone	3	0	0
14	Aldicarb sulfoxide	3	0	0
15	Aldrin	2	0	0
16	Aldrin and Dieldrin	2	0	0
18	Ametryn	4	0	0
21	Asulam	3	0	0
23	Atrazine	3	0	0
24	Avermectin B1a	3	0	0
25	Avermectin B1b	3	0	0
26	Azimsulfuron	3	0	0
27	Azinphos-ethyl	3	0	0
28	Azinphos-methyl	4	0	0
29	Azoxystrobin	4	0	0
30	Benalaxyl	1	0	0
31	Benalaxyl (sum)	4	0	0
33	Benfluralin	3	0	0
34	Benfuracarb	4	0	0
35	Bensulfuron-ethyl	3	0	0
36	Bentazone	3	0	0
37	Bentazone (sum animal products)	1	0	0
38	Benzoximate	3	0	0

Row number	Compound	Spices	Nr Found	MRL Ex
39	Bifenthrin	4	0	0
41	Bitertanol	2	0	0
42	Boscalid	4	0	0
45	Bromophos-ethyl	3	0	0
46	Bromopropylate	4	0	0
47	Bromuconazole (sum)	4	0	0
48	Bupirimate	4	0	0
49	Buprofezin	4	0	0
50	Cadusafos	4	0	0
51	Captafol	1	0	0
52	Captan	2	0	0
53	Captan/Folpet (sum)	1	0	0
54	Carbaryl	3	0	0
56	Carbendazim and benomyl	3	0	0
57	Carbofuran	4	0	0
58	Carbofuran (sum)	4	0	0
59	Carbofuran, 3-hydroxy	4	0	0
60	Carbosulfan	4	0	0
61	Carboxin	3	0	0
62	Chlorbromuron	3	0	0
63	Chlordane (sum)	1	0	0
64	Chlorfenapyr	2	0	0
66	Chlorfenvinphos	4	0	0
67	Chloridazon	3	0	0
69	Chlorobenzilate	2	0	0
70	Chlorothalonil	4	0	0
71	Chlorotoluron	3	0	0
72	Chloroxuron	3	0	0
73	Chlorpropham	1	0	0
74	Chlorpropham (sum)	4	0	0

<i>Row number</i>	<i>Compound</i>	<i>Spices</i>	<i>Nr Found</i>	<i>MRL Ex</i>
75	Chlorpyrifos	4	0	0
76	Chlorpyrifos-methyl	4	0	0
77	Chlorsulfuron	3	0	0
78	Chlorthal-dimethyl	1	0	0
79	Cinerin	3	0	0
80	Cinerin I	3	0	0
81	Cinerin II	3	0	0
82	Clethodim (sum)	3	0	0
83	Clofentezine	4	0	0
84	Clothianidin	3	0	0
85	Coumaphos	3	0	0
86	Cyanazine	3	0	0
87	Cyfluthrin	1	0	0
88	Cyfluthrin (sum)	4	0	0
89	Cymoxanil	4	0	0
90	Cypermethrin	1	0	0
91	Cypermethrin (sum)	4	0	0
92	Cyproconazole	4	0	0
93	Cyprodinil	4	0	0
94	Cyromazine	3	0	0
95	DDD, p,p-	1	0	0
96	DDE, o,p-	1	0	0
97	DDE, p,p-	1	0	0
98	DDT (sum)	2	0	0
99	DDT, o,p-	2	0	0
100	DDT, p,p-	2	0	0
102	Deltamethrin	2	0	0
104	Demeton-S-methyl	4	0	0
106	Demeton-S-methyl sulfone	4	0	0
107	Desmetryn	1	0	0

Pesticide monitoring 2013 Greece on September 22, 2014 at 03:27:57 PM
Table A3: Scope of analytical methods, number of samples analysed for each residue by matrix

<i>Row number</i>	<i>Compound</i>	<i>Spices</i>	<i>Nr Found</i>	<i>MRL Ex</i>
108	Diafenthiuron	3	0	0
109	Diazinon	4	0	0
110	Dichlobenil	1	0	0
111	Dichlofluanid	4	0	0
112	Dichlofluanid and DMSA (sum of Dichlofluanid and DMSA)	1	0	0
113	Dichloroaniline, 3,5-	3	0	0
115	Dichlorvos	4	0	0
116	Dicloran	2	0	0
117	Dicofol (sum)	2	0	0
118	Dicofol o, p'	2	0	0
119	Dicofol p, p'	2	0	0
120	Dicrotophos	3	0	0
121	Dieldrin	2	0	0
122	Diethofencarb	3	0	0
123	Difenoconazole	4	0	0
124	Diflubenzuron	3	0	0
125	Diflufenican	3	0	0
126	Dimethoate	4	0	0
127	Dimethoate (sum)	4	0	0
128	Dimethomorph	4	0	0
130	Diniconazole	2	0	0
131	Dinitramine	1	0	0
132	Dinobuton	1	0	0
133	Dinocap	1	0	0
134	Dinocap (sum)	1	0	0
137	Diphenamid	3	0	0
138	Diphenylamine	4	0	0
139	Disulfoton	4	0	0
140	Disulfoton (sum baby and infant food)	3	0	0
141	Disulfoton sulfone	3	0	0

Pesticide monitoring 2013 Greece on September 22, 2014 at 03:27:57 PM
Table A3: Scope of analytical methods, number of samples analysed for each residue by matrix

<i>Row number</i>	<i>Compound</i>	<i>Spices</i>	<i>Nr Found</i>	<i>MRL Ex</i>
142	Disulfoton sulfoxide	3	0	0
144	Diuron	6	0	0
145	Diuron	6	0	0
146	Dodemorph	1	0	0
147	EPN	4	0	0
148	Emamectin benzoate B1a, expressed as emamectin	3	0	0
149	Endosulfan (sum)	4	0	0
150	Endosulfansulfate	2	0	0
151	Endrin	2	0	0
152	Epoxiconazole	4	0	0
154	Ethalfuralin	2	0	0
155	Ethephon	1	1	1
157	Ethion	4	0	0
158	Ethirimol	3	0	0
159	Ethofumesate	3	0	0
160	Ethofumesate (sum)	3	0	0
161	Ethoprofos	4	0	0
162	Ethoxyquin	3	0	0
163	Etofenprox	3	0	0
164	Etoxazole	3	0	0
166	Famoxadone	4	0	0
167	Fenamidone	3	0	0
168	Fenamiphos	4	0	0
169	Fenamiphos (sum)	4	0	0
170	Fenamiphos sulfone	3	0	0
171	Fenamiphos sulfoxide	3	0	0
172	Fenarimol	2	0	0
173	Fenazaquin	4	0	0
174	Fenbuconazole	4	0	0
176	Fenhexamid	4	0	0

Pesticide monitoring 2013 Greece on September 22, 2014 at 03:27:57 PM
Table A3: Scope of analytical methods, number of samples analysed for each residue by matrix

<i>Row number</i>	<i>Compound</i>	<i>Spices</i>	<i>Nr Found</i>	<i>MRL Ex</i>
177	Fenitrothion	4	0	0
178	Fenoxycarb	4	0	0
179	Fenpropathrin	4	0	0
180	Fenpropidin	3	0	0
181	Fenpropimorph	4	0	0
182	Fenpyroximate	3	0	0
184	Fensulfothion	3	0	0
185	Fensulfothion (sum baby and infant food)	3	0	0
186	Fensulfothion oxon	3	0	0
187	Fensulfothion oxon sulphone	3	0	0
188	Fensulfothion sulfone	3	0	0
189	Fenthion	4	0	0
190	Fenthion (sum)	4	0	0
191	Fenthion oxon	3	0	0
192	Fenthion oxon sulfone	3	0	0
193	Fenthion oxonsulfoxide	3	0	0
194	Fenthion sulfone	3	0	0
195	Fenthion sulfoxide	4	0	0
196	Fenvalerate	1	0	0
197	Fenvalerate (sum of RR, SS, RS and SR isomers)	1	0	0
198	Fenvalerate and Esfenvalerate (Sum of RR and SS isomers)	1	0	0
199	Fenvalerate and Esfenvalerate (Sum of RS and SR isomers)	1	0	0
201	Fipronil	2	0	0
202	Fipronil (sum)	2	0	0
203	Fipronil desulfinyl	1	0	0
204	Fipronil sulfone	1	0	0
208	Fluazinam	2	0	0
209	Flucythrinate	4	0	0
210	Flucythrinate (sum of isomers expressed as flucythrinate)	1	0	0
211	Fludioxonil	2	0	0

<i>Row number</i>	<i>Compound</i>	<i>Spices</i>	<i>Nr Found</i>	<i>MRL Ex</i>
212	Flufenacet	3	0	0
213	Flufenacet (sum)	3	0	0
214	Flufenoxuron	3	0	0
215	Fluometuron	3	0	0
216	Fluopicolide	3	0	0
217	Fluquinconazole	4	0	0
218	Fluroxypyr	2	0	0
219	Fluroxypyr (sum)	2	0	0
220	Flusilazole	4	0	0
221	Flutolanil	3	0	0
222	Flutriafol	4	0	0
223	Fluvalinate	1	0	0
224	Folpet	4	0	0
225	Foramsulfuron	3	0	0
226	Formetanate	3	0	0
227	Formetanate	3	0	0
228	Fosthiazate	3	0	0
229	Furathiocarb	3	0	0
236	Heptachlor	2	0	0
237	Heptachlor (sum of heptachlor and heptachlor epoxide expressed as heptachlor)	2	0	0
239	Heptachlor epoxide	1	0	0
241	Heptenophos	2	0	0
242	Hexachlorobenzene	1	0	0
243	Hexachlorocyclohexane (HCH), alpha-isomer	1	0	0
244	Hexachlorocyclohexane (HCH), beta-isomer	1	0	0
245	Hexachlorocyclohexane (HCH), sum of isomers, except the gamma isomer	1	0	0
246	Hexaconazole	4	0	0
247	Hexythiazox	4	0	0
248	Imazalil	4	0	0
249	Imazamethabenz-methyl	3	0	0

Pesticide monitoring 2013 Greece on September 22, 2014 at 03:27:57 PM
Table A3: Scope of analytical methods, number of samples analysed for each residue by matrix

<i>Row number</i>	<i>Compound</i>	<i>Spices</i>	<i>Nr Found</i>	<i>MRL Ex</i>
250	Imidacloprid	3	0	0
251	Indoxacarb as sum of the isomers S and R	4	0	0
252	Ioxynil	1	0	0
253	Ioxynil, including its esters expressed as ioxynil	1	0	0
254	Iprodione	2	0	0
255	Iprovalicarb	4	0	0
256	Isofenphos-methyl	4	0	0
257	Isoprothiolane	3	0	0
258	Isoproturon	3	0	0
259	Jasmolin I	3	0	0
260	Jasmolin II	3	0	0
261	Kresoxim-methyl	4	0	0
262	Lambda-Cyhalothrin	2	0	0
263	Lindane (Gamma-isomer of hexachlorocyclohexane (HCH))	2	0	0
264	Linuron	4	0	0
265	Lufenuron	3	0	0
267	Malaoxon	4	0	0
268	Malathion	4	0	0
269	Malathion (sum of malathion and malaoxon expressed as malathion)	4	0	0
270	Mecarbam	4	0	0
273	Mepanipyrim	4	0	0
274	Mepanipyrim (Mepanipyrim and its metabolite (2-anilino-4-(2-hydroxypropyl)-6-methylpyrimidine) expressed as mepanipyrim)	4	0	0
277	Metaflumizone (sum of E- and Z- isomers)	3	0	0
278	Metalaxyl	1	0	0
279	Metalaxyl (Metalaxyl including other mixtures of constituent isomers including Metalaxyl-M (sum of isomers))	4	0	0
282	Metamitron	3	0	0
283	Metazachlor	3	0	0
284	Metconazole	4	0	0
285	Methabenzthiazuron	3	0	0
286	Methacrifos	3	0	0

Pesticide monitoring 2013 Greece on September 22, 2014 at 03:27:57 PM
Table A3: Scope of analytical methods, number of samples analysed for each residue by matrix

<i>Row number</i>	<i>Compound</i>	<i>Spices</i>	<i>Nr Found</i>	<i>MRL Ex</i>
287	Methamidophos	4	0	0
288	Methidathion	2	0	0
289	Methiocarb	4	0	0
290	Methiocarb (sum of methiocarb and methiocarb sulfoxide and sulfone, expressed as methiocarb)	4	0	0
291	Methiocarb sulfone	3	0	0
292	Methiocarb sulfoxide	3	0	0
293	Metholachlor	4	0	0
294	Metholachlor and metholachlor-S (Metholachlor including other mixtures of constituent isomers including S-metholachlor (sum of isomers))	4	0	0
295	Methomyl	3	0	0
296	Methomyl and thiodicarb (sum of methomyl and thiodicarb expressed as methomyl)	3	0	0
297	Methoxychlor	1	0	0
298	Methoxyfenozide	3	0	0
299	Metobromuron	3	0	0
300	Metoxuron	3	0	0
301	Metrafenone	1	0	0
302	Metribuzin	4	0	0
303	Metsulfuron-methyl	3	0	0
304	Mevinphos (sum of E- and Z-isomers)	3	0	0
305	Monocrotophos	4	0	0
306	Monolinuron	3	0	0
307	Myclobutanil	4	0	0
308	Naled	3	0	0
309	Napropamide	3	0	0
310	Nicosulfuron	3	0	0
311	Nitenpyram	3	0	0
312	Nitrofen	1	0	0
313	Nuarimol	3	0	0
314	Omethoate	4	0	0
316	Oxadiazon	4	0	0
317	Oxadixyl	4	0	0

Pesticide monitoring 2013 Greece on September 22, 2014 at 03:27:57 PM
Table A3: Scope of analytical methods, number of samples analysed for each residue by matrix

<i>Row number</i>	<i>Compound</i>	<i>Spices</i>	<i>Nr Found</i>	<i>MRL Ex</i>
318	Oxamyl	3	0	0
320	Oxydemeton-methyl	4	0	0
321	Oxydemeton-methyl (sum of oxydemeton-methyl and demeton-S-methylsulfone expressed as oxydemeton-methyl)	4	0	0
322	Oxyfluorfen	4	0	0
323	Paclobutrazol	4	0	0
325	Paraoxon-methyl	2	0	0
326	Parathion	2	0	0
327	Parathion-methyl	2	0	0
328	Parathion-methyl (sum of Parathion-methyl and paraoxon-methyl expressed as Parathion-methyl)	2	0	0
329	Penconazole	4	0	0
330	Pencycuron	4	0	0
331	Pendimethalin	4	0	0
332	Pentachloroaniline	1	0	0
333	Permethrin (sum of isomers)	2	0	0
334	Phenothrin	3	0	0
335	Phenthoate	4	0	0
336	Phorate	1	0	0
337	Phorate (sum of phorate, its oxygen analogue and their sulfones expressed as phorate)	4	0	0
338	Phorate sulfone	1	0	0
339	Phorate sulfoxide	1	0	0
340	Phosalone	4	0	0
341	Phosmet	4	0	0
342	Phosmet (phosmet and phosmet oxon expressed as phosmet)	4	0	0
343	Phosmet oxon	3	0	0
344	Phosphamidon	1	0	0
345	Phoxim	3	0	0
346	Picoxystrobin	3	0	0
347	Pirimicarb	4	0	0
348	Pirimicarb (sum of Pirimicarb and desmethyl pirimicarb expressed as Pirimicarb)	4	0	0
349	Pirimicarb desmethyl	3	0	0

Row number	Compound	Spices	Nr Found	MRL Ex
350	Pirimicarb, desmethylformamido-	1	0	0
352	Pirimiphos-methyl	4	1	0
353	Primisulfuron	3	0	0
354	Prochloraz	4	0	0
355	Prochloraz (sum of prochloraz and its metabolites containing the 2,4,6-Trichlorophenol moiety expressed as prochloraz)	4	0	0
356	Procymidone	4	0	0
357	Profenofos	4	0	0
360	Prometryn	2	0	0
361	Propachlor	2	0	0
362	Propachlor: oxalinic derivate of propachlor, expressed as propachlor	1	0	0
363	Propamocarb	3	0	0
364	Propamocarb (sum of propamocarb and its salt expressed as propamocarb)	3	0	0
365	Propanil	1	0	0
366	Propargite	4	0	0
368	Propham	3	0	0
369	Propiconazole	4	0	0
370	Propoxur	1	0	0
371	Propyzamide	2	0	0
372	Propyzamide (sum of propyzamide and all metabolites containing the 3,5-dichlorobenzoic acid fraction expressed as propyzamide)	1	0	0
373	Prothioconazole	1	0	0
374	Prothioconazole (prothioconazole-desthio)	1	0	0
376	Prothiofos	4	0	0
377	Pymetrozine	3	0	0
378	Pyraclostrobin	4	0	0
379	Pyrazophos	4	0	0
380	Pyrethrin I	3	0	0
381	Pyrethrin II	3	0	0
382	Pyrethrins	3	0	0
383	Pyridaben	4	0	0
384	Pyridate	3	0	0

Pesticide monitoring 2013 Greece on September 22, 2014 at 03:27:57 PM
Table A3: Scope of analytical methods, number of samples analysed for each residue by matrix

<i>Row number</i>	<i>Compound</i>	<i>Spices</i>	<i>Nr Found</i>	<i>MRL Ex</i>
385	Pyridate (sum of pyridate, its hydrolysis product CL 9673 (6-chloro-4-hydroxy-3-phenylpyridazin) and hydrolysable conjugates of CL 9673 expressed as pyridate)	3	0	0
386	Pyrifenox	4	0	0
387	Pyrimethanil	4	0	0
388	Pyriproxyfen	4	0	0
389	Quinalphos	4	0	0
390	Quinoxifen	4	0	0
391	Quintozene	1	0	0
392	Quintozene (sum of quintozene and pentachloro-aniline expressed as quintozene)	3	0	0
393	Resmethrin (resmethrin including other mixtures of constituent isomers (sum of isomers))	2	0	0
394	Rimsulfuron	3	0	0
396	Sethoxydim	3	0	0
397	Simazine	3	0	0
399	Spinosad (sum of Spinosyn A and Spinosyn D, expressed as Spinosad)	3	0	0
400	Spinosyn A	3	0	0
401	Spinosyn D	3	0	0
402	Spirodiclofen	3	0	0
403	Spiroxamine	3	0	0
404	Tebuconazole	4	0	0
405	Tebufenozide	3	0	0
406	Tebufenpyrad	4	0	0
407	Tecnazene	1	0	0
408	Teflubenzuron	1	0	0
409	Tefluthrin	2	0	0
410	Temephos	2	0	0
411	Terbufos	3	0	0
412	Terbufos (sum baby and infant food)	3	0	0
413	Terbufos sulfone	3	0	0
414	Terbufos sulfoxide	3	0	0
415	Terbuthylazine	4	0	0
416	Terbutryn	3	0	0

Row number	Compound	Spices	Nr Found	MRL Ex
417	Tetrachlorvinphos	2	0	0
418	Tetraconazole	4	0	0
419	Tetradifon	2	0	0
420	Thiabendazole	4	0	0
421	Thiabendazole (sum animal products)	1	0	0
422	Thiacloprid	4	0	0
423	Thiametoxam	4	0	0
424	Thiametoxam (sum of thiametoxam and clothianidin expressed as thiametoxam)	4	0	0
425	Thifensulfuron-methyl	3	0	0
427	Thiodicarb	3	0	0
428	Thiophanate-methyl	3	0	0
429	Tolclofos-methyl	4	0	0
430	Tolyfluanid	4	0	0
431	Tolyfluanid (Sum of tolyfluanid and dimethylaminosulfotoluidide expressed as tolyfluanid)	4	0	0
432	Tralkoxydim	3	0	0
435	Triadimefon	4	0	0
436	Triadimefon (sum of Triadimefon and Triadimenol)	4	0	0
437	Triadimenol	4	0	0
438	Triasulfuron	3	0	0
439	Triazophos	4	0	0
440	Trichlorfon	1	0	0
442	Tricyclazole	3	0	0
443	Trifloxystrobin	4	0	0
444	Triflumuron	1	0	0
445	Trifluralin	2	0	0
447	Triticonazole	4	0	0
448	Vamidotion	3	0	0
449	Vinclozolin	2	0	0
450	Vinclozolin (sum of Vinclozolin and all metabolites containing the 3,5-dichloraniline moiety, expressed as Vinclozolin)	2	0	0
451	Zoxamide	3	0	0

Pesticide monitoring 2013 Greece on September 22, 2014 at 03:27:57 PM
Table A3: Scope of analytical methods, number of samples analysed for each residue by matrix

<i>Row number</i>	<i>Compound</i>	<i>Spices</i>	<i>Nr Found</i>	<i>MRL Ex</i>
452	alpha-Endosulfan	2	0	0
454	beta-Endosulfan	2	0	0
455	cis-Chlordane	1	0	0
457	tau-Fluvalinate	2	0	0
458	trans-Chlordane	1	0	0
		1158	2	1

Pesticide monitoring 2013 Greece on September 22, 2014 at 03:27:57 PM
Table A3: Scope of analytical methods, number of samples analysed for each residue by matrix

Row number	Compound	Vegetables	Nr Found	MRL Ex
2	2,4-Dimethylphenylformamide	239	0	0
3	2,4-dimethylanilin	239	0	0
4	Abamectin (sum)	179	0	0
5	Acephate	755	0	0
6	Acetamiprid	616	14	2
7	Acetochlor	179	0	0
8	Aclonifen	253	0	0
9	Acrinathrin	956	1	1
10	Alachlor	659	0	0
11	Aldicarb	407	0	0
12	Aldicarb (sum)	418	0	0
13	Aldicarb sulfone	407	0	0
14	Aldicarb sulfoxide	407	0	0
15	Aldrin	728	0	0
16	Aldrin and Dieldrin	944	2	1
18	Ametryn	488	0	0
19	Amitraz	239	0	0
20	Amitraz (sum)	239	0	0
21	Asulam	179	0	0
22	Atraton	110	0	0
23	Atrazine	517	0	0
24	Avermectin B1a	179	0	0
25	Avermectin B1b	179	0	0
26	Azimsulfuron	179	0	0
27	Azinphos-ethyl	442	0	0
28	Azinphos-methyl	959	0	0
29	Azoxystrobin	1037	18	1
30	Benalaxyl	199	0	0
31	Benalaxyl (sum)	378	1	0
33	Benfluralin	286	0	0

Pesticide monitoring 2013 Greece on September 22, 2014 at 03:27:57 PM
Table A3: Scope of analytical methods, number of samples analysed for each residue by matrix

Row number	Compound	Vegetables	Nr Found	MRL Ex
34	Benfuracarb	606	0	0
35	Bensulfuron-ethyl	179	0	0
36	Bentazone	116	0	0
37	Bentazone (sum animal products)	126	0	0
38	Benzoximate	179	0	0
39	Bifenthrin	956	0	0
40	Binapacryl	117	0	0
41	Bitertanol	553	0	0
42	Boscalid	672	39	1
43	Bromacil	64	0	0
44	Bromide ion	28	19	0
45	Bromophos-ethyl	536	1	0
46	Bromopropylate	862	0	0
47	Bromuconazole (sum)	606	0	0
48	Bupirimate	845	8	0
49	Buprofezin	687	2	0
50	Cadusafos	745	0	0
51	Captafol	304	0	0
52	Captan	826	1	0
53	Captan/Folpet (sum)	492	0	0
54	Carbaryl	418	0	0
55	Carbendazim	228	4	0
56	Carbendazim and benomyl	407	9	0
57	Carbofuran	680	0	0
58	Carbofuran (sum)	691	0	0
59	Carbofuran, 3-hydroxy	606	0	0
60	Carbosulfan	606	0	0
61	Carboxin	179	0	0
62	Chlorbromuron	179	0	0
63	Chlordane (sum)	342	0	0

Pesticide monitoring 2013 Greece on September 22, 2014 at 03:27:57 PM
Table A3: Scope of analytical methods, number of samples analysed for each residue by matrix

<i>Row number</i>	<i>Compound</i>	<i>Vegetables</i>	<i>Nr Found</i>	<i>MRL Ex</i>
64	Chlorfenapyr	618	0	0
65	Chlorfenson	110	0	0
66	Chlorfenvinphos	755	0	0
67	Chloridazon	179	0	0
68	Chlormequat	11	0	0
69	Chlorobenzilate	553	0	0
70	Chlorothalonil	987	6	2
71	Chlorotoluron	179	0	0
72	Chloroxuron	179	0	0
73	Chlorpropham	273	0	0
74	Chlorpropham (sum)	452	0	0
75	Chlorpyrifos	1076	43	10
76	Chlorpyrifos-methyl	948	2	0
77	Chlorsulfuron	179	0	0
78	Chlorthal-dimethyl	126	0	0
79	Cinerin	179	0	0
80	Cinerin I	179	0	0
81	Cinerin II	179	0	0
82	Clethodim (sum)	179	0	0
83	Clofentezine	606	0	0
84	Clothianidin	407	5	0
85	Coumaphos	289	0	0
86	Cyanazine	179	0	0
87	Cyfluthrin	530	1	0
88	Cyfluthrin (sum)	927	1	0
89	Cymoxanil	378	1	0
90	Cypermethrin	595	12	0
91	Cypermethrin (sum)	1037	16	3
92	Cyproconazole	606	0	0
93	Cyprodinil	680	5	1

Pesticide monitoring 2013 Greece on September 22, 2014 at 03:27:57 PM
Table A3: Scope of analytical methods, number of samples analysed for each residue by matrix

<i>Row number</i>	<i>Compound</i>	<i>Vegetables</i>	<i>Nr Found</i>	<i>MRL Ex</i>
94	Cyromazine	179	0	0
95	DDD, p,p-	126	0	0
96	DDE, o,p-	126	0	0
97	DDE, p,p-	126	0	0
98	DDT (sum)	915	0	0
99	DDT, o,p-	618	0	0
100	DDT, p,p-	692	0	0
101	Daimuron	1	0	0
102	Deltamethrin	1012	6	0
103	Demeton	110	0	0
104	Demeton-S-methyl	671	0	0
106	Demeton-S-methyl sulfone	378	0	0
107	Desmetryn	200	0	0
108	Diafenthiuron	407	0	0
109	Diazinon	987	0	0
110	Dichlobenil	199	0	0
111	Dichlofluanid	997	0	0
112	Dichlofluanid and DMSA (sum of Dichlofluanid and DMSA)	199	0	0
113	Dichloroaniline, 3,5-	179	0	0
115	Dichlorvos	865	0	0
116	Dicloran	735	0	0
117	Dicofol (sum)	894	0	0
118	Dicofol o, p'	325	0	0
119	Dicofol p, p'	627	0	0
120	Dicrotophos	407	0	0
121	Dieldrin	802	2	0
122	Diethofencarb	179	0	0
123	Difenoconazole	859	3	1
124	Diflubenzuron	179	0	0
125	Diflufenican	179	0	0

Pesticide monitoring 2013 Greece on September 22, 2014 at 03:27:57 PM
Table A3: Scope of analytical methods, number of samples analysed for each residue by matrix

Row number	Compound	Vegetables	Nr Found	MRL Ex
126	Dimethoate	774	0	0
127	Dimethoate (sum)	849	2	0
128	Dimethomorph	607	13	0
129	Dimoxystrobin	228	0	0
130	Diniconazole	713	0	0
131	Dinitramine	126	0	0
132	Dinobuton	472	0	0
133	Dinocap	63	0	0
134	Dinocap (sum)	92	0	0
135	Dinotefuran	228	0	0
136	Dioxacarb	11	0	0
137	Diphenamid	179	0	0
138	Diphenylamine	690	0	0
139	Disulfoton	935	0	0
140	Disulfoton (sum baby and infant food)	318	1	0
141	Disulfoton sulfone	253	0	0
142	Disulfoton sulfoxide	253	1	0
143	Dithiocarbamates	140	7	0
144	Diuron	358	0	0
145	Diuron	358	0	0
146	Dodemorph	126	0	0
147	EPN	671	0	0
148	Emamectin benzoate B1a, expressed as emamectin	179	0	0
149	Endosulfan (sum)	1026	0	0
150	Endosulfansulfate	692	0	0
151	Endrin	845	0	0
152	Epoxiconazole	606	0	0
153	Esfenvalerate	301	0	0
154	Ethalfuralin	623	0	0
155	Ethephon	10	0	0

Row number	Compound	Vegetables	Nr Found	MRL Ex
156	Ethiofencarb	11	0	0
157	Ethion	945	0	0
158	Ethirimol	179	0	0
159	Ethofumesate	179	0	0
160	Ethofumesate (sum)	179	0	0
161	Ethoprophos	865	0	0
162	Ethoxyquin	481	0	0
163	Etofenprox	407	0	0
164	Etoxazole	179	0	0
166	Famoxadone	378	4	2
167	Fenamidone	407	0	0
168	Fenamiphos	680	0	0
169	Fenamiphos (sum)	680	0	0
170	Fenamiphos sulfone	407	0	0
171	Fenamiphos sulfoxide	407	0	0
172	Fenarimol	816	0	0
173	Fenazaquin	606	0	0
174	Fenbuconazole	606	0	0
175	Fenchlorphos	110	0	0
176	Fenhexamid	828	4	1
177	Fenitrothion	831	0	0
178	Fenoxycarb	716	1	1
179	Fenpropathrin	1037	0	0
180	Fenpropidin	407	0	0
181	Fenpropimorph	606	0	0
182	Fenpyroximate	179	0	0
183	Fenson	110	0	0
184	Fensulfothion	179	0	0
185	Fensulfothion (sum baby and infant food)	179	0	0
186	Fensulfothion oxon	179	0	0

Pesticide monitoring 2013 Greece on September 22, 2014 at 03:27:57 PM
Table A3: Scope of analytical methods, number of samples analysed for each residue by matrix

<i>Row number</i>	<i>Compound</i>	<i>Vegetables</i>	<i>Nr Found</i>	<i>MRL Ex</i>
187	Fensulfothion oxon sulphone	179	0	0
188	Fensulfothion sulfone	179	0	0
189	Fenthion	781	0	0
190	Fenthion (sum)	671	0	0
191	Fenthion oxon	179	0	0
192	Fenthion oxon sulfone	179	0	0
193	Fenthion oxonsulfoxide	179	0	0
194	Fenthion sulfone	244	0	0
195	Fenthion sulfoxide	443	0	0
196	Fenvalerate	676	0	0
197	Fenvalerate (sum of RR, SS, RS and SR isomers)	273	0	0
198	Fenvalerate and Esfenvalerate (Sum of RR and SS isomers)	333	0	0
199	Fenvalerate and Esfenvalerate (Sum of RS and SR isomers)	373	0	0
200	Fenvalerate/Esfenvalerate (sum)	228	0	0
201	Fipronil	262	0	0
202	Fipronil (sum)	262	0	0
203	Fipronil desulfinyl	63	0	0
204	Fipronil sulfone	63	0	0
205	Fluazifop (free acid)	10	0	0
206	Fluazifop-P-butyl	10	0	0
207	Fluazifop-P-butyl (sum)	10	0	0
208	Fluazinam	404	0	0
209	Flucythrinate	519	0	0
210	Flucythrinate (sum of isomers expressed as flucythrinate)	199	0	0
211	Fludioxonil	565	4	0
212	Flufenacet	179	0	0
213	Flufenacet (sum)	179	0	0
214	Flufenoxuron	407	1	1
215	Fluometuron	179	0	0
216	Fluopicolide	407	3	0

Pesticide monitoring 2013 Greece on September 22, 2014 at 03:27:57 PM
Table A3: Scope of analytical methods, number of samples analysed for each residue by matrix

<i>Row number</i>	<i>Compound</i>	<i>Vegetables</i>	<i>Nr Found</i>	<i>MRL Ex</i>
217	Fluquinconazole	767	0	0
218	Fluroxypyr	117	0	0
219	Fluroxypyr (sum)	117	0	0
220	Flusilazole	606	1	1
221	Flutolanil	407	2	0
222	Flutriafol	606	0	0
223	Fluvalinate	199	0	0
224	Folpet	1031	0	0
225	Foramsulfuron	179	0	0
226	Formetanate	407	4	0
227	Formetanate	407	4	4
228	Fosthiazate	472	1	1
229	Furathiocarb	179	0	0
231	HCH, delta-	110	0	0
232	Haloxyfop	10	0	0
233	Haloxyfop including haloxyfop-R	10	0	0
234	Haloxyfop-ethoxyethylester	10	0	0
235	Haloxyfop-methyl	10	0	0
236	Heptachlor	390	0	0
237	Heptachlor (sum of heptachlor and heptachlor epoxide expressed as heptachlor)	630	0	0
239	Heptachlor epoxide	126	0	0
241	Heptenophos	464	0	0
242	Hexachlorobenzene	333	0	0
243	Hexachlorocyclohexane (HCH), alpha-isomer	191	0	0
244	Hexachlorocyclohexane (HCH), beta-isomer	191	0	0
245	Hexachlorocyclohexane (HCH), sum of isomers, except the gamma isomer	333	0	0
246	Hexaconazole	845	1	1
247	Hexythiazox	606	1	0
248	Imazalil	636	0	0
249	Imazamethabenz-methyl	179	0	0

Pesticide monitoring 2013 Greece on September 22, 2014 at 03:27:57 PM
Table A3: Scope of analytical methods, number of samples analysed for each residue by matrix

<i>Row number</i>	<i>Compound</i>	<i>Vegetables</i>	<i>Nr Found</i>	<i>MRL Ex</i>
250	Imidacloprid	408	12	1
251	Indoxacarb as sum of the isomers S and R	700	9	1
252	Ioxynil	63	0	0
253	Ioxynil, including its esters expressed as ioxynil	63	0	0
254	Iprodione	991	18	0
255	Iprovalicarb	606	0	0
256	Isofenphos-methyl	671	0	0
257	Isoprothiolane	179	0	0
258	Isoproturon	179	0	0
259	Jasmolin I	179	0	0
260	Jasmolin II	179	0	0
261	Kresoxim-methyl	907	2	2
262	Lambda-Cyhalothrin	902	3	0
263	Lindane (Gamma-isomer of hexachlorocyclohexane (HCH))	961	0	0
264	Linuron	636	3	1
265	Lufenuron	407	1	1
267	Malaoxon	745	0	0
268	Malathion	745	0	0
269	Malathion (sum of malathion and malaoxon expressed as malathion)	931	0	0
270	Mecarbam	840	0	0
273	Mepanipyrim	606	0	0
274	Mepanipyrim (Mepanipyrim and its metabolite (2-anilino-4-(2-hydroxypropyl)-6-methylpyrimidine) expressed as mepanipyrim)	606	0	0
275	Mepiquat	11	0	0
276	Merphos	110	0	0
277	Metaflumizone (sum of E- and Z- isomers)	407	3	0
278	Metalaxyl	505	9	0
279	Metalaxyl (Metalaxyl including other mixtures of constituent isomers including Metalaxyl-M (sum of isomers))	680	16	1
280	Metalaxyl-M	3	0	0
281	Metaldehyde	1	0	0
282	Metamitron	179	0	0

Pesticide monitoring 2013 Greece on September 22, 2014 at 03:27:57 PM
 Table A3: Scope of analytical methods, number of samples analysed for each residue by matrix

Row number	Compound	Vegetables	Nr Found	MRL Ex
283	Metazachlor	179	0	0
284	Metconazole	606	0	0
285	Methabenzthiazuron	179	0	0
286	Methacrifos	281	0	0
287	Methamidophos	755	0	0
288	Methidathion	767	0	0
289	Methiocarb	617	4	0
290	Methiocarb (sum of methiocarb and methiocarb sulfoxide and sulfone, expressed as methiocarb)	606	3	1
291	Methiocarb sulfone	407	1	0
292	Methiocarb sulfoxide	407	3	0
293	Metholachlor	378	0	0
294	Metholachlor and metholachlor-S (Metholachlor including other mixtures of constituent isomers including S-metholachlor (sum of isomers))	378	0	0
295	Methomyl	418	0	0
296	Methomyl and thiodicarb (sum of methomyl and thiodicarb expressed as methomyl)	407	0	0
297	Methoxychlor	236	0	0
298	Methoxyfenozide	407	2	1
299	Metobromuron	179	0	0
300	Metoxuron	179	0	0
301	Metrafenone	199	0	0
302	Metribuzin	619	0	0
303	Metsulfuron-methyl	179	0	0
304	Mevinphos (sum of E- and Z-isomers)	591	0	0
305	Monocrotophos	755	0	0
306	Monolinuron	179	0	0
307	Myclobutanil	917	5	4
308	Naled	179	0	0
309	Napropamide	179	0	0
310	Nicosulfuron	179	0	0
311	Nitenpyram	179	0	0
312	Nitrofen	126	0	0

Pesticide monitoring 2013 Greece on September 22, 2014 at 03:27:57 PM
Table A3: Scope of analytical methods, number of samples analysed for each residue by matrix

<i>Row number</i>	<i>Compound</i>	<i>Vegetables</i>	<i>Nr Found</i>	<i>MRL Ex</i>
313	Nuarimol	179	0	0
314	Omethoate	745	2	0
316	Oxadiazon	520	1	1
317	Oxadixyl	606	0	0
318	Oxamyl	418	1	1
320	Oxydemeton-methyl	606	0	0
321	Oxydemeton-methyl (sum of oxydemeton-methyl and demeton-S-methylsulfone expressed as oxydemeton-methyl)	671	0	0
322	Oxyfluorfen	378	0	0
323	Paclobutrazol	606	0	0
324	Paraoxon	302	0	0
325	Paraoxon-methyl	692	0	0
326	Parathion	901	0	0
327	Parathion-methyl	831	0	0
328	Parathion-methyl (sum of Parathion-methyl and paraoxon-methyl expressed as Parathion-methyl)	884	0	0
329	Penconazole	894	3	0
330	Pencycuron	606	0	0
331	Pendimethalin	935	3	1
332	Pentachloroaniline	301	0	0
333	Permethrin (sum of isomers)	973	0	0
334	Phenothrin	179	0	0
335	Phenthoate	681	0	0
336	Phorate	676	0	0
337	Phorate (sum of phorate, its oxygen analogue and their sulfones expressed as phorate)	745	0	0
338	Phorate sulfone	338	0	0
339	Phorate sulfoxide	338	0	0
340	Phosalone	983	0	0
341	Phosmet	701	0	0
342	Phosmet (phosmet and phosmet oxon expressed as phosmet)	849	0	0
343	Phosmet oxon	179	0	0
344	Phosphamidon	274	0	0

Pesticide monitoring 2013 Greece on September 22, 2014 at 03:27:57 PM
Table A3: Scope of analytical methods, number of samples analysed for each residue by matrix

<i>Row number</i>	<i>Compound</i>	<i>Vegetables</i>	<i>Nr Found</i>	<i>MRL Ex</i>
345	Phoxim	407	0	0
346	Picoxystrobin	179	0	0
347	Pirimicarb	855	0	0
348	Pirimicarb (sum of Pirimicarb and desmethyl pirimicarb expressed as Pirimicarb)	745	1	0
349	Pirimicarb desmethyl	179	0	0
350	Pirimicarb, desmethylformamido-	200	1	0
351	Pirimiphos-ethyl	74	0	0
352	Pirimiphos-methyl	820	6	4
353	Primisulfuron	179	0	0
354	Prochloraz	683	0	0
355	Prochloraz (sum of prochloraz and its metabolites containing the 2,4,6-Trichlorophenol moiety expressed as prochloraz)	671	0	0
356	Procymidone	1034	0	0
357	Profenofos	785	0	0
358	Promecarb	11	0	0
359	Prometon	110	0	0
360	Prometryn	509	0	0
361	Propachlor	325	0	0
362	Propachlor: oxalinic derivate of propachlor, expressed as propachlor	239	0	0
363	Propamocarb	179	5	0
364	Propamocarb (sum of propamocarb and its salt expressed as propamocarb)	179	5	0
365	Propanil	317	0	0
366	Propargite	606	1	1
367	Propazine	110	0	0
368	Propham	253	0	0
369	Propiconazole	906	0	0
370	Propoxur	211	0	0
371	Propyzamide	809	0	0
372	Propyzamide (sum of propyzamide and all metabolites containing the 3,5-dichlorobenzoic acid fraction expressed as propyzamide)	199	0	0
373	Prothioconazole	199	0	0
374	Prothioconazole (prothioconazole-desthio)	291	0	0

Pesticide monitoring 2013 Greece on September 22, 2014 at 03:27:57 PM
Table A3: Scope of analytical methods, number of samples analysed for each residue by matrix

<i>Row number</i>	<i>Compound</i>	<i>Vegetables</i>	<i>Nr Found</i>	<i>MRL Ex</i>
376	Prothiofos	781	0	0
377	Pymetrozine	179	0	0
378	Pyraclostrobin	607	18	2
379	Pyrazophos	915	0	0
380	Pyrethrin I	179	0	0
381	Pyrethrin II	179	0	0
382	Pyrethrins	179	0	0
383	Pyridaben	606	0	0
384	Pyridate	179	0	0
385	Pyridate (sum of pyridate, its hydrolysis product CL 9673 (6-chloro-4-hydroxy-3-phenylpyridazin) and hydrolysable conjugates of CL 9673 expressed as pyridate)	179	0	0
386	Pyrifenox	671	0	0
387	Pyrimethanil	745	7	0
388	Pyriproxyfen	606	3	0
389	Quinalphos	746	0	0
390	Quinoxifen	927	0	0
391	Quintozene	538	0	0
392	Quintozene (sum of quintozene and pentachloro-aniline expressed as quintozene)	623	0	0
393	Resmethrin (resmethrin including other mixtures of constituent isomers (sum of isomers))	227	0	0
394	Rimsulfuron	179	0	0
395	Secbumeton	110	0	0
396	Sethoxydim	179	0	0
397	Simazine	363	0	0
398	Simetryn	110	0	0
399	Spinosad (sum of Spinosyn A and Spinosyn D, expressed as Spinosad)	408	8	0
400	Spinosyn A	408	8	0
401	Spinosyn D	180	2	0
402	Spirodiclofen	407	0	0
403	Spiroxamine	407	2	1
404	Tebuconazole	616	4	2
405	Tebufenozide	407	1	0

Pesticide monitoring 2013 Greece on September 22, 2014 at 03:27:57 PM
Table A3: Scope of analytical methods, number of samples analysed for each residue by matrix

<i>Row number</i>	<i>Compound</i>	<i>Nr Vegetables</i>	<i>Nr Found</i>	<i>MRL Ex</i>
406	Tebufenpyrad	606	0	0
407	Tecnazene	236	0	0
408	Teflubenzuron	63	0	0
409	Tefluthrin	760	0	0
410	Temephos	117	0	0
411	Terbufos	179	0	0
412	Terbufos (sum baby and infant food)	179	0	0
413	Terbufos sulfone	179	0	0
414	Terbufos sulfoxide	179	0	0
415	Terbuthylazine	562	0	0
416	Terbutryn	179	0	0
417	Tetrachlorvinphos	227	0	0
418	Tetraconazole	723	1	0
419	Tetradifon	874	0	0
420	Thiabendazole	606	0	0
421	Thiabendazole (sum animal products)	199	0	0
422	Thiacloprid	606	4	0
423	Thiametoxam	606	8	0
424	Thiametoxam (sum of thiametoxam and clothianidin expressed as thiametoxam)	606	8	0
425	Thifensulfuron-methyl	179	0	0
426	Thiobencarb	292	0	0
427	Thiodicarb	418	0	0
428	Thiophanate-methyl	407	8	0
429	Tolclofos-methyl	897	0	0
430	Tolyfluanid	863	0	0
431	Tolyfluanid (Sum of tolyfluanid and dimethylaminosulfotoluidide expressed as tolyfluanid)	745	0	0
432	Tralkoxydim	179	0	0
433	Tralomethrin	228	0	0
434	Trans-permethrin	228	0	0
435	Triadimefon	980	0	0

Pesticide monitoring 2013 Greece on September 22, 2014 at 03:27:57 PM
Table A3: Scope of analytical methods, number of samples analysed for each residue by matrix

<i>Row number</i>	<i>Compound</i>	<i>Vegetables</i>	<i>Nr Found</i>	<i>MRL Ex</i>
436	Triadimefon (sum of Triadimefon and Triadimenol)	775	1	0
437	Triadimenol	790	1	0
438	Triasulfuron	179	0	0
439	Triazophos	820	0	0
440	Trichlorfon	427	0	0
441	Trichloronat	110	0	0
442	Tricyclazole	179	0	0
443	Trifloxystrobin	798	3	2
444	Triflumuron	291	0	0
445	Trifluralin	809	0	0
446	Triforine	228	0	0
447	Triticonazole	606	0	0
448	Vamidothion	407	0	0
449	Vinclozolin	871	0	0
450	Vinclozolin (sum of Vinclozolin and all metabolites containing the 3,5-dichloraniline moiety, expressed as Vinclozolin)	903	0	0
451	Zoxamide	407	0	0
452	alpha-Endosulfan	692	0	0
453	beta-Cyfluthrin	139	0	0
454	beta-Endosulfan	692	0	0
455	cis-Chlordane	200	0	0
456	cis-Permethrin	228	0	0
457	tau-Fluvalinate	800	1	1
458	trans-Chlordane	200	0	0
		194096	488	64

Strategy=Enforcement Region=Domestic Origin=Greece

<i>ProductClass</i>	<i>Product</i>	<i>Treatment</i>	<i>ProductionMethod</i>	<i>Total</i>	<i>ND</i>	<i>Ex</i>	<i>EUTotal</i>	<i>EUND</i>	<i>EUEx</i>
Cereals	Rice	Processed	Non-organic production	1	1	0	0	0	0
Fruits and nuts	Apples	Unprocessed	Non-organic production	8	4	0	0	0	0
Fruits and nuts	Apples	Unprocessed	Production method unknown	6	6	0	0	0	0
Fruits and nuts	Apricots	Unprocessed	Non-organic production	3	2	0	0	0	0
Fruits and nuts	Apricots	Unprocessed	Outdoor / Open-air growing condition	1	1	0	0	0	0
Fruits and nuts	Cherries	Unprocessed	Production method unknown	3	3	0	0	0	0
Fruits and nuts	Grapefruit	Unprocessed	Non-organic production	1	0	0	0	0	0
Fruits and nuts	Kiwi	Unprocessed	Production method unknown	1	0	0	0	0	0
Fruits and nuts	Oranges	Unprocessed	Non-organic production	1	0	0	0	0	0
Fruits and nuts	Peaches	Unprocessed	Non-organic production	2	2	2	0	0	0
Fruits and nuts	Pears	Unprocessed	Production method unknown	1	1	0	0	0	0
Fruits and nuts	Quinces	Unprocessed	Non-organic production	1	1	0	0	0	0
Fruits and nuts	Table and Wine grapes	Unprocessed	Non-organic production	1	1	0	0	0	0
Fruits and nuts	Table olives	Unprocessed	Production method unknown	1	1	0	0	0	0
Fruits and nuts	Wine grapes	Unprocessed	Production method unknown	1	0	0	0	0	0
Vegetables	Beans (with pods)	Unprocessed	Production method unknown	2	0	0	0	0	0
Vegetables	Celery leaves	Unprocessed	Non-organic production	1	1	0	0	0	0
Vegetables	Cucumbers	Unprocessed	Non-organic production	1	0	0	0	0	0
Vegetables	Fresh Herbs	Unprocessed	Organic production	2	0	0	0	0	0
Vegetables	Leek	Unprocessed	Non-organic production	1	1	1	0	0	0
Vegetables	Lettuce	Unprocessed	Non-organic production	1	0	0	0	0	0
Vegetables	Onions	Unprocessed	Non-organic production	1	0	0	0	0	0
Vegetables	Peppers	Unprocessed	Non-organic production	1	0	0	0	0	0
Vegetables	Peppers	Unprocessed	Production method unknown	4	3	1	0	0	0
Vegetables	Potatoes	Unprocessed	Production method unknown	6	6	5	0	0	0
Vegetables	Spinach and similar (leaves)	Unprocessed	Non-organic production	1	0	0	0	0	0
Vegetables	Vine leaves (grape leaves)	Processed	Non-organic production	1	1	0	0	0	0

**Total = total samples in national and EU programme, ND= number of detections in national and EU programme, Ex number of MRL exceedences in national and EU programme
EUTotal = number of samples in EU programme, EUND = number of detections in EU programme, EUEx = number of exceedences in EU programme**

Strategy=Enforcement Region=Domestic Origin=Greece

ProductClass	Product	Treatment	ProductionMethod	Total	ND	Ex	EUTotal	EUND	EUEx
Origin				54	35	9	0	0	0
Region				54	35	9	0	0	0

Strategy=Enforcement Region=TC Origin=China

ProductClass	Product	Treatment	ProductionMethod	Total	ND	Ex	EUTotal	EUND	EUEx
Fruits and nuts	Other citrus fruits	Unprocessed	Production method unknown	10	8	0	0	0	0
Other plant products	Tea	Unprocessed	Non-organic production	3	1	0	0	0	0
Origin				13	9	0	0	0	0

Strategy=Enforcement Region=TC Origin=Thailand

ProductClass	Product	Treatment	ProductionMethod	Total	ND	Ex	EUTotal	EUND	EUEx
Other plant products	Coriander seed	Processed	Non-organic production	1	0	0	0	0	0
Vegetables	Beans (with pods)	Unprocessed	Non-organic production	1	0	0	0	0	0
Origin				2	0	0	0	0	0

Strategy=Enforcement Region=TC Origin=Turkey

ProductClass	Product	Treatment	ProductionMethod	Total	ND	Ex	EUTotal	EUND	EUEx
Vegetables	Peppers	Unprocessed	Non-organic production	1	0	0	0	0	0
Vegetables	Peppers	Unprocessed	Production method unknown	18	7	0	0	0	0
Vegetables	Tomatoes	Unprocessed	Production method unknown	2	2	0	0	0	0
Vegetables	Vine leaves (grape leaves)	Pickling	Non-organic production	1	0	0	0	0	0
Origin				22	9	0	0	0	0
Region				37	18	0	0	0	0
Strategy				91	53	9	0	0	0

Strategy=Surveillance Region=Domestic Origin=Greece

ProductClass	Product	Treatment	ProductionMethod	Total	ND	Ex	EUTotal	EUND	EUEx
Animal products	Dairy products Cattle	Milk pasteurisation	Industrial production	14	0	0	14	0	0
Animal products	Dairy products Cattle	Unprocessed	Industrial production	1	0	0	1	0	0
Animal products	Honey	Unprocessed	Industrial production	9	0	0	0	0	0
Animal products	Honey	Unprocessed	Production method unknown	1	0	0	0	0	0
Animal products	Swine Meat	Unprocessed	Production method unknown	11	0	0	11	0	0
Baby food	Baby food for infants and young children	Processed	Industrial production	3	0	0	2	0	0
Baby food	Baby food for infants and young children	Processed	Non-organic production	1	0	0	0	0	0
Baby food	Baby food for infants and young children	Unprocessed	Non-organic production	2	0	0	0	0	0
Baby food	Processed cereal-based baby foods	Heating	Industrial production	1	0	0	0	0	0
Baby food	Processed cereal-based baby foods	Milling	Industrial production	2	0	0	0	0	0
Baby food	Processed cereal-based baby foods	Processed	Industrial production	4	1	1	0	0	0
Cereals	Oats	Processed	Non-organic production	1	0	0	0	0	0
Cereals	Oats	Unprocessed	Production method unknown	1	0	0	1	0	0
Cereals	Rice	Processed	Non-organic production	3	2	0	0	0	0
Cereals	Rice	Unprocessed	Non-organic production	8	1	0	0	0	0
Cereals	Rice	Unprocessed	Production method unknown	14	0	0	0	0	0
Cereals	Wheat	Heating	Industrial production	4	0	0	0	0	0
Cereals	Wheat	Milling	Industrial production	1	0	0	0	0	0
Cereals	Wheat	Milling	Organic production	1	1	0	0	0	0
Cereals	Wheat	Milling - unprocessed flour	Industrial production	11	4	0	0	0	0
Cereals	Wheat	Milling - unprocessed flour	Organic production	1	0	0	0	0	0
Cereals	Wheat	Unprocessed	Non-organic production	3	0	0	0	0	0
Cereals	Wheat	Unprocessed	Production method unknown	6	0	0	0	0	0
Fruits and nuts	Almonds	Unprocessed	Industrial production	3	1	0	0	0	0
Fruits and nuts	Apples	Unprocessed	Non-organic production	53	41	0	15	11	0
Fruits and nuts	Apples	Unprocessed	Organic production	6	1	0	1	0	0
Fruits and nuts	Apples	Unprocessed	Production method unknown	32	24	1	12	7	0
Fruits and nuts	Apricots	Unprocessed	Non-organic production	25	14	0	0	0	0

**Total = total samples in national and EU programme, ND= number of detections in national and EU programme, Ex number of MRL exceedences in national and EU programme
 EUTotal = number of samples in EU programme, EUND = number of detections in EU programme, EUEx = number of exceedences in EU programme**

Strategy=Surveillance Region=Domestic Origin=Greece

ProductClass	Product	Treatment	ProductionMethod	Total	ND	Ex	EUTotal	EUND	EUEx
Fruits and nuts	Apricots	Unprocessed	Organic production	1	0	0	0	0	0
Fruits and nuts	Apricots	Unprocessed	Outdoor / Open-air growing condition	3	1	0	0	0	0
Fruits and nuts	Apricots	Unprocessed	Production method unknown	14	12	0	0	0	0
Fruits and nuts	Bananas	Unprocessed	Non-organic production	3	1	0	0	0	0
Fruits and nuts	Bananas	Unprocessed	Organic production	1	0	0	0	0	0
Fruits and nuts	Cherries	Unprocessed	Non-organic production	40	19	0	0	0	0
Fruits and nuts	Cherries	Unprocessed	Organic production	1	0	0	0	0	0
Fruits and nuts	Cherries	Unprocessed	Outdoor / Open-air growing condition	4	2	0	0	0	0
Fruits and nuts	Cherries	Unprocessed	Production method unknown	13	9	0	0	0	0
Fruits and nuts	Figs	Processed	Non-organic production	1	0	0	0	0	0
Fruits and nuts	Figs	Unprocessed	Non-organic production	5	0	0	0	0	0
Fruits and nuts	Figs	Unprocessed	Production method unknown	4	0	0	0	0	0
Fruits and nuts	Grapefruit	Unprocessed	Battery production	1	0	0	0	0	0
Fruits and nuts	Grapefruit	Unprocessed	Industrial production	1	0	0	0	0	0
Fruits and nuts	Grapefruit	Unprocessed	Non-organic production	10	5	0	0	0	0
Fruits and nuts	Grapefruit	Unprocessed	Production method unknown	2	1	0	0	0	0
Fruits and nuts	Kiwi	Unprocessed	Battery production	1	0	0	0	0	0
Fruits and nuts	Kiwi	Unprocessed	Non-organic production	15	4	0	0	0	0
Fruits and nuts	Kiwi	Unprocessed	Organic production	2	0	0	0	0	0
Fruits and nuts	Kiwi	Unprocessed	Outdoor / Open-air growing condition	3	1	1	0	0	0
Fruits and nuts	Kiwi	Unprocessed	Production method unknown	20	2	0	0	0	0
Fruits and nuts	Lemons	Unprocessed	Non-organic production	7	1	0	0	0	0
Fruits and nuts	Lemons	Unprocessed	Organic production	1	0	0	0	0	0
Fruits and nuts	Lemons	Unprocessed	Outdoor / Open-air growing condition	3	0	0	0	0	0
Fruits and nuts	Lemons	Unprocessed	Production method unknown	7	1	0	0	0	0
Fruits and nuts	Mandarins	Unprocessed	Non-organic production	15	0	0	0	0	0
Fruits and nuts	Mandarins	Unprocessed	Organic production	1	0	0	0	0	0
Fruits and nuts	Mandarins	Unprocessed	Outdoor / Open-air growing condition	4	2	0	0	0	0

Total = total samples in national and EU programme, ND= number of detections in national and EU programme, Ex number of MRL exceedences in national and EU programme
 EUTotal = number of samples in EU programme, EUND = number of detections in EU programme, EUEx = number of exceedences in EU programme

Strategy=Surveillance Region=Domestic Origin=Greece

ProductClass	Product	Treatment	ProductionMethod	Total	ND	Ex	EUTotal	EUND	EUEx
Fruits and nuts	Mandarins	Unprocessed	Production method unknown	9	7	0	0	0	0
Fruits and nuts	Oranges	Juicing	Industrial production	13	2	0	0	0	0
Fruits and nuts	Oranges	Juicing	Non-organic production	1	0	0	0	0	0
Fruits and nuts	Oranges	Unprocessed	Genetically modified	1	0	0	0	0	0
Fruits and nuts	Oranges	Unprocessed	Non-organic production	26	8	3	0	0	0
Fruits and nuts	Oranges	Unprocessed	Organic production	3	1	0	0	0	0
Fruits and nuts	Oranges	Unprocessed	Outdoor / Open-air growing condition	3	1	0	0	0	0
Fruits and nuts	Oranges	Unprocessed	Production method unknown	14	8	0	0	0	0
Fruits and nuts	Peaches	Unprocessed	Non-organic production	36	22	0	7	6	0
Fruits and nuts	Peaches	Unprocessed	Organic production	2	1	0	0	0	0
Fruits and nuts	Peaches	Unprocessed	Outdoor / Open-air growing condition	3	2	0	0	0	0
Fruits and nuts	Peaches	Unprocessed	Production method unknown	32	21	2	9	2	1
Fruits and nuts	Pears	Unprocessed	Integrated Pest Management	1	1	0	0	0	0
Fruits and nuts	Pears	Unprocessed	Non-organic production	24	18	2	0	0	0
Fruits and nuts	Pears	Unprocessed	Organic production	3	1	0	0	0	0
Fruits and nuts	Pears	Unprocessed	Outdoor / Open-air growing condition	3	1	0	0	0	0
Fruits and nuts	Pears	Unprocessed	Production method unknown	24	16	1	0	0	0
Fruits and nuts	Pecans	Unprocessed	Industrial production	1	0	0	0	0	0
Fruits and nuts	Pistachios	Unprocessed	Industrial production	1	1	0	0	0	0
Fruits and nuts	Plums	Unprocessed	Non-organic production	5	1	0	0	0	0
Fruits and nuts	Plums	Unprocessed	Outdoor / Open-air growing condition	2	0	0	0	0	0
Fruits and nuts	Plums	Unprocessed	Production method unknown	8	4	0	0	0	0
Fruits and nuts	Pomegranate	Juicing	Industrial production	3	0	0	0	0	0
Fruits and nuts	Pomegranate	Unprocessed	Non-organic production	6	0	0	0	0	0
Fruits and nuts	Pomegranate	Unprocessed	Production method unknown	3	0	0	0	0	0
Fruits and nuts	Strawberries	Unprocessed	Non-organic production	17	6	0	12	3	0
Fruits and nuts	Strawberries	Unprocessed	Organic production	2	0	0	1	0	0
Fruits and nuts	Strawberries	Unprocessed	Production method unknown	11	5	0	3	2	0

Total = total samples in national and EU programme, ND= number of detections in national and EU programme, Ex number of MRL exceedences in national and EU programme
 EUTotal = number of samples in EU programme, EUND = number of detections in EU programme, EUEx = number of exceedences in EU programme

Strategy=Surveillance Region=Domestic Origin=Greece

ProductClass	Product	Treatment	ProductionMethod	Total	ND	Ex	EUTotal	EUND	EUEx
Fruits and nuts	Strawberries	Unprocessed	Under glass / protected growing condition	10	6	1	5	4	1
Fruits and nuts	Table and Wine grapes	Unprocessed	Non-organic production	17	11	0	0	0	0
Fruits and nuts	Table grapes	Processed	Non-organic production	1	1	0	0	0	0
Fruits and nuts	Table grapes	Processed	Organic production	3	3	0	0	0	0
Fruits and nuts	Table grapes	Unprocessed	Genetically modified	1	0	0	0	0	0
Fruits and nuts	Table grapes	Unprocessed	Non-organic production	39	20	0	0	0	0
Fruits and nuts	Table grapes	Unprocessed	Organic production	1	0	0	0	0	0
Fruits and nuts	Table grapes	Unprocessed	Outdoor / Open-air growing condition	2	2	0	0	0	0
Fruits and nuts	Table grapes	Unprocessed	Production method unknown	24	8	0	0	0	0
Fruits and nuts	Table olives	Unprocessed	Non-organic production	8	0	0	0	0	0
Fruits and nuts	Table olives	Unprocessed	Other production method	1	1	0	0	0	0
Fruits and nuts	Table olives	Unprocessed	Production method unknown	7	3	0	0	0	0
Fruits and nuts	Walnuts	Unprocessed	Industrial production	1	0	0	0	0	0
Fruits and nuts	Wine grapes	Unprocessed	Non-organic production	2	1	1	0	0	0
Fruits and nuts	Wine grapes	Unprocessed	Organic production	1	0	0	0	0	0
Fruits and nuts	Wine grapes	Unprocessed	Outdoor / Open-air growing condition	2	0	0	0	0	0
Fruits and nuts	Wine grapes	Unprocessed	Production method unknown	11	7	0	0	0	0
Fruits and nuts	Wine grapes	Wine production	Industrial production	15	7	0	15	7	0
Fruits and nuts	Wine grapes	Wine production	Organic production	5	0	0	5	0	0
Fruits and nuts	Wine grapes	Wine production - white wine	Industrial production	11	3	0	11	3	0
Fruits and nuts	Wine grapes	Wine production - white wine	Organic production	4	0	0	4	0	0
Other plant products	Beans (dry)	Unprocessed	Industrial production	6	1	0	0	0	0
Other plant products	Beans (dry)	Unprocessed	Organic production	1	0	0	0	0	0
Other plant products	Lentils (dry)	Unprocessed	Industrial production	5	1	0	0	0	0
Other plant products	Olives for oil production	Oil production	Non-organic production	195	22	0	0	0	0
Other plant products	Olives for oil production	Oil production	Production method unknown	1	1	0	0	0	0
Other plant products	Olives for oil production	Oil production - Solvent Extraction	Non-organic production	6	1	0	0	0	0
Other plant products	Olives for oil production	Oil production - Virgin oil after cold press	Industrial production	25	3	0	0	0	0

Total = total samples in national and EU programme, ND= number of detections in national and EU programme, Ex number of MRL exceedences in national and EU programme
 EUTotal = number of samples in EU programme, EUND = number of detections in EU programme, EUEx = number of exceedences in EU programme

Strategy=Surveillance Region=Domestic Origin=Greece

ProductClass	Product	Treatment	ProductionMethod	Total	ND	Ex	EUTotal	EUND	EUEx
Other plant products	Olives for oil production	Oil production - Virgin oil after cold press	Organic production	1	1	0	0	0	0
Other plant products	Olives for oil production	Oil production - Virgin oil after cold press	Production method unknown	2	1	0	0	0	0
Other plant products	Olives for oil production	Oil production - refined oils	Industrial production	4	0	0	0	0	0
Other plant products	Other pulses, dry	Unprocessed	Non-organic production	2	0	0	0	0	0
Other plant products	Other spices: Bark	Unprocessed	Traditional production	1	1	1	0	0	0
Other plant products	Peas (dry)	Unprocessed	Industrial production	1	0	0	0	0	0
Other plant products	Pepper, black and white	Unprocessed	Organic production	1	0	0	0	0	0
Other plant products	Pumpkin seeds	Unprocessed	Industrial production	1	1	0	0	0	0
Other plant products	Sunflower seed	Unprocessed	Industrial production	1	1	1	0	0	0
Vegetables	Asparagus	Unprocessed	Non-organic production	17	0	0	0	0	0
Vegetables	Asparagus	Unprocessed	Production method unknown	5	0	0	0	0	0
Vegetables	Aubergines (egg plants)	Unprocessed	Integrated Pest Management	1	1	0	0	0	0
Vegetables	Aubergines (egg plants)	Unprocessed	Non-organic production	27	1	0	0	0	0
Vegetables	Aubergines (egg plants)	Unprocessed	Outdoor / Open-air growing condition	2	0	0	0	0	0
Vegetables	Aubergines (egg plants)	Unprocessed	Production method unknown	26	3	0	0	0	0
Vegetables	Aubergines (egg plants)	Unprocessed	Under glass / protected growing condition	2	0	0	0	0	0
Vegetables	Beans (with pods)	Freezing	Production method unknown	7	0	0	0	0	0
Vegetables	Beans (with pods)	Unprocessed	Non-organic production	20	2	0	0	0	0
Vegetables	Beans (with pods)	Unprocessed	Organic production	1	0	0	0	0	0
Vegetables	Beans (with pods)	Unprocessed	Outdoor / Open-air growing condition	3	0	0	0	0	0

Total = total samples in national and EU programme, ND= number of detections in national and EU programme, Ex number of MRL exceedences in national and EU programme
 EUTotal = number of samples in EU programme, EUND = number of detections in EU programme, EUEx = number of exceedences in EU programme

Strategy=Surveillance Region=Domestic Origin=Greece

ProductClass	Product	Treatment	ProductionMethod	Total	ND	Ex	EUTotal	EUND	EUEx
Vegetables	Beans (with pods)	Unprocessed	Production method unknown	16	3	3	0	0	0
Vegetables	Beetroot	Unprocessed	Non-organic production	1	0	0	0	0	0
Vegetables	Broccoli	Unprocessed	Non-organic production	5	0	0	0	0	0
Vegetables	Broccoli	Unprocessed	Production method unknown	5	1	0	0	0	0
Vegetables	Carrots	Unprocessed	Non-organic production	11	7	2	0	0	0
Vegetables	Carrots	Unprocessed	Organic production	1	0	0	0	0	0
Vegetables	Carrots	Unprocessed	Other production method	1	0	0	0	0	0
Vegetables	Carrots	Unprocessed	Production method unknown	8	1	0	0	0	0
Vegetables	Cauliflower	Unprocessed	Non-organic production	6	0	0	0	0	0
Vegetables	Cauliflower	Unprocessed	Production method unknown	5	1	0	0	0	0
Vegetables	Celery	Unprocessed	Non-organic production	1	1	1	0	0	0
Vegetables	Celery leaves	Unprocessed	Non-organic production	1	1	0	0	0	0
Vegetables	Courgettes	Unprocessed	Non-organic production	38	3	0	0	0	0
Vegetables	Courgettes	Unprocessed	Outdoor / Open-air growing condition	3	0	0	0	0	0
Vegetables	Courgettes	Unprocessed	Production method unknown	19	1	0	0	0	0
Vegetables	Cucumbers	Unprocessed	Non-organic production	51	10	0	0	0	0
Vegetables	Cucumbers	Unprocessed	Organic production	8	1	0	0	0	0
Vegetables	Cucumbers	Unprocessed	Outdoor / Open-air growing condition	3	0	0	0	0	0
Vegetables	Cucumbers	Unprocessed	Production method unknown	26	6	0	0	0	0
Vegetables	Cucumbers	Unprocessed	Under glass / protected growing condition	2	0	0	0	0	0
Vegetables	Head cabbage	Unprocessed	Battery production	1	0	0	0	0	0
Vegetables	Head cabbage	Unprocessed	Non-organic production	9	0	0	3	0	0
Vegetables	Head cabbage	Unprocessed	Production method unknown	9	0	0	9	0	0
Vegetables	Leek	Unprocessed	Non-organic production	15	1	1	12	0	0
Vegetables	Leek	Unprocessed	Production method unknown	1	0	0	0	0	0
Vegetables	Lettuce	Unprocessed	Non-organic production	41	17	2	18	7	0
Vegetables	Lettuce	Unprocessed	Organic production	6	3	1	2	1	0
Vegetables	Lettuce	Unprocessed	Outdoor / Open-air growing condition	3	2	0	0	0	0

Total = total samples in national and EU programme, ND= number of detections in national and EU programme, Ex number of MRL exceedences in national and EU programme
 EUTotal = number of samples in EU programme, EUND = number of detections in EU programme, EUEx = number of exceedences in EU programme

Strategy=Surveillance Region=Domestic Origin=Greece

ProductClass	Product	Treatment	ProductionMethod	Total	ND	Ex	EUTotal	EUND	EUEx
Vegetables	Lettuce	Unprocessed	Production method unknown	16	9	0	5	5	0
Vegetables	Lettuce and other salad plants, including Brassica	Unprocessed	Battery production	1	1	0	0	0	0
Vegetables	Lettuce and other salad plants, including Brassica	Unprocessed	Non-organic production	15	2	0	0	0	0
Vegetables	Lettuce and other salad plants, including Brassica	Unprocessed	Outdoor / Open-air growing condition	2	0	0	0	0	0
Vegetables	Lettuce and other salad plants, including Brassica	Unprocessed	Production method unknown	11	0	0	0	0	0
Vegetables	Melons	Unprocessed	Non-organic production	25	1	0	0	0	0
Vegetables	Melons	Unprocessed	Organic production	1	0	0	0	0	0
Vegetables	Melons	Unprocessed	Outdoor / Open-air growing condition	2	0	0	0	0	0
Vegetables	Melons	Unprocessed	Production method unknown	16	4	1	0	0	0
Vegetables	Melons	Unprocessed	Under glass / protected growing condition	1	0	0	0	0	0
Vegetables	Okra, ladys fingers	Unprocessed	Non-organic production	7	0	0	0	0	0
Vegetables	Okra, ladys fingers	Unprocessed	Production method unknown	5	1	0	0	0	0
Vegetables	Onions	Unprocessed	Non-organic production	3	0	0	0	0	0
Vegetables	Onions	Unprocessed	Production method unknown	10	0	0	0	0	0
Vegetables	Other kind of lettuce and other salad plants, including Brassicacea	Unprocessed	Non-organic production	1	1	0	0	0	0
Vegetables	Parsley	Unprocessed	Non-organic production	6	2	2	0	0	0
Vegetables	Peas (with pods)	Unprocessed	Non-organic production	4	2	0	0	0	0
Vegetables	Peas (without pods)	Freezing	Non-organic production	5	0	0	0	0	0
Vegetables	Peas (without pods)	Freezing	Organic production	1	0	0	0	0	0
Vegetables	Peas (without pods)	Freezing	Production method unknown	12	0	0	0	0	0
Vegetables	Peas (without pods)	Unprocessed	Non-organic production	3	1	1	0	0	0
Vegetables	Peppers	Unprocessed	Non-organic production	30	3	0	0	0	0
Vegetables	Peppers	Unprocessed	Organic production	1	1	0	0	0	0
Vegetables	Peppers	Unprocessed	Outdoor / Open-air growing condition	2	0	0	0	0	0
Vegetables	Peppers	Unprocessed	Production method unknown	31	6	3	0	0	0
Vegetables	Peppers	Unprocessed	Traditional production	1	1	0	0	0	0
Vegetables	Peppers	Unprocessed	Under glass / protected growing condition	2	2	0	0	0	0
Vegetables	Potatoes	Unprocessed	Non-organic production	41	7	2	0	0	0

**Total = total samples in national and EU programme, ND= number of detections in national and EU programme, Ex number of MRL exceedences in national and EU programme
 EUTotal = number of samples in EU programme, EUND = number of detections in EU programme, EUEx = number of exceedences in EU programme**

Strategy=Surveillance Region=Domestic Origin=Greece

ProductClass	Product	Treatment	ProductionMethod	Total	ND	Ex	EUTotal	EUND	EUEx
Vegetables	Potatoes	Unprocessed	Organic production	1	0	0	0	0	0
Vegetables	Potatoes	Unprocessed	Outdoor / Open-air growing condition	6	0	0	0	0	0
Vegetables	Potatoes	Unprocessed	Production method unknown	21	1	1	0	0	0
Vegetables	Pumpkins	Unprocessed	Non-organic production	10	0	0	0	0	0
Vegetables	Rocket, Rucola	Unprocessed	Production method unknown	4	1	0	0	0	0
Vegetables	Spinach	Unprocessed	Non-organic production	33	8	2	0	0	0
Vegetables	Spinach	Unprocessed	Organic production	1	0	0	0	0	0
Vegetables	Spinach	Unprocessed	Outdoor / Open-air growing condition	1	0	0	0	0	0
Vegetables	Spinach	Unprocessed	Production method unknown	2	0	0	0	0	0
Vegetables	Spinach and similar (leaves)	Freezing	Production method unknown	1	0	0	0	0	0
Vegetables	Spinach and similar (leaves)	Unprocessed	Non-organic production	18	9	2	0	0	0
Vegetables	Spinach and similar (leaves)	Unprocessed	Organic production	2	0	0	0	0	0
Vegetables	Spinach and similar (leaves)	Unprocessed	Production method unknown	14	0	0	0	0	0
Vegetables	Tomatoes	Juicing	Organic production	1	0	0	0	0	0
Vegetables	Tomatoes	Unprocessed	Industrial production	1	0	0	0	0	0
Vegetables	Tomatoes	Unprocessed	Integrated Pest Management	1	0	0	0	0	0
Vegetables	Tomatoes	Unprocessed	Non-organic production	52	27	1	25	14	1
Vegetables	Tomatoes	Unprocessed	Organic production	12	3	0	5	2	0
Vegetables	Tomatoes	Unprocessed	Other production method	1	1	0	0	0	0
Vegetables	Tomatoes	Unprocessed	Outdoor / Open-air growing condition	3	2	0	0	0	0
Vegetables	Tomatoes	Unprocessed	Production method unknown	29	8	0	10	0	0
Vegetables	Tomatoes	Unprocessed	Under glass / protected growing condition	3	0	0	0	0	0
Vegetables	Vine leaves (grape leaves)	Processed	Non-organic production	2	2	0	0	0	0
Vegetables	Vine leaves (grape leaves)	Unprocessed	Non-organic production	15	8	5	0	0	0
Vegetables	Vine leaves (grape leaves)	Unprocessed	Production method unknown	3	2	1	0	0	0
Vegetables	Watermelons	Unprocessed	Non-organic production	21	0	0	0	0	0
Vegetables	Watermelons	Unprocessed	Outdoor / Open-air growing condition	3	0	0	0	0	0
Vegetables	Watermelons	Unprocessed	Production method unknown	9	0	0	0	0	0

**Total = total samples in national and EU programme, ND= number of detections in national and EU programme, Ex number of MRL exceedences in national and EU programme
 EUTotal = number of samples in EU programme, EUND = number of detections in EU programme, EUEx = number of exceedences in EU programme**

Strategy=Surveillance Region=Domestic Origin=Greece

ProductClass	Product	Treatment	ProductionMethod	Total	ND	Ex	EUTotal	EUND	EUEx
Origin				2013	567	46	218	74	3
Region				2013	567	46	218	74	3

Strategy=Surveillance Region=EEA Origin=Belgium

ProductClass	Product	Treatment	ProductionMethod	Total	ND	Ex	EUTotal	EUND	EUEx
Cereals	Oats	Flaking	Production method unknown	1	0	0	0	0	0
Vegetables	Carrots	Unprocessed	Non-organic production	2	0	0	0	0	0
Origin				3	0	0	0	0	0

Strategy=Surveillance Region=EEA Origin=Cyprus

ProductClass	Product	Treatment	ProductionMethod	Total	ND	Ex	EUTotal	EUND	EUEx
Fruits and nuts	Lemons	Unprocessed	Production method unknown	1	0	0	0	0	0
Fruits and nuts	Oranges	Unprocessed	Non-organic production	1	0	0	0	0	0
Origin				2	0	0	0	0	0

Strategy=Surveillance Region=EEA Origin=European Union

ProductClass	Product	Treatment	ProductionMethod	Total	ND	Ex	EUTotal	EUND	EUEx
Cereals	Oats	Flaking	Production method unknown	1	0	0	0	0	0
Vegetables	Vine leaves (grape leaves)	Unprocessed	Production method unknown	1	0	0	0	0	0
Origin				2	0	0	0	0	0

Strategy=Surveillance Region=EEA Origin=France

ProductClass	Product	Treatment	ProductionMethod	Total	ND	Ex	EUTotal	EUND	EUEx
Animal products	Swine Meat	Unprocessed	Production method unknown	1	0	0	1	0	0
Vegetables	Potatoes	Unprocessed	Production method unknown	1	0	0	0	0	0
Origin				2	0	0	1	0	0

**Total = total samples in national and EU programme, ND= number of detections in national and EU programme, Ex number of MRL exceedences in national and EU programme
 EUTotal = number of samples in EU programme, EUND = number of detections in EU programme, EUEx = number of exceedences in EU programme**

Strategy=Surveillance Region=EEA Origin=Germany

ProductClass	Product	Treatment	ProductionMethod	Total	ND	Ex	EUTotal	EUND	EUEx
Baby food	Baby food for infants and young children	Juicing	Industrial production	1	0	0	0	0	0
Cereals	Rye	Unprocessed	Organic production	1	0	0	1	0	0
Fruits and nuts	Apples	Unprocessed	Non-organic production	1	1	0	0	0	0
<i>Origin</i>				3	1	0	1	0	0

Strategy=Surveillance Region=EEA Origin=Hungary

ProductClass	Product	Treatment	ProductionMethod	Total	ND	Ex	EUTotal	EUND	EUEx
Vegetables	Peas (without pods)	Freezing	Production method unknown	1	0	0	0	0	0

Strategy=Surveillance Region=EEA Origin=Italy

ProductClass	Product	Treatment	ProductionMethod	Total	ND	Ex	EUTotal	EUND	EUEx
Fruits and nuts	Apples	Unprocessed	Non-organic production	2	0	0	0	0	0
Fruits and nuts	Apples	Unprocessed	Production method unknown	1	1	0	1	0	0
Fruits and nuts	Pears	Unprocessed	Organic production	2	0	0	0	0	0
Fruits and nuts	Table grapes	Unprocessed	Production method unknown	1	0	0	0	0	0
Vegetables	Rocket, Rucola	Unprocessed	Production method unknown	1	1	0	0	0	0
<i>Origin</i>				7	2	0	1	0	0

Strategy=Surveillance Region=EEA Origin=Netherlands

ProductClass	Product	Treatment	ProductionMethod	Total	ND	Ex	EUTotal	EUND	EUEx
Animal products	Swine Meat	Unprocessed	Production method unknown	1	0	0	1	0	0
Fruits and nuts	Strawberries	Unprocessed	Production method unknown	1	1	0	0	0	0
Other plant products	Pepper, black and white	Unprocessed	Organic production	1	1	0	0	0	0
Vegetables	Carrots	Unprocessed	Production method unknown	1	0	0	0	0	0
Vegetables	Tomatoes	Unprocessed	Production method unknown	2	0	0	0	0	0
<i>Origin</i>				6	2	0	1	0	0

**Total = total samples in national and EU programme, ND= number of detections in national and EU programme, Ex number of MRL exceedences in national and EU programme
 EUTotal = number of samples in EU programme, EUND = number of detections in EU programme, EUEx = number of exceedences in EU programme**

Strategy=Surveillance Region=EEA Origin=Poland

ProductClass	Product	Treatment	ProductionMethod	Total	ND	Ex	EUTotal	EUND	EUEx
Vegetables	Carrots	Unprocessed	Non-organic production	1	0	0	0	0	0

Strategy=Surveillance Region=EEA Origin=Reunion

ProductClass	Product	Treatment	ProductionMethod	Total	ND	Ex	EUTotal	EUND	EUEx
Cereals	Oats	Flaking	Production method unknown	1	0	0	0	0	0

Strategy=Surveillance Region=EEA Origin=Spain

ProductClass	Product	Treatment	ProductionMethod	Total	ND	Ex	EUTotal	EUND	EUEx
Baby food	Baby food for infants and young children	Juicing	Industrial production	3	0	0	0	0	0
Baby food	Baby food for infants and young children	Processed	Industrial production	1	0	0	0	0	0
Fruits and nuts	Pears	Unprocessed	Non-organic production	1	1	0	0	0	0
Fruits and nuts	Pears	Unprocessed	Production method unknown	2	1	0	0	0	0
Vegetables	Tomatoes	Unprocessed	Production method unknown	1	0	0	0	0	0
<i>Origin</i>				8	2	0	0	0	0

Strategy=Surveillance Region=EEA Origin=United Kingdom

ProductClass	Product	Treatment	ProductionMethod	Total	ND	Ex	EUTotal	EUND	EUEx
Cereals	Oats	Processed	Non-organic production	1	0	0	0	0	0
Cereals	Oats	Processed	Organic production	1	0	0	0	0	0
<i>Origin</i>				2	0	0	0	0	0
<i>Region</i>				38	7	0	4	0	0

Strategy=Surveillance Region=TC Origin=Albania

ProductClass	Product	Treatment	ProductionMethod	Total	ND	Ex	EUTotal	EUND	EUEx
Vegetables	Leek	Unprocessed	Production method unknown	1	0	0	0	0	0
Vegetables	Tomatoes	Unprocessed	Production method unknown	3	3	0	0	0	0
<i>Origin</i>				4	3	0	0	0	0

**Total = total samples in national and EU programme, ND= number of detections in national and EU programme, Ex number of MRL exceedences in national and EU programme
 EUTotal = number of samples in EU programme, EUND = number of detections in EU programme, EUEx = number of exceedences in EU programme**

Strategy=Surveillance Region=TC Origin=Argentina

ProductClass	Product	Treatment	ProductionMethod	Total	ND	Ex	EUTotal	EUND	EUEx
Fruits and nuts	Apples	Unprocessed	Production method unknown	1	1	0	0	0	0
Fruits and nuts	Lemons	Unprocessed	Non-organic production	3	3	1	0	0	0
Fruits and nuts	Lemons	Unprocessed	Production method unknown	2	0	0	0	0	0
Fruits and nuts	Pears	Unprocessed	Production method unknown	8	4	0	0	0	0
<i>Origin</i>				14	8	1	0	0	0

Strategy=Surveillance Region=TC Origin=Canada

ProductClass	Product	Treatment	ProductionMethod	Total	ND	Ex	EUTotal	EUND	EUEx
Vegetables	Lentils (fresh)	Unprocessed	Organic production	1	0	0	0	0	0

Strategy=Surveillance Region=TC Origin=Chile

ProductClass	Product	Treatment	ProductionMethod	Total	ND	Ex	EUTotal	EUND	EUEx
Fruits and nuts	Apples	Unprocessed	Non-organic production	2	1	0	0	0	0
Fruits and nuts	Apples	Unprocessed	Production method unknown	1	1	0	0	0	0
Fruits and nuts	Kiwi	Unprocessed	Non-organic production	1	0	0	0	0	0
Fruits and nuts	Kiwi	Unprocessed	Production method unknown	1	1	0	0	0	0
Fruits and nuts	Plums	Unprocessed	Production method unknown	1	1	0	0	0	0
Fruits and nuts	Table grapes	Unprocessed	Non-organic production	1	1	0	0	0	0
<i>Origin</i>				7	5	0	0	0	0

Strategy=Surveillance Region=TC Origin=China

ProductClass	Product	Treatment	ProductionMethod	Total	ND	Ex	EUTotal	EUND	EUEx
Fruits and nuts	Pears	Unprocessed	Production method unknown	1	1	0	0	0	0
Vegetables	Vine leaves (grape leaves)	Unprocessed	Production method unknown	1	0	0	0	0	0
<i>Origin</i>				2	1	0	0	0	0

**Total = total samples in national and EU programme, ND= number of detections in national and EU programme, Ex number of MRL exceedences in national and EU programme
 EUTotal = number of samples in EU programme, EUND = number of detections in EU programme, EUEx = number of exceedences in EU programme**

Strategy=Surveillance Region=TC Origin=Colombia

ProductClass	Product	Treatment	ProductionMethod	Total	ND	Ex	EUTotal	EUND	EUEx
Fruits and nuts	Bananas	Unprocessed	Production method unknown	1	1	0	0	0	0

Strategy=Surveillance Region=TC Origin=Costa Rica

ProductClass	Product	Treatment	ProductionMethod	Total	ND	Ex	EUTotal	EUND	EUEx
Fruits and nuts	Bananas	Unprocessed	Non-organic production	2	2	0	0	0	0
Fruits and nuts	Bananas	Unprocessed	Production method unknown	1	1	0	0	0	0
Fruits and nuts	Pineapples	Unprocessed	Non-organic production	1	0	0	0	0	0
<i>Origin</i>				4	3	0	0	0	0

Strategy=Surveillance Region=TC Origin=Ecuador

ProductClass	Product	Treatment	ProductionMethod	Total	ND	Ex	EUTotal	EUND	EUEx
Fruits and nuts	Bananas	Unprocessed	Non-organic production	1	0	0	0	0	0
Fruits and nuts	Bananas	Unprocessed	Outdoor / Open-air growing condition	1	1	0	0	0	0
Fruits and nuts	Bananas	Unprocessed	Production method unknown	15	11	0	0	0	0
<i>Origin</i>				17	12	0	0	0	0

Strategy=Surveillance Region=TC Origin=Egypt

ProductClass	Product	Treatment	ProductionMethod	Total	ND	Ex	EUTotal	EUND	EUEx
Vegetables	Potatoes	Unprocessed	Production method unknown	20	5	0	0	0	0

Strategy=Surveillance Region=TC Origin=Honduras

ProductClass	Product	Treatment	ProductionMethod	Total	ND	Ex	EUTotal	EUND	EUEx
Fruits and nuts	Bananas	Unprocessed	Production method unknown	1	0	0	0	0	0

Strategy=Surveillance Region=TC Origin=India

ProductClass	Product	Treatment	ProductionMethod	Total	ND	Ex	EUTotal	EUND	EUEx
Cereals	Rice	Processed	Non-organic production	1	1	0	0	0	0
Other plant products	Other pulses, dry	Unprocessed	Non-organic production	3	1	1	0	0	0
Other plant products	Peas (dry)	Unprocessed	Non-organic production	1	0	0	0	0	0
<i>Origin</i>				5	2	1	0	0	0

Strategy=Surveillance Region=TC Origin=Israel

ProductClass	Product	Treatment	ProductionMethod	Total	ND	Ex	EUTotal	EUND	EUEx
Fruits and nuts	Mandarins	Unprocessed	Non-organic production	1	1	0	0	0	0
Fruits and nuts	Mandarins	Unprocessed	Production method unknown	1	0	0	0	0	0
Fruits and nuts	Pears	Unprocessed	Non-organic production	1	1	0	0	0	0
Vegetables	Basil	Unprocessed	Traditional production	1	1	1	0	0	0
<i>Origin</i>				4	3	1	0	0	0

Strategy=Surveillance Region=TC Origin=Jordan

ProductClass	Product	Treatment	ProductionMethod	Total	ND	Ex	EUTotal	EUND	EUEx
Vegetables	Vine leaves (grape leaves)	Unprocessed	Non-organic production	1	0	0	0	0	0

Strategy=Surveillance Region=TC Origin=Lesotho

ProductClass	Product	Treatment	ProductionMethod	Total	ND	Ex	EUTotal	EUND	EUEx
Fruits and nuts	Plums	Dehydration	Non-organic production	1	0	0	0	0	0

Strategy=Surveillance Region=TC Origin=Macedonia, The Former Yugoslav Republic of

ProductClass	Product	Treatment	ProductionMethod	Total	ND	Ex	EUTotal	EUND	EUEx
Fruits and nuts	Apples	Unprocessed	Non-organic production	1	1	0	0	0	0
Fruits and nuts	Apples	Unprocessed	Production method unknown	1	1	0	0	0	0
Vegetables	Asparagus	Unprocessed	Production method unknown	1	0	0	0	0	0
Vegetables	Aubergines (egg plants)	Unprocessed	Non-organic production	1	0	0	0	0	0

**Total = total samples in national and EU programme, ND= number of detections in national and EU programme, Ex number of MRL exceedences in national and EU programme
 EUTotal = number of samples in EU programme, EUND = number of detections in EU programme, EUEx = number of exceedences in EU programme**

Strategy=Surveillance Region=TC Origin=Macedonia, The Former Yugoslav Republic of

ProductClass	Product	Treatment	ProductionMethod	Total	ND	Ex	EUTotal	EUND	EUEx
Vegetables	Aubergines (egg plants)	Unprocessed	Production method unknown	1	0	0	0	0	0
Vegetables	Beetroot	Unprocessed	Non-organic production	1	0	0	0	0	0
Vegetables	Cucumbers	Unprocessed	Production method unknown	2	1	0	0	0	0
Vegetables	Leek	Freezing	Production method unknown	1	0	0	0	0	0
Vegetables	Peppers	Freezing	Production method unknown	1	0	0	0	0	0
Vegetables	Peppers	Unprocessed	Non-organic production	1	0	0	0	0	0
Vegetables	Peppers	Unprocessed	Production method unknown	5	1	0	0	0	0
Vegetables	Spinach and similar (leaves)	Unprocessed	Production method unknown	1	0	0	0	0	0
Vegetables	Tomatoes	Unprocessed	Production method unknown	6	4	0	0	0	0
Origin				23	8	0	0	0	0

Strategy=Surveillance Region=TC Origin=Malawi

ProductClass	Product	Treatment	ProductionMethod	Total	ND	Ex	EUTotal	EUND	EUEx
Vegetables	Peppers	Unprocessed	Non-organic production	1	0	0	0	0	0

Strategy=Surveillance Region=TC Origin=Moldova, Republic of

ProductClass	Product	Treatment	ProductionMethod	Total	ND	Ex	EUTotal	EUND	EUEx
Vegetables	Peas (without pods)	Freezing	Production method unknown	1	1	0	0	0	0

Strategy=Surveillance Region=TC Origin=Namibia

ProductClass	Product	Treatment	ProductionMethod	Total	ND	Ex	EUTotal	EUND	EUEx
Vegetables	Peas (without pods)	Unprocessed	Organic production	1	0	0	0	0	0

Strategy=Surveillance Region=TC Origin=New Zealand

ProductClass	Product	Treatment	ProductionMethod	Total	ND	Ex	EUTotal	EUND	EUEx
Fruits and nuts	Kiwi	Unprocessed	Production method unknown	2	0	0	0	0	0

**Total = total samples in national and EU programme, ND= number of detections in national and EU programme, Ex number of MRL exceedences in national and EU programme
 EUTotal = number of samples in EU programme, EUND = number of detections in EU programme, EUEx = number of exceedences in EU programme**

Strategy=Surveillance Region=TC Origin=Panama

ProductClass	Product	Treatment	ProductionMethod	Total	ND	Ex	EUTotal	EUND	EUEx
Fruits and nuts	Bananas	Unprocessed	Production method unknown	1	1	0	0	0	0

Strategy=Surveillance Region=TC Origin=Saint Helena, Ascension and Tristan Da Cunha

ProductClass	Product	Treatment	ProductionMethod	Total	ND	Ex	EUTotal	EUND	EUEx
Fruits and nuts	Grapefruit	Unprocessed	Non-organic production	1	1	0	0	0	0
Fruits and nuts	Pears	Unprocessed	Non-organic production	2	2	0	0	0	0
Fruits and nuts	Strawberries	Unprocessed	Non-organic production	1	1	0	1	1	0
<i>Origin</i>				4	4	0	1	1	0

Strategy=Surveillance Region=TC Origin=Saint Martin (French Part)

ProductClass	Product	Treatment	ProductionMethod	Total	ND	Ex	EUTotal	EUND	EUEx
Vegetables	Tomatoes	Unprocessed	Under glass / protected growing condition	1	1	0	0	0	0

Strategy=Surveillance Region=TC Origin=Serbia

ProductClass	Product	Treatment	ProductionMethod	Total	ND	Ex	EUTotal	EUND	EUEx
Fruits and nuts	Apples	Unprocessed	Production method unknown	1	1	0	0	0	0
Vegetables	Peas (without pods)	Freezing	Non-organic production	1	0	0	0	0	0
Vegetables	Peas (without pods)	Freezing	Production method unknown	1	0	0	0	0	0
Vegetables	Peppers	Unprocessed	Production method unknown	1	0	0	0	0	0
<i>Origin</i>				4	1	0	0	0	0

Strategy=Surveillance Region=TC Origin=South Africa

ProductClass	Product	Treatment	ProductionMethod	Total	ND	Ex	EUTotal	EUND	EUEx
Fruits and nuts	Grapefruit	Unprocessed	Production method unknown	2	2	0	0	0	0
Fruits and nuts	Oranges	Unprocessed	Non-organic production	3	3	0	0	0	0
Fruits and nuts	Oranges	Unprocessed	Production method unknown	2	1	0	0	0	0
Fruits and nuts	Pears	Unprocessed	Non-organic production	1	1	0	0	0	0

**Total = total samples in national and EU programme, ND= number of detections in national and EU programme, Ex number of MRL exceedences in national and EU programme
 EUTotal = number of samples in EU programme, EUND = number of detections in EU programme, EUEx = number of exceedences in EU programme**

Strategy=Surveillance Region=TC Origin=South Africa

ProductClass	Product	Treatment	ProductionMethod	Total	ND	Ex	EUTotal	EUND	EUEx
Fruits and nuts	Pears	Unprocessed	Production method unknown	2	0	0	0	0	0
Fruits and nuts	Table grapes	Unprocessed	Production method unknown	1	0	0	0	0	0
<i>Origin</i>				11	7	0	0	0	0

Strategy=Surveillance Region=TC Origin=Swaziland

ProductClass	Product	Treatment	ProductionMethod	Total	ND	Ex	EUTotal	EUND	EUEx
Fruits and nuts	Oranges	Unprocessed	Production method unknown	1	1	0	0	0	0

Strategy=Surveillance Region=TC Origin=Switzerland

ProductClass	Product	Treatment	ProductionMethod	Total	ND	Ex	EUTotal	EUND	EUEx
Baby food	Processed cereal-based baby foods	Processed	Industrial production	1	0	0	0	0	0

Strategy=Surveillance Region=TC Origin=Taiwan, Province of China

ProductClass	Product	Treatment	ProductionMethod	Total	ND	Ex	EUTotal	EUND	EUEx
Vegetables	Onions	Unprocessed	Non-organic production	1	0	0	0	0	0

Strategy=Surveillance Region=TC Origin=Turkey

ProductClass	Product	Treatment	ProductionMethod	Total	ND	Ex	EUTotal	EUND	EUEx
Cereals	Other cereals	Unprocessed	Non-organic production	1	0	0	0	0	0
Fruits and nuts	Lemons	Unprocessed	Non-organic production	1	1	0	0	0	0
Fruits and nuts	Lemons	Unprocessed	Production method unknown	1	1	0	0	0	0
Fruits and nuts	Plums	Unprocessed	Non-organic production	1	0	0	0	0	0
Other plant products	Capers	Unprocessed	Non-organic production	1	0	0	0	0	0
Other plant products	Other pulses, dry	Unprocessed	Non-organic production	1	0	0	0	0	0
Vegetables	Beetroot	Unprocessed	Non-organic production	1	0	0	0	0	0
Vegetables	Broccoli	Freezing	Production method unknown	1	1	0	0	0	0
Vegetables	Carrots	Freezing	Production method unknown	1	0	0	0	0	0

**Total = total samples in national and EU programme, ND= number of detections in national and EU programme, Ex number of MRL exceedences in national and EU programme
 EUTotal = number of samples in EU programme, EUND = number of detections in EU programme, EUEx = number of exceedences in EU programme**

Strategy=Surveillance Region=TC Origin=Turkey

<i>ProductClass</i>	<i>Product</i>	<i>Treatment</i>	<i>ProductionMethod</i>	<i>Total</i>	<i>ND</i>	<i>Ex</i>	<i>EUTotal</i>	<i>EUND</i>	<i>EUEx</i>
Vegetables	Cauliflower	Freezing	Production method unknown	1	0	0	0	0	0
Vegetables	Courgettes	Unprocessed	Production method unknown	7	1	1	0	0	0
Vegetables	Cucumbers	Unprocessed	Non-organic production	2	0	0	0	0	0
Vegetables	Onions	Unprocessed	Non-organic production	2	0	0	0	0	0
Vegetables	Peppers	Unprocessed	Non-organic production	2	0	0	0	0	0
Vegetables	Potatoes	Unprocessed	Non-organic production	8	0	0	0	0	0
Vegetables	Potatoes	Unprocessed	Production method unknown	1	0	0	0	0	0
Vegetables	Spinach and similar (leaves)	Unprocessed	Production method unknown	1	0	0	0	0	0
Vegetables	Vine leaves (grape leaves)	Unprocessed	Non-organic production	3	1	1	0	0	0
Vegetables	Vine leaves (grape leaves)	Unprocessed	Production method unknown	3	1	1	0	0	0
<i>Origin</i>				39	6	3	0	0	0

Strategy=Surveillance Region=TC Origin=United States

<i>ProductClass</i>	<i>Product</i>	<i>Treatment</i>	<i>ProductionMethod</i>	<i>Total</i>	<i>ND</i>	<i>Ex</i>	<i>EUTotal</i>	<i>EUND</i>	<i>EUEx</i>
Fruits and nuts	Plums	Dehydration	Non-organic production	1	0	0	0	0	0
Fruits and nuts	Plums	Processed	Organic production	1	0	0	0	0	0
<i>Origin</i>				2	0	0	0	0	0

Strategy=Surveillance Region=TC Origin=Uruguay

<i>ProductClass</i>	<i>Product</i>	<i>Treatment</i>	<i>ProductionMethod</i>	<i>Total</i>	<i>ND</i>	<i>Ex</i>	<i>EUTotal</i>	<i>EUND</i>	<i>EUEx</i>
Fruits and nuts	Oranges	Unprocessed	Production method unknown	1	1	0	0	0	0
<i>Region</i>				176	74	6	1	1	0

Strategy=Surveillance Region=UNK Origin=Non domestic, import

ProductClass	Product	Treatment	ProductionMethod	Total	ND	Ex	EUTotal	EUND	EUEx
Other plant products	Lentils (dry)	Unprocessed	Non-organic production	1	0	0	0	0	0
Other plant products	Lentils (dry)	Unprocessed	Organic production	1	0	0	0	0	0
<i>Origin</i>				2	0	0	0	0	0

Strategy=Surveillance Region=UNK Origin=Unknown

ProductClass	Product	Treatment	ProductionMethod	Total	ND	Ex	EUTotal	EUND	EUEx
Animal products	Swine Meat	Unprocessed	Production method unknown	2	0	0	2	0	0
Cereals	Rice	Unprocessed	Non-organic production	1	1	0	0	0	0
Fruits and nuts	Apricots	Unprocessed	Production method unknown	2	0	0	0	0	0
Fruits and nuts	Bananas	Unprocessed	Outdoor / Open-air growing condition	1	1	0	0	0	0
Fruits and nuts	Bananas	Unprocessed	Production method unknown	2	1	0	0	0	0
Fruits and nuts	Cherries	Unprocessed	Production method unknown	2	1	0	0	0	0
Fruits and nuts	Figs	Unprocessed	Production method unknown	1	0	0	0	0	0
Fruits and nuts	Kiwi	Unprocessed	Production method unknown	2	0	0	0	0	0
Fruits and nuts	Peaches	Unprocessed	Production method unknown	2	1	0	0	0	0
Fruits and nuts	Plums	Unprocessed	Production method unknown	1	0	0	0	0	0
Fruits and nuts	Strawberries	Unprocessed	Production method unknown	1	1	0	0	0	0
Fruits and nuts	Table grapes	Unprocessed	Production method unknown	1	1	0	0	0	0
Vegetables	Aubergines (egg plants)	Unprocessed	Production method unknown	4	0	0	0	0	0
Vegetables	Beans (with pods)	Unprocessed	Production method unknown	2	0	0	0	0	0
Vegetables	Courgettes	Unprocessed	Production method unknown	1	0	0	0	0	0
Vegetables	Cucumbers	Unprocessed	Production method unknown	3	0	0	0	0	0
Vegetables	Lettuce	Unprocessed	Production method unknown	1	1	0	0	0	0
Vegetables	Lettuce and other salad plants, including Brassica	Unprocessed	Production method unknown	1	0	0	0	0	0
Vegetables	Melons	Unprocessed	Production method unknown	2	0	0	0	0	0
Vegetables	Peppers	Unprocessed	Production method unknown	3	1	0	0	0	0
Vegetables	Potatoes	Unprocessed	Non-organic production	1	1	1	0	0	0
Vegetables	Tomatoes	Unprocessed	Production method unknown	4	1	0	0	0	0

**Total = total samples in national and EU programme, ND= number of detections in national and EU programme, Ex number of MRL exceedences in national and EU programme
 EUTotal = number of samples in EU programme, EUND = number of detections in EU programme, EUEx = number of exceedences in EU programme**

Strategy=Surveillance Region=UNK Origin=Unknown

ProductClass	Product	Treatment	ProductionMethod	Total	ND	Ex	EUTotal	EUND	EUEx
Vegetables	Watermelons	Unprocessed	Production method unknown	1	0	0	0	0	0
	Origin			41	11	1	2	0	0
	Region			43	11	1	2	0	0
	Strategy			2270	659	53	225	75	3
				2361	712	62	225	75	3

Total = total samples in national and EU programme, ND= number of detections in national and EU programme, Ex number of MRL exceedences in national and EU programme
 EUTotal = number of samples in EU programme, EUND = number of detections in EU programme, EUEx = number of exceedences in EU programme

ProductType=Animal products

<i>Origin</i>	<i>Total</i>	<i>Below LOQ</i>	<i>Between LOQ and MRL</i>	<i>Exceeding MRL</i>	<i>Non Compliant</i>
France	1	1	0	0	0
Greece	36	36	0	0	0
Netherlands	1	1	0	0	0
Unknown	2	2	0	0	0
ProductType	40	40	0	0	0

ProductType=Baby food

<i>Origin</i>	<i>Total</i>	<i>Below LOQ</i>	<i>Between LOQ and MRL</i>	<i>Exceeding MRL</i>	<i>Non Compliant</i>
Germany	1	1	0	0	0
Greece	13	12	0	1	0
Spain	4	4	0	0	0
Switzerland	1	1	0	0	0
ProductType	19	18	0	1	0

ProductType=Cereals

<i>Origin</i>	<i>Total</i>	<i>Below LOQ</i>	<i>Between LOQ and MRL</i>	<i>Exceeding MRL</i>	<i>Non Compliant</i>
Belgium	1	1	0	0	0
European Union	1	1	0	0	0
Germany	1	1	0	0	0
Greece	55	46	9	0	0
India	1	0	1	0	0
Reunion	1	1	0	0	0
Turkey	1	1	0	0	0

Figures in bold totals for all countries

ProductType=Cereals

<i>Origin</i>	<i>Total</i>	<i>Between LOQ and MRL</i>			<i>Non Compliant</i>
		<i>Below LOQ</i>	<i>Exceeding MRL</i>	<i>Exceeding MRL</i>	
United Kingdom	2	2	0	0	0
Unknown	1	0	1	0	0
<i>ProductType</i>	64	53	11	0	0

ProductType=Fruits and nuts

<i>Origin</i>	<i>Total</i>	<i>Between LOQ and MRL</i>			<i>Non Compliant</i>
		<i>Below LOQ</i>	<i>Exceeding MRL</i>	<i>Exceeding MRL</i>	
Argentina	14	6	7	1	0
Chile	7	2	5	0	0
China	11	2	9	0	0
Colombia	1	0	1	0	0
Costa Rica	4	1	3	0	0
Cyprus	2	2	0	0	0
Ecuador	17	5	12	0	0
Germany	1	0	1	0	0
Greece	756	392	350	14	9
Honduras	1	1	0	0	0
Israel	3	1	2	0	0
Italy	6	5	1	0	0
Lesotho	1	1	0	0	0
Macedonia, The Former Yugoslav Republic of	2	0	2	0	0
Netherlands	1	0	1	0	0
New Zealand	2	2	0	0	0
Panama	1	0	1	0	0
Saint Helena, Ascension and Tristan Da Cunha	4	0	4	0	0
Serbia	1	0	1	0	0

Figures in bold totals for all countries

Table A5: Overview of country of origin for samples taken in National and EU co-ordinated programmes

ProductType=Fruits and nuts

<i>Origin</i>	<i>Total</i>	<i>Below LOQ</i>	<i>Between LOQ and MRL</i>	<i>Exceeding MRL</i>	<i>Non Compliant</i>
South Africa	11	4	7	0	0
Spain	3	1	2	0	0
Swaziland	1	0	1	0	0
Turkey	3	1	2	0	0
United States	2	2	0	0	0
Unknown	15	9	6	0	0
Uruguay	1	0	1	0	0
ProductType	871	437	419	15	9

ProductType=Others

<i>Origin</i>	<i>Total</i>	<i>Below LOQ</i>	<i>Between LOQ and MRL</i>	<i>Exceeding MRL</i>	<i>Non Compliant</i>
China	3	2	1	0	0
Greece	253	219	32	2	1
India	4	3	0	1	0
Netherlands	1	0	1	0	0
Non domestic, import	2	2	0	0	0
Thailand	1	1	0	0	0
Turkey	2	2	0	0	0
ProductType	266	229	34	3	1

Figures in bold totals for all countries

ProductType=Vegetables

<i>Origin</i>	<i>Total</i>	<i>Between LOQ and MRL</i>			<i>Non Compliant</i>
		<i>Below LOQ</i>	<i>Exceeding MRL</i>	<i>Exceeding MRL</i>	
Albania	4	1	3	0	0
Belgium	2	2	0	0	0
Canada	1	1	0	0	0
China	1	1	0	0	0
Egypt	20	15	5	0	0
European Union	1	1	0	0	0
France	1	1	0	0	0
Greece	954	760	156	38	29
Hungary	1	1	0	0	0
Israel	1	0	0	1	1
Italy	1	0	1	0	0
Jordan	1	1	0	0	0
Macedonia, The Former Yugoslav Republic of	21	15	6	0	0
Malawi	1	1	0	0	0
Moldova, Republic of	1	0	1	0	0
Namibia	1	1	0	0	0
Netherlands	3	3	0	0	0
Poland	1	1	0	0	0
Saint Martin (French Part)	1	0	1	0	0
Serbia	3	3	0	0	0
Spain	1	1	0	0	0
Taiwan, Province of China	1	1	0	0	0
Thailand	1	1	0	0	0
Turkey	55	42	10	3	2
Unknown	23	19	3	1	0
<i>ProductType</i>	1101	872	186	43	32
	2361	1649	650	62	42

Figures in bold totals for all countries

Product=Apples Treatment=Unprocessed

Compound	Min LOQ	Max LOQ	Total	Between LOQ and MRL		Above MRL	Max Residue Level	Mean Residue Level	Median Residue Level	MRL	Non Compliant
				Below LOQ							
Abamectin (sum)	0.010	0.010	14	14	0	0	0.005	0.005	0.005	0.01	0
Acephate	0.010	0.020	24	24	0	0	0.010	0.007	0.005	0.02	0
Acetamiprid	0.010	0.010	14	12	2	0	0.019	0.007	0.005	0.7	0
Acrinathrin	0.010	0.050	24	24	0	0	0.025	0.013	0.005	0.1	0
Aldicarb (sum)	0.010	0.010	16	16	0	0	0.005	0.005	0.005	0.02	0
Amitraz (sum)	0.010	0.010	3	3	0	0	0.005	0.005	0.005	0.05	0
Azinphos-methyl	0.010	0.100	29	29	0	0	0.050	0.014	0.010	0.05	0
Azoxystrobin	0.010	0.100	29	29	0	0	0.050	0.020	0.025	0.05	0
Benfuracarb	0.010	0.010	14	14	0	0	0.005	0.005	0.005	0.05	0
Bifenthrin	0.010	0.020	24	24	0	0	0.010	0.007	0.005	0.3	0
Bitertanol	0.010	0.100	13	12	1	0	0.050	0.044	0.050	2	0
Boscalid	0.010	0.010	14	14	0	0	0.005	0.005	0.005	2	0
Bromide ion	0.500	0.500	5	5	0	0	0.250	0.250	0.250	20	0
Bromopropylate	0.050	0.050	14	14	0	0	0.025	0.025	0.025	0.01	0
Bromuconazole (sum)	0.010	0.010	14	14	0	0	0.005	0.005	0.005	0.05	0
Bupirimate	0.010	0.020	24	24	0	0	0.010	0.007	0.005	0.2	0
Buprofezin	0.010	0.100	15	15	0	0	0.050	0.008	0.005	3	0
Carbaryl	0.010	0.010	16	16	0	0	0.005	0.005	0.005	0.05	0
Carbendazim and benomyl	0.010	0.010	14	10	4	0	0.074	0.015	0.005	0.2	0
Carbofuran (sum)	0.010	0.010	16	16	0	0	0.005	0.005	0.005	0.02	0
Carbosulfan	0.010	0.010	14	14	0	0	0.005	0.005	0.005	0.05	0
Chlorfenapyr	0.020	0.020	13	13	0	0	0.010	0.010	0.010	0.01	0
Chlorfenvinphos	0.010	0.020	24	24	0	0	0.010	0.007	0.005	0.02	0
Chloromequat	0.010	0.010	1	1	0	0	0.005	0.005	0.005	0.05	0
Chlorothalonil	0.010	0.050	29	29	0	0	0.025	0.010	0.010	1	0
Chlorpropham (sum)	0.010	0.010	14	14	0	0	0.005	0.005	0.005	0.05	0

**For mean and median residue level calculations when results were below limit of detection LOQ/2 was substituted
 All results expressed in mg/kg**

Product=Apples Treatment=Unprocessed

Compound	Min LOQ	Max LOQ	Total	Between LOQ		Above MRL	Max Residue Level	Mean Residue Level	Median Residue Level	MRL	Non Compliant
				Below LOQ	and MRL						
Chlorpyrifos	0.010	0.050	29	17	12	0	0.140	0.031	0.025	0.5	0
Chlorpyrifos-methyl	0.010	0.020	24	24	0	0	0.010	0.007	0.005	0.5	0
Clofentezine	0.010	0.010	14	14	0	0	0.005	0.005	0.005	0.5	0
Clothianidin	0.010	0.010	14	14	0	0	0.005	0.005	0.005	0.05	0
Cyfluthrin (sum)	0.020	0.020	24	24	0	0	0.010	0.010	0.010	0.2	0
Cymoxanil	0.010	0.010	14	14	0	0	0.005	0.005	0.005	0.05	0
Cypermethrin (sum)	0.010	0.500	29	29	0	0	0.250	0.049	0.010	1	0
Cyproconazole	0.010	0.010	14	14	0	0	0.005	0.005	0.005	0.1	0
Cyprodinil	0.010	0.020	24	24	0	0	0.010	0.007	0.005	1	0
Cyromazine	0.010	0.010	14	14	0	0	0.005	0.005	0.005	0.05	0
Deltamethrin	0.010	0.500	28	28	0	0	0.250	0.051	0.010	0.2	0
Diazinon	0.010	0.050	29	29	0	0	0.025	0.010	0.010	0.01	0
Dichlofluanid	0.010	0.010	19	19	0	0	0.005	0.005	0.005	0.01	0
Dichlorvos	0.010	0.050	29	29	0	0	0.025	0.010	0.010	0.01	0
Dicloran	0.010	0.010	13	13	0	0	0.005	0.005	0.005	0.1	0
Dicofol (sum)	0.050	0.050	18	18	0	0	0.025	0.025	0.025	0.02	0
Dicrotophos	0.050	0.050	14	14	0	0	0.025	0.025	0.025	0.01	0
Diethofencarb	0.010	0.010	14	14	0	0	0.005	0.005	0.005	0.5	0
Difenoconazole	0.010	0.010	14	14	0	0	0.005	0.005	0.005	0.5	0
Diflubenzuron	0.010	0.010	14	13	1	0	0.039	0.007	0.005	5	0
Dimethoate (sum)	0.010	0.020	24	24	0	0	0.010	0.007	0.005	0.02	0
Dimethomorph	0.010	0.010	14	14	0	0	0.005	0.005	0.005	0.05	0
Diniconazole	0.010	0.010	13	13	0	0	0.005	0.005	0.005	0.01	0
Diphenylamine	0.020	0.100	24	24	0	0	0.050	0.033	0.050	5	0
Dithiocarbamates	0.100	0.250	20	19	1	0	1.120	0.141	0.125	5	0
EPN	0.010	0.010	14	14	0	0	0.005	0.005	0.005	0.01	0

For mean and median residue level calculations when results were below limit of detection LOQ/2 was substituted
 All results expressed in mg/kg

Product=Apples Treatment=Unprocessed

Compound	Min LOQ	Max LOQ	Total	Below LOQ	Between	Above MRL	Max Residue Level	Mean Residue Level	Median Residue Level	MRL	Non Compliant
					LOQ and MRL						
Endosulfan (sum)	0.005	0.050	19	19	0	0	0.025	0.008	0.003	0.05	0
Epoxiconazole	0.010	0.010	14	14	0	0	0.005	0.005	0.005	0.05	0
Ethephon	0.100	0.100	5	5	0	0	0.050	0.050	0.050	0.6	0
Ethion	0.010	0.020	24	24	0	0	0.010	0.007	0.005	0.01	0
Ethirimol	0.010	0.010	14	14	0	0	0.005	0.005	0.005	0.1	0
Ethoprophos	0.010	0.050	29	29	0	0	0.025	0.010	0.010	0.02	0
Etofenprox	0.010	0.010	14	14	0	0	0.005	0.005	0.005	1	0
Famoxadone	0.010	0.010	14	14	0	0	0.005	0.005	0.005	0.02	0
Fenamidone	0.010	0.010	14	14	0	0	0.005	0.005	0.005	0.02	0
Fenamiphos (sum)	0.010	0.010	14	14	0	0	0.005	0.005	0.005	0.02	0
Fenarimol	0.010	0.010	13	13	0	0	0.005	0.005	0.005	0.3	0
Fenazaquin	0.010	0.010	14	14	0	0	0.005	0.005	0.005	0.1	0
Fenbuconazole	0.010	0.010	14	14	0	0	0.005	0.005	0.005	0.4	0
Fenhexamid	0.010	0.010	14	14	0	0	0.005	0.005	0.005	0.05	0
Fenitrothion	0.010	0.020	24	24	0	0	0.010	0.007	0.005	0.01	0
Fenoxycarb	0.010	0.500	19	15	4	0	0.650	0.110	0.005	1	0
Fenpropathrin	0.010	0.500	29	29	0	0	0.250	0.049	0.010	0.01	0
Fenpropimorph	0.010	0.010	14	14	0	0	0.005	0.005	0.005	0.05	0
Fenpyroximate	0.010	0.010	14	14	0	0	0.005	0.005	0.005	0.3	0
Fenthion (sum)	0.010	0.010	14	14	0	0	0.005	0.005	0.005	0.01	0
Fenvalerate and Esfenvalerate (Sum of RR and SS isomers)	0.010	0.010	13	13	0	0	0.005	0.005	0.005	0.05	0
Fenvalerate and Esfenvalerate (Sum of RS and SR isomers)	0.010	0.020	23	23	0	0	0.010	0.007	0.005	0.02	0
Fipronil (sum)	0.010	0.010	12	12	0	0	0.005	0.005	0.005	0.005	0
Fludioxonil	0.010	0.010	12	12	0	0	0.005	0.005	0.005	5	0
Flufenoxuron	0.010	0.010	14	14	0	0	0.005	0.005	0.005	0.5	0
Fluquinconazole	0.010	0.010	14	14	0	0	0.005	0.005	0.005	0.1	0

For mean and median residue level calculations when results were below limit of detection LOQ/2 was substituted
 All results expressed in mg/kg

Product=Apples Treatment=Unprocessed

Compound	Min LOQ	Max LOQ	Total	Between LOQ and MRL		Above MRL	Max Residue Level	Mean Residue Level	Median Residue Level	MRL	Non Compliant
				Below LOQ							
Flusilazole	0.010	0.010	14	14	0	0	0.005	0.005	0.005	0.02	0
Flutriafol	0.010	0.010	14	14	0	0	0.005	0.005	0.005	0.2	0
Formetanate	0.010	0.010	14	14	0	0	0.005	0.005	0.005	0.05	0
Fosthiazate	0.010	0.010	14	14	0	0	0.005	0.005	0.005	0.02	0
Glyphosate	0.100	0.100	1	1	0	0	0.050	0.050	0.050	0.1	0
Hexaconazole	0.010	0.010	14	14	0	0	0.005	0.005	0.005	0.01	0
Hexythiazox	0.010	0.010	14	14	0	0	0.005	0.005	0.005	1	0
Imazalil	0.020	0.020	14	10	4	0	0.620	0.117	0.010	2	0
Imidacloprid	0.010	0.010	14	14	0	0	0.005	0.005	0.005	0.5	0
Indoxacarb as sum of the isomers S and R	0.010	0.010	14	14	0	0	0.005	0.005	0.005	0.5	0
Iprodione	0.010	0.100	28	28	0	0	0.050	0.015	0.010	5	0
Iprovalicarb	0.010	0.010	14	14	0	0	0.005	0.005	0.005	0.05	0
Isofenphos-methyl	0.010	0.010	14	14	0	0	0.005	0.005	0.005	0.01	0
Kresoxim-methyl	0.010	0.050	24	24	0	0	0.025	0.013	0.005	0.2	0
Lambda-Cyhalothrin	0.010	0.050	23	23	0	0	0.025	0.014	0.005	0.1	0
Linuron	0.010	0.010	14	14	0	0	0.005	0.005	0.005	0.05	0
Lufenuron	0.010	0.010	14	14	0	0	0.005	0.005	0.005	0.5	0
Malathion (sum of malathion and malaoxon expressed as malathion)	0.010	0.020	24	24	0	0	0.010	0.007	0.005	0.02	0
Mepanipyrim (Mepanipyrim and its metabolite (2-anilino-4-(2-hydroxypropyl)-6-methylpyrimidine) expressed as mepanipyrim)	0.010	0.010	14	14	0	0	0.005	0.005	0.005	0.01	0
Mepiquat	0.010	0.010	1	1	0	0	0.005	0.005	0.005	0.05	0
Metalaxyl (Metalaxyl including other mixtures of constituent isomers including Metalaxyl-M (sum of isomers))	0.010	0.010	14	14	0	0	0.005	0.005	0.005	1	0
Metconazole	0.010	0.010	14	14	0	0	0.005	0.005	0.005	0.02	0
Methamidophos	0.010	0.020	24	24	0	0	0.010	0.007	0.005	0.01	0
Methidathion	0.020	0.020	23	23	0	0	0.010	0.010	0.010	0.03	0

For mean and median residue level calculations when results were below limit of detection LOQ/2 was substituted
 All results expressed in mg/kg

Product=Apples Treatment=Unprocessed

Compound	Min LOQ	Max LOQ	Total	Below LOQ	Between LOQ and MRL		Max Residue Level	Mean Residue Level	Median Residue Level	MRL	Non Compliant
					Above MRL						
Methiocarb (sum of methiocarb and methiocarb sulfoxide and sulfone, expressed as methiocarb)	0.010	0.010	14	14	0	0	0.005	0.005	0.005	0.1	0
Methomyl and thiodicarb (sum of methomyl and thiodicarb expressed as methomyl)	0.010	0.010	14	14	0	0	0.005	0.005	0.005	0.02	0
Methoxychlor	0.010	0.050	18	18	0	0	0.025	0.011	0.005	0.01	0
Methoxyfenozide	0.010	0.010	14	13	1	0	0.017	0.006	0.005	2	0
Metobromuron	0.010	0.010	14	14	0	0	0.005	0.005	0.005	0.01	0
Monocrotophos	0.010	0.020	24	24	0	0	0.010	0.007	0.005	0.01	0
Myclobutanil	0.010	0.010	14	13	1	0	0.022	0.006	0.005	0.5	0
Nitenpyram	0.050	0.050	14	14	0	0	0.025	0.025	0.025	0.01	0
Oxadixyl	0.010	0.010	14	14	0	0	0.005	0.005	0.005	0.01	0
Oxamyl	0.010	0.010	16	16	0	0	0.005	0.005	0.005	0.01	0
Oxydemeton-methyl (sum of oxydemeton-methyl and demeton-S-methylsulfone expressed as oxydemeton-methyl)	0.010	0.010	14	14	0	0	0.005	0.005	0.005	0.01	0
Paclobutrazol	0.010	0.010	14	14	0	0	0.005	0.005	0.005	0.5	0
Parathion	0.010	0.020	23	23	0	0	0.010	0.007	0.005	0.05	0
Parathion-methyl (sum of Parathion-methyl and paraoxon-methyl expressed as Parathion-methyl)	0.020	0.020	23	23	0	0	0.010	0.010	0.010	0.01	0
Penconazole	0.010	0.050	24	24	0	0	0.025	0.013	0.005	0.2	0
Pencycuron	0.010	0.010	14	14	0	0	0.005	0.005	0.005	0.05	0
Pendimethalin	0.010	0.100	25	25	0	0	0.050	0.015	0.005	0.05	0
Phenthoate	0.020	0.020	24	24	0	0	0.010	0.010	0.010	0.01	0
Phosalone	0.010	0.020	24	23	1	0	0.010	0.007	0.005	0.01	0
Phosmet (phosmet and phosmet oxon expressed as phosmet)	0.010	0.020	24	24	0	0	0.010	0.007	0.005	0.2	0
Phoxim	0.010	0.010	14	14	0	0	0.005	0.005	0.005	0.01	0
Pirimicarb (sum of Pirimicarb and desmethyl pirimicarb expressed as Pirimicarb)	0.010	0.010	14	13	1	0	0.010	0.005	0.005	2	0
Pirimiphos-methyl	0.010	0.020	24	24	0	0	0.010	0.007	0.005	0.05	0
Prochloraz (sum of prochloraz and its metabolites containing the 2,4,6-Trichlorophenol moiety expressed as prochloraz)	0.010	0.010	14	14	0	0	0.005	0.005	0.005	0.05	0

For mean and median residue level calculations when results were below limit of detection LOQ/2 was substituted
 All results expressed in mg/kg

Product=Apples Treatment=Unprocessed

Compound	Min LOQ	Max LOQ	Total	Between LOQ and MRL		Above MRL	Max Residue Level	Mean Residue Level	Median Residue Level	MRL	Non Compliant
				Below LOQ	Between LOQ and MRL						
Procymidone	0.010	0.050	19	19	0	0	0.025	0.010	0.005	0.01	0
Profenofos	0.010	0.020	24	24	0	0	0.010	0.007	0.005	0.01	0
Propamocarb (sum of propamocarb and its salt expressed as propamocarb)	0.010	0.010	14	14	0	0	0.005	0.005	0.005	10	0
Propargite	0.010	0.010	14	11	3	0	0.140	0.026	0.005	3	0
Propiconazole	0.010	0.010	14	14	0	0	0.005	0.005	0.005	0.15	0
Propoxur	0.010	0.010	2	2	0	0	0.005	0.005	0.005	0.05	0
Propyzamide	0.010	0.010	13	13	0	0	0.005	0.005	0.005	0.02	0
Prothioconazole (prothioconazole-desthio)	0.010	0.010	12	12	0	0	0.005	0.005	0.005	0.02	0
Prothiofos	0.010	0.010	19	19	0	0	0.005	0.005	0.005	0.01	0
Pymetrozine	0.010	0.010	14	14	0	0	0.005	0.005	0.005	0.02	0
Pyraclostrobin	0.010	0.010	14	14	0	0	0.005	0.005	0.005	0.3	0
Pyrethrins	0.010	0.010	14	14	0	0	0.005	0.005	0.005	1	0
Pyridaben	0.010	0.010	14	14	0	0	0.005	0.005	0.005	0.5	0
Pyrimethanil	0.010	0.020	24	24	0	0	0.010	0.007	0.005	5	0
Pyriproxyfen	0.010	0.010	14	14	0	0	0.005	0.005	0.005	0.2	0
Quinoxifen	0.010	0.010	14	14	0	0	0.005	0.005	0.005	0.05	0
Spinosad (sum of Spinosyn A and Spinosyn D, expressed as Spinosad)	0.010	0.010	14	14	0	0	0.005	0.005	0.005	1	0
Spirodiclofen	0.010	0.010	14	14	0	0	0.005	0.005	0.005	0.8	0
Spiroxamine	0.010	0.010	14	14	0	0	0.005	0.005	0.005	0.05	0
Tebuconazole	0.010	0.010	14	12	2	0	0.024	0.008	0.005	1	0
Tebufenozide	0.010	0.010	14	14	0	0	0.005	0.005	0.005	1	0
Tebufenpyrad	0.010	0.010	14	14	0	0	0.005	0.005	0.005	0.2	0
Teflubenzuron	0.010	0.010	12	12	0	0	0.005	0.005	0.005	1	0
Tefluthrin	0.010	0.010	13	13	0	0	0.005	0.005	0.005	0.05	0
Terbutylazine	0.010	0.050	19	19	0	0	0.025	0.010	0.005	0.1	0
Tetraconazole	0.010	0.010	14	14	0	0	0.005	0.005	0.005	0.3	0

For mean and median residue level calculations when results were below limit of detection LOQ/2 was substituted
 All results expressed in mg/kg

Product=Apples Treatment=Unprocessed

Compound	Min LOQ	Max LOQ	Total	Below LOQ	Between LOQ and MRL		Max Residue Level	Mean Residue Level	Median Residue Level	MRL	Non Compliant
					Above MRL	MRL					
Tetradifon	0.010	0.020	23	23	0	0	0.010	0.007	0.005	0.01	0
Thiabendazole	0.010	0.010	14	14	0	0	0.005	0.005	0.005	5	0
Thiacloprid	0.010	0.010	14	11	3	0	0.044	0.010	0.005	0.3	0
Thiametoxam (sum of thiametoxam and clothianidin expressed as thiametoxam)	0.010	0.010	14	14	0	0	0.005	0.005	0.005	0.3	0
Thiophanate-methyl	0.010	0.010	14	14	0	0	0.005	0.005	0.005	0.5	0
Tolclofos-methyl	0.010	0.020	24	24	0	0	0.010	0.007	0.005	0.05	0
Tolyfluanid (Sum of tolyfluanid and dimethylaminosulfotoluidide expressed as tolyfluanid)	0.010	0.010	14	14	0	0	0.005	0.005	0.005	3	0
Triadimefon (sum of Triadimefon and Triadimenol)	0.010	0.010	14	14	0	0	0.005	0.005	0.005	0.2	0
Triazophos	0.010	0.020	24	24	0	0	0.010	0.007	0.005	0.01	0
Trifloxystrobin	0.010	0.010	14	14	0	0	0.005	0.005	0.005	0.5	0
Triflumuron	0.010	0.010	12	12	0	0	0.005	0.005	0.005	0.5	0
Trifluralin	0.010	0.010	13	13	0	0	0.005	0.005	0.005	0.1	0
Triticonazole	0.010	0.010	14	14	0	0	0.005	0.005	0.005	0.01	0
Vinclozolin (sum of Vinclozolin and all metabolites containing the 3,5-dichloraniline moiety, expressed as Vinclozolin)	0.010	0.050	23	23	0	0	0.025	0.014	0.005	0.05	0
Zoxamide	0.010	0.010	14	14	0	0	0.005	0.005	0.005	0.02	0
tau-Fluvalinate	0.010	0.020	23	23	0	0	0.010	0.007	0.005	0.1	0

For mean and median residue level calculations when results were below limit of detection LOQ/2 was substituted
 All results expressed in mg/kg

Product=Baby food for infants and young children Treatment=Processed

Compound	Min LOQ	Max LOQ	Total	Between LOQ and MRL		Max Residue Level	Mean Residue Level	Median Residue Level	MRL	Non Compliant	
				Below LOQ	Above MRL						
Abamectin (sum)	0.010	0.010	2	2	0	0	0.005	0.005	0.005	0.01	0
Acephate	0.010	0.010	2	2	0	0	0.005	0.005	0.005	0.01	0
Acetamiprid	0.010	0.010	2	2	0	0	0.005	0.005	0.005	0.01	0
Acrinathrin	0.010	0.010	2	2	0	0	0.005	0.005	0.005	0.01	0
Aldicarb (sum)	0.010	0.010	2	2	0	0	0.005	0.005	0.005	0.01	0
Azinphos-ethyl	0.010	0.010	2	2	0	0	0.005	0.005	0.005	0.01	0
Azinphos-methyl	0.010	0.010	2	2	0	0	0.005	0.005	0.005	0.01	0
Azoxystrobin	0.010	0.010	2	2	0	0	0.005	0.005	0.005	0.01	0
Bifenthrin	0.010	0.010	2	2	0	0	0.005	0.005	0.005	0.01	0
Bitertanol	0.010	0.010	2	2	0	0	0.005	0.005	0.005	0.01	0
Boscalid	0.010	0.010	2	2	0	0	0.005	0.005	0.005	0.01	0
Bromopropylate	0.010	0.010	2	2	0	0	0.005	0.005	0.005	0.01	0
Bromuconazole (sum)	0.010	0.010	2	2	0	0	0.005	0.005	0.005	0.01	0
Bupirimate	0.010	0.010	2	2	0	0	0.005	0.005	0.005	0.01	0
Buprofezin	0.010	0.010	2	2	0	0	0.005	0.005	0.005	0.01	0
Carbaryl	0.010	0.010	2	2	0	0	0.005	0.005	0.005	0.01	0
Carbendazim and benomyl	0.010	0.010	2	2	0	0	0.005	0.005	0.005	0.01	0
Carbofuran (sum)	0.010	0.010	2	2	0	0	0.005	0.005	0.005	0.01	0
Chlorfenapyr	0.010	0.010	2	2	0	0	0.005	0.005	0.005	0.01	0
Chlorfenvinphos	0.010	0.010	2	2	0	0	0.005	0.005	0.005	0.01	0
Chlorobenzilate	0.010	0.010	2	2	0	0	0.005	0.005	0.005	0.01	0
Chlorothalonil	0.010	0.010	2	2	0	0	0.005	0.005	0.005	0.01	0
Chlorpyrifos	0.010	0.010	2	2	0	0	0.005	0.005	0.005	0.01	0
Chlorpyrifos-methyl	0.010	0.010	2	2	0	0	0.005	0.005	0.005	0.01	0
Clothianidin	0.010	0.010	2	2	0	0	0.005	0.005	0.005	0.01	0
Cyfluthrin (sum)	0.010	0.010	2	2	0	0	0.005	0.005	0.005	0.01	0

**For mean and median residue level calculations when results were below limit of detection LOQ/2 was substituted
 All results expressed in mg/kg**

Product=Baby food for infants and young children Treatment=Processed

Compound	Min LOQ	Max LOQ	Total	Below LOQ	Between	Above MRL	Max Residue Level	Mean Residue Level	Median Residue Level	MRL	Non Compliant
					LOQ and MRL						
Cypermethrin (sum)	0.010	0.010	2	2	0	0	0.005	0.005	0.005	0.01	0
Cyproconazole	0.010	0.010	2	2	0	0	0.005	0.005	0.005	0.01	0
Cyprodinil	0.010	0.010	2	2	0	0	0.005	0.005	0.005	0.01	0
DDT (sum)	0.010	0.010	2	2	0	0	0.005	0.005	0.005	0.01	0
Deltamethrin	0.010	0.010	2	2	0	0	0.005	0.005	0.005	0.01	0
Diazinon	0.010	0.010	2	2	0	0	0.005	0.005	0.005	0.01	0
Dichlofluanid	0.010	0.010	2	2	0	0	0.005	0.005	0.005	0.01	0
Difenoconazole	0.010	0.010	2	2	0	0	0.005	0.005	0.005	0.01	0
Dimethoate (sum)	0.010	0.010	2	2	0	0	0.005	0.005	0.005	0.01	0
Dimethomorph	0.010	0.010	2	2	0	0	0.005	0.005	0.005	0.01	0
Diphenylamine	0.010	0.010	2	2	0	0	0.005	0.005	0.005	0.01	0
Endosulfan (sum)	0.010	0.010	2	2	0	0	0.005	0.005	0.005	0.01	0
Endrin	0.003	0.003	2	2	0	0	0.002	0.002	0.002	0.003	0
Epoxiconazole	0.010	0.010	2	2	0	0	0.005	0.005	0.005	0.01	0
Ethoprophos	0.002	0.002	2	2	0	0	0.001	0.001	0.001	0.008	0
Famoxadone	0.010	0.010	2	2	0	0	0.005	0.005	0.005	0.01	0
Fenarimol	0.010	0.010	2	2	0	0	0.005	0.005	0.005	0.01	0
Fenazaquin	0.010	0.010	2	2	0	0	0.005	0.005	0.005	0.01	0
Fenbuconazole	0.010	0.010	2	2	0	0	0.005	0.005	0.005	0.01	0
Fenhexamid	0.010	0.010	2	2	0	0	0.005	0.005	0.005	0.01	0
Fenitrothion	0.010	0.010	2	2	0	0	0.005	0.005	0.005	0.01	0
Fenoxycarb	0.010	0.010	2	2	0	0	0.005	0.005	0.005	0.01	0
Fenpropathrin	0.010	0.010	2	2	0	0	0.005	0.005	0.005	0.01	0
Fenpropimorph	0.010	0.010	2	2	0	0	0.005	0.005	0.005	0.01	0
Fenvalerate and Esfenvalerate (Sum of RR and SS isomers)	0.010	0.010	2	2	0	0	0.005	0.005	0.005	0.01	0
Fenvalerate and Esfenvalerate (Sum of RS and SR isomers)	0.010	0.010	2	2	0	0	0.005	0.005	0.005	0.01	0

For mean and median residue level calculations when results were below limit of detection LOQ/2 was substituted
 All results expressed in mg/kg

Product=Baby food for infants and young children Treatment=Processed

Compound	Min LOQ	Max LOQ	Total	Below LOQ	Between	Above MRL	Max Residue Level	Mean Residue Level	Median Residue Level	MRL	Non Compliant
					LOQ and MRL						
Fludioxonil	0.010	0.010	2	2	0	0	0.005	0.005	0.005	0.01	0
Flufenoxuron	0.010	0.010	2	2	0	0	0.005	0.005	0.005	0.01	0
Fluquinconazole	0.010	0.010	2	2	0	0	0.005	0.005	0.005	0.01	0
Flusilazole	0.010	0.010	2	2	0	0	0.005	0.005	0.005	0.01	0
Flutriafol	0.010	0.010	2	2	0	0	0.005	0.005	0.005	0.01	0
Heptachlor (sum of heptachlor and heptachlor epoxide expressed as heptachlor)	0.003	0.003	2	2	0	0	0.002	0.002	0.002	0.003	0
Hexachlorobenzene	0.003	0.003	2	2	0	0	0.002	0.002	0.002	0.003	0
Hexachlorocyclohexane (HCH), alpha-isomer	0.005	0.005	2	2	0	0	0.003	0.003	0.003	0.01	0
Hexachlorocyclohexane (HCH), beta-isomer	0.005	0.005	2	2	0	0	0.003	0.003	0.003	0.01	0
Hexaconazole	0.010	0.010	2	2	0	0	0.005	0.005	0.005	0.01	0
Hexythiazox	0.010	0.010	2	2	0	0	0.005	0.005	0.005	0.01	0
Imazalil	0.010	0.010	2	2	0	0	0.005	0.005	0.005	0.01	0
Imidacloprid	0.010	0.010	2	2	0	0	0.005	0.005	0.005	0.01	0
Indoxacarb as sum of the isomers S and R	0.010	0.010	2	2	0	0	0.005	0.005	0.005	0.01	0
Iprodione	0.010	0.010	2	2	0	0	0.005	0.005	0.005	0.01	0
Iprovalicarb	0.010	0.010	2	2	0	0	0.005	0.005	0.005	0.01	0
Isofenphos-methyl	0.010	0.010	2	2	0	0	0.005	0.005	0.005	0.01	0
Kresoxim-methyl	0.010	0.010	2	2	0	0	0.005	0.005	0.005	0.01	0
Lambda-Cyhalothrin	0.010	0.010	2	2	0	0	0.005	0.005	0.005	0.01	0
Lindane (Gamma-isomer of hexachlorocyclohexane (HCH))	0.010	0.010	2	2	0	0	0.005	0.005	0.005	0.01	0
Linuron	0.010	0.010	2	2	0	0	0.005	0.005	0.005	0.01	0
Lufenuron	0.010	0.010	2	2	0	0	0.005	0.005	0.005	0.01	0
Malathion (sum of malathion and malaoxon expressed as malathion)	0.010	0.010	2	2	0	0	0.005	0.005	0.005	0.01	0
Metalaxyl (Metalaxyl including other mixtures of constituent isomers including Metalaxyl-M (sum of isomers))	0.010	0.010	2	2	0	0	0.005	0.005	0.005	0.01	0
Metconazole	0.010	0.010	2	2	0	0	0.005	0.005	0.005	0.01	0

For mean and median residue level calculations when results were below limit of detection LOQ/2 was substituted
 All results expressed in mg/kg

Product=Baby food for infants and young children Treatment=Processed

Compound	Min LOQ	Max LOQ	Total	Between LOQ and MRL		Above MRL	Max Residue Level	Mean Residue Level	Median Residue Level	MRL	Non Compliant
				Below LOQ	MRL						
Methamidophos	0.010	0.010	2	2	0	0	0.005	0.005	0.005	0.01	0
Methidathion	0.010	0.010	2	2	0	0	0.005	0.005	0.005	0.01	0
Methiocarb (sum of methiocarb and methiocarb sulfoxide and sulfone, expressed as methiocarb)	0.010	0.010	2	2	0	0	0.005	0.005	0.005	0.01	0
Methomyl and thiodicarb (sum of methomyl and thiodicarb expressed as methomyl)	0.010	0.010	2	2	0	0	0.005	0.005	0.005	0.01	0
Methoxychlor	0.010	0.010	2	2	0	0	0.005	0.005	0.005	0.01	0
Methoxyfenozide	0.010	0.010	2	2	0	0	0.005	0.005	0.005	0.01	0
Monocrotophos	0.010	0.010	2	2	0	0	0.005	0.005	0.005	0.01	0
Myclobutanil	0.010	0.010	2	2	0	0	0.005	0.005	0.005	0.01	0
Oxadixyl	0.010	0.010	2	2	0	0	0.005	0.005	0.005	0.01	0
Oxamyl	0.010	0.010	2	2	0	0	0.005	0.005	0.005	0.01	0
Paclobutrazol	0.010	0.010	2	2	0	0	0.005	0.005	0.005	0.01	0
Parathion	0.010	0.010	2	2	0	0	0.005	0.005	0.005	0.01	0
Parathion-methyl (sum of Parathion-methyl and paraoxon-methyl expressed as Parathion-methyl)	0.010	0.010	2	2	0	0	0.005	0.005	0.005	0.01	0
Penconazole	0.010	0.010	2	2	0	0	0.005	0.005	0.005	0.01	0
Pendimethalin	0.010	0.010	2	2	0	0	0.005	0.005	0.005	0.01	0
Permethrin (sum of isomers)	0.010	0.010	2	2	0	0	0.005	0.005	0.005	0.01	0
Pirimicarb (sum of Pirimicarb and desmethyl pirimicarb expressed as Pirimicarb)	0.010	0.010	2	2	0	0	0.005	0.005	0.005	0.01	0
Pirimiphos-methyl	0.010	0.010	2	2	0	0	0.005	0.005	0.005	0.01	0
Procymidone	0.010	0.010	2	2	0	0	0.005	0.005	0.005	0.01	0
Profenofos	0.010	0.010	2	2	0	0	0.005	0.005	0.005	0.01	0
Propiconazole	0.010	0.010	2	2	0	0	0.005	0.005	0.005	0.01	0
Propoxur	0.010	0.010	2	2	0	0	0.005	0.005	0.005	0.01	0
Propyzamide	0.010	0.010	2	2	0	0	0.005	0.005	0.005	0.01	0
Prothiofos	0.010	0.010	2	2	0	0	0.005	0.005	0.005	0.01	0
Pyraclostrobin	0.010	0.010	2	2	0	0	0.005	0.005	0.005	0.01	0

For mean and median residue level calculations when results were below limit of detection LOQ/2 was substituted
 All results expressed in mg/kg

Product=Baby food for infants and young children Treatment=Processed

Compound	Min LOQ	Max LOQ	Total	Between LOQ		Above MRL	Max Residue Level	Mean Residue Level	Median Residue Level	MRL	Non Compliant
				Below LOQ	and MRL						
Pyrazophos	0.010	0.010	2	2	0	0	0.005	0.005	0.005	0.01	0
Pyrimethanil	0.010	0.010	2	2	0	0	0.005	0.005	0.005	0.01	0
Pyriproxyfen	0.010	0.010	2	2	0	0	0.005	0.005	0.005	0.01	0
Quinoxifen	0.010	0.010	2	2	0	0	0.005	0.005	0.005	0.01	0
Resmethrin (resmethrin including other mixtures of constituent isomers (sum of isomers))	0.010	0.010	2	2	0	0	0.005	0.005	0.005	0.01	0
Spinosad (sum of Spinosyn A and Spinosyn D, expressed as Spinosad)	0.010	0.010	2	2	0	0	0.005	0.005	0.005	0.01	0
Spiroxamine	0.010	0.010	2	2	0	0	0.005	0.005	0.005	0.01	0
Tebuconazole	0.010	0.010	2	2	0	0	0.005	0.005	0.005	0.01	0
Tebufenozide	0.010	0.010	2	2	0	0	0.005	0.005	0.005	0.01	0
Tebufenpyrad	0.010	0.010	2	2	0	0	0.005	0.005	0.005	0.01	0
Teflubenzuron	0.010	0.010	2	2	0	0	0.005	0.005	0.005	0.01	0
Tetraconazole	0.010	0.010	2	2	0	0	0.005	0.005	0.005	0.01	0
Tetradifon	0.010	0.010	2	2	0	0	0.005	0.005	0.005	0.01	0
Thiabendazole	0.010	0.010	2	2	0	0	0.005	0.005	0.005	0.01	0
Thiacloprid	0.010	0.010	2	2	0	0	0.005	0.005	0.005	0.01	0
Thiametoxam (sum of thiametoxam and clothianidin expressed as thiametoxam)	0.010	0.010	2	2	0	0	0.005	0.005	0.005	0.01	0
Thiophanate-methyl	0.010	0.010	2	2	0	0	0.005	0.005	0.005	0.01	0
Tolclofos-methyl	0.010	0.010	2	2	0	0	0.005	0.005	0.005	0.01	0
Triadimefon (sum of Triadimefon and Triadimenol)	0.010	0.010	2	2	0	0	0.005	0.005	0.005	0.01	0
Triazophos	0.010	0.010	2	2	0	0	0.005	0.005	0.005	0.01	0
Trifloxystrobin	0.010	0.010	2	2	0	0	0.005	0.005	0.005	0.01	0
Trifluralin	0.010	0.010	2	2	0	0	0.005	0.005	0.005	0.01	0
Triticonazole	0.010	0.010	2	2	0	0	0.005	0.005	0.005	0.01	0
tau-Fluvalinate	0.010	0.010	2	2	0	0	0.005	0.005	0.005	0.01	0

For mean and median residue level calculations when results were below limit of detection LOQ/2 was substituted
 All results expressed in mg/kg

Product=Dairy products Cattle Treatment=Milk pasteurisation

Compound	Min LOQ	Max LOQ	Total	Below LOQ	Between LOQ and MRL		Max Residue Level	Mean Residue Level	Median Residue Level	MRL	Non Compliant
					Above MRL	MRL					
Azinphos-ethyl	0.010	0.010	14	14	0	0	0.005	0.005	0.005	0.01	0
Bifenthrin	0.010	0.010	14	14	0	0	0.005	0.005	0.005	0.2	0
Chlorpyrifos	0.010	0.010	14	14	0	0	0.005	0.005	0.005	0.01	0
Chlorpyrifos-methyl	0.010	0.010	14	14	0	0	0.005	0.005	0.005	0.01	0
Cypermethrin (sum)	0.010	0.010	14	14	0	0	0.005	0.005	0.005	0.05	0
DDT (sum)	0.010	0.010	14	14	0	0	0.005	0.005	0.005	0.04	0
Diazinon	0.010	0.010	14	14	0	0	0.005	0.005	0.005	0.01	0
Endosulfan (sum)	0.002	0.002	14	14	0	0	0.001	0.001	0.001	0.05	0
Endrin	0.001	0.001	14	14	0	0	0.001	0.001	0.001	0.0008	0
Fenthion (sum)	0.010	0.010	14	14	0	0	0.005	0.005	0.005	0.01	0
Heptachlor (sum of heptachlor and heptachlor epoxide expressed as heptachlor)	0.002	0.002	14	14	0	0	0.001	0.001	0.001	0.004	0
Hexachlorobenzene	0.002	0.002	14	14	0	0	0.001	0.001	0.001	0.01	0
Hexachlorocyclohexane (HCH), alpha-isomer	0.001	0.001	14	14	0	0	0.001	0.001	0.001	0.004	0
Hexachlorocyclohexane (HCH), beta-isomer	0.002	0.002	14	14	0	0	0.001	0.001	0.001	0.003	0
Lindane (Gamma-isomer of hexachlorocyclohexane (HCH))	0.001	0.001	14	14	0	0	0.001	0.001	0.001	0.001	0
Methidathion	0.020	0.020	14	14	0	0	0.010	0.010	0.010	0.02	0
Parathion	0.010	0.010	14	14	0	0	0.005	0.005	0.005	0.05	0
Parathion-methyl (sum of Parathion-methyl and paraoxon-methyl expressed as Parathion-methyl)	0.010	0.010	14	14	0	0	0.005	0.005	0.005	0.02	0
Permethrin (sum of isomers)	0.010	0.010	14	14	0	0	0.005	0.005	0.005	0.05	0
Pirimiphos-methyl	0.010	0.010	14	14	0	0	0.005	0.005	0.005	0.05	0
Profenofos	0.010	0.010	14	14	0	0	0.005	0.005	0.005	0.05	0
Pyrazophos	0.010	0.010	14	14	0	0	0.005	0.005	0.005	0.02	0
Resmethrin (resmethrin including other mixtures of constituent isomers (sum of isomers))	0.010	0.010	14	14	0	0	0.005	0.005	0.005	0.1	0
Triazophos	0.010	0.010	14	14	0	0	0.005	0.005	0.005	0.01	0
tau-Fluvalinate	0.010	0.010	14	14	0	0	0.005	0.005	0.005	0.05	0

For mean and median residue level calculations when results were below limit of detection LOQ/2 was substituted
 All results expressed in mg/kg

Table B: Results of the EU co-ordinated programme

Product=Dairy products Cattle Treatment=Unprocessed

Compound	Min LOQ	Max LOQ	Total	Below LOQ	Between LOQ and MRL		Max Residue Level	Mean Residue Level	Median Residue Level	MRL	Non Compliant
					Above MRL	MRL					
Azinphos-ethyl	0.010	0.010	1	1	0	0	0.005	0.005	0.005	0.01	0
Bifenthrin	0.010	0.010	1	1	0	0	0.005	0.005	0.005	0.2	0
Chlorpyrifos	0.010	0.010	1	1	0	0	0.005	0.005	0.005	0.01	0
Chlorpyrifos-methyl	0.010	0.010	1	1	0	0	0.005	0.005	0.005	0.01	0
Cypermethrin (sum)	0.010	0.010	1	1	0	0	0.005	0.005	0.005	0.05	0
DDT (sum)	0.010	0.010	1	1	0	0	0.005	0.005	0.005	0.04	0
Diazinon	0.010	0.010	1	1	0	0	0.005	0.005	0.005	0.01	0
Endosulfan (sum)	0.002	0.002	1	1	0	0	0.001	0.001	0.001	0.05	0
Endrin	0.001	0.001	1	1	0	0	0.001	0.001	0.001	0.0008	0
Fenthion (sum)	0.010	0.010	1	1	0	0	0.005	0.005	0.005	0.01	0
Heptachlor (sum of heptachlor and heptachlor epoxide expressed as heptachlor)	0.002	0.002	1	1	0	0	0.001	0.001	0.001	0.004	0
Hexachlorobenzene	0.002	0.002	1	1	0	0	0.001	0.001	0.001	0.01	0
Hexachlorocyclohexane (HCH), alpha-isomer	0.001	0.001	1	1	0	0	0.001	0.001	0.001	0.004	0
Hexachlorocyclohexane (HCH), beta-isomer	0.002	0.002	1	1	0	0	0.001	0.001	0.001	0.003	0
Lindane (Gamma-isomer of hexachlorocyclohexane (HCH))	0.001	0.001	1	1	0	0	0.001	0.001	0.001	0.001	0
Methidathion	0.020	0.020	1	1	0	0	0.010	0.010	0.010	0.02	0
Parathion	0.010	0.010	1	1	0	0	0.005	0.005	0.005	0.05	0
Parathion-methyl (sum of Parathion-methyl and paraoxon-methyl expressed as Parathion-methyl)	0.010	0.010	1	1	0	0	0.005	0.005	0.005	0.02	0
Permethrin (sum of isomers)	0.010	0.010	1	1	0	0	0.005	0.005	0.005	0.05	0
Pirimiphos-methyl	0.010	0.010	1	1	0	0	0.005	0.005	0.005	0.05	0
Profenofos	0.010	0.010	1	1	0	0	0.005	0.005	0.005	0.05	0
Pyrazophos	0.010	0.010	1	1	0	0	0.005	0.005	0.005	0.02	0
Resmethrin (resmethrin including other mixtures of constituent isomers (sum of isomers))	0.010	0.010	1	1	0	0	0.005	0.005	0.005	0.1	0
Triazophos	0.010	0.010	1	1	0	0	0.005	0.005	0.005	0.01	0
tau-Fluvalinate	0.010	0.010	1	1	0	0	0.005	0.005	0.005	0.05	0

For mean and median residue level calculations when results were below limit of detection LOQ/2 was substituted

All results expressed in mg/kg

Table B: Results of the EU co-ordinated programme

Product=Head cabbage Treatment=Unprocessed

Compound	Min LOQ	Max LOQ	Total	Between LOQ and MRL		Above MRL	Max Residue Level	Mean Residue Level	Median Residue Level	MRL	Non Compliant
				Below LOQ							
Abamectin (sum)	0.010	0.010	12	12	0	0	0.005	0.005	0.005	0.01	0
Acephate	0.010	0.010	12	12	0	0	0.005	0.005	0.005	0.02	0
Acetamiprid	0.010	0.010	12	12	0	0	0.005	0.005	0.005	0.6	0
Acrinathrin	0.010	0.010	12	12	0	0	0.005	0.005	0.005	0.05	0
Aldicarb (sum)	0.010	0.010	12	12	0	0	0.005	0.005	0.005	0.02	0
Azinphos-methyl	0.010	0.010	12	12	0	0	0.005	0.005	0.005	0.05	0
Azoxystrobin	0.010	0.010	12	12	0	0	0.005	0.005	0.005	5	0
Benfuracarb	0.010	0.010	12	12	0	0	0.005	0.005	0.005	0.05	0
Bifenthrin	0.010	0.010	12	12	0	0	0.005	0.005	0.005	1	0
Bitertanol	0.010	0.100	12	12	0	0	0.050	0.043	0.050	0.05	0
Boscalid	0.010	0.010	12	12	0	0	0.005	0.005	0.005	5	0
Bromopropylate	0.050	0.050	12	12	0	0	0.025	0.025	0.025	0.01	0
Bromuconazole (sum)	0.010	0.010	12	12	0	0	0.005	0.005	0.005	0.05	0
Bupirimate	0.010	0.010	12	12	0	0	0.005	0.005	0.005	0.05	0
Buprofezin	0.010	0.010	12	12	0	0	0.005	0.005	0.005	0.05	0
Captan	0.010	0.010	12	12	0	0	0.005	0.005	0.005	0.02	0
Carbaryl	0.010	0.010	12	12	0	0	0.005	0.005	0.005	0.05	0
Carbendazim and benomyl	0.010	0.010	12	12	0	0	0.005	0.005	0.005	0.1	0
Carbofuran (sum)	0.010	0.010	12	12	0	0	0.005	0.005	0.005	0.02	0
Carbosulfan	0.010	0.010	12	12	0	0	0.005	0.005	0.005	0.05	0
Chlorfenapyr	0.020	0.020	12	12	0	0	0.010	0.010	0.010	0.05	0
Chlorfenvinphos	0.010	0.010	12	12	0	0	0.005	0.005	0.005	0.02	0
Chlorothalonil	0.010	0.010	12	12	0	0	0.005	0.005	0.005	3	0
Chlorpropham (sum)	0.010	0.010	12	12	0	0	0.005	0.005	0.005	0.05	0
Chlorpyrifos	0.010	0.010	12	12	0	0	0.005	0.005	0.005	1	0
Chlorpyrifos-methyl	0.010	0.010	12	12	0	0	0.005	0.005	0.005	0.05	0

**For mean and median residue level calculations when results were below limit of detection LOQ/2 was substituted
All results expressed in mg/kg**

Table B: Results of the EU co-ordinated programme

Product=Head cabbage Treatment=Unprocessed

Compound	Min LOQ	Max LOQ	Total	Between LOQ		Max Residue Level	Mean Residue Level	Median Residue Level	MRL	Non Compliant	
				Below LOQ	Above MRL						
Clofentezine	0.010	0.010	12	12	0	0	0.005	0.005	0.005	0.02	0
Clothianidin	0.010	0.010	12	12	0	0	0.005	0.005	0.005	0.02	0
Cyfluthrin (sum)	0.020	0.020	12	12	0	0	0.010	0.010	0.010	0.3	0
Cymoxanil	0.010	0.010	12	12	0	0	0.005	0.005	0.005	0.05	0
Cypermethrin (sum)	0.010	0.010	12	12	0	0	0.005	0.005	0.005	1	0
Cyproconazole	0.010	0.010	12	12	0	0	0.005	0.005	0.005	0.05	0
Cyprodinil	0.010	0.010	12	12	0	0	0.005	0.005	0.005	0.05	0
Cyromazine	0.010	0.010	12	12	0	0	0.005	0.005	0.005	0.05	0
Deltamethrin	0.010	0.010	12	12	0	0	0.005	0.005	0.005	0.1	0
Diazinon	0.010	0.010	12	12	0	0	0.005	0.005	0.005	0.5	0
Dichlofluanid	0.010	0.010	12	12	0	0	0.005	0.005	0.005	0.01	0
Dichlorvos	0.010	0.010	12	12	0	0	0.005	0.005	0.005	0.01	0
Dicloran	0.010	0.010	12	12	0	0	0.005	0.005	0.005	0.1	0
Dicofol (sum)	0.050	0.050	12	12	0	0	0.025	0.025	0.025	0.02	0
Dicrotophos	0.050	0.050	12	12	0	0	0.025	0.025	0.025	0.01	0
Diethofencarb	0.010	0.010	12	12	0	0	0.005	0.005	0.005	0.05	0
Difenoconazole	0.010	0.010	12	12	0	0	0.005	0.005	0.005	0.2	0
Diflubenzuron	0.010	0.010	12	12	0	0	0.005	0.005	0.005	1	0
Dimethoate (sum)	0.010	0.010	12	12	0	0	0.005	0.005	0.005	0.02	0
Dimethomorph	0.010	0.010	12	12	0	0	0.005	0.005	0.005	0.05	0
Diniconazole	0.010	0.010	12	12	0	0	0.005	0.005	0.005	0.05	0
Diphenylamine	0.100	0.100	12	12	0	0	0.050	0.050	0.050	0.05	0
Dithiocarbamates	0.100	0.100	9	9	0	0	0.050	0.050	0.050	3	0
EPN	0.010	0.010	12	12	0	0	0.005	0.005	0.005	0.01	0
Endosulfan (sum)	0.005	0.005	12	12	0	0	0.003	0.003	0.003	0.05	0
Epoxiconazole	0.010	0.010	12	12	0	0	0.005	0.005	0.005	0.2	0

For mean and median residue level calculations when results were below limit of detection LOQ/2 was substituted
All results expressed in mg/kg

Product=Head cabbage Treatment=Unprocessed

Compound	Min LOQ	Max LOQ	Total	Between LOQ and MRL		Above MRL	Max Residue Level	Mean Residue Level	Median Residue Level	MRL	Non Compliant
				Below LOQ	MRL						
Ethion	0.010	0.010	12	12	0	0	0.005	0.005	0.005	0.01	0
Ethirimol	0.010	0.010	12	12	0	0	0.005	0.005	0.005	0.05	0
Ethoprophos	0.010	0.010	12	12	0	0	0.005	0.005	0.005	0.02	0
Etofenprox	0.010	0.010	12	12	0	0	0.005	0.005	0.005	2	0
Famoxadone	0.010	0.010	12	12	0	0	0.005	0.005	0.005	0.02	0
Fenamidone	0.010	0.010	12	12	0	0	0.005	0.005	0.005	0.02	0
Fenamiphos (sum)	0.010	0.010	12	12	0	0	0.005	0.005	0.005	0.02	0
Fenarimol	0.010	0.010	12	12	0	0	0.005	0.005	0.005	0.02	0
Fenazaquin	0.010	0.010	12	12	0	0	0.005	0.005	0.005	0.01	0
Fenbuconazole	0.010	0.010	12	12	0	0	0.005	0.005	0.005	0.05	0
Fenhexamid	0.010	0.010	12	12	0	0	0.005	0.005	0.005	0.05	0
Fenitrothion	0.010	0.010	12	12	0	0	0.005	0.005	0.005	0.01	0
Fenoxycarb	0.010	0.010	12	12	0	0	0.005	0.005	0.005	0.05	0
Fenpropathrin	0.010	0.010	12	12	0	0	0.005	0.005	0.005	0.01	0
Fenpropimorph	0.010	0.010	12	12	0	0	0.005	0.005	0.005	0.05	0
Fenpyroximate	0.010	0.010	12	12	0	0	0.005	0.005	0.005	0.05	0
Fenthion (sum)	0.010	0.010	12	12	0	0	0.005	0.005	0.005	0.01	0
Fenvalerate and Esfenvalerate (Sum of RR and SS isomers)	0.010	0.010	12	12	0	0	0.005	0.005	0.005	0.1	0
Fenvalerate and Esfenvalerate (Sum of RS and SR isomers)	0.010	0.010	12	12	0	0	0.005	0.005	0.005	0.02	0
Fipronil (sum)	0.010	0.010	10	10	0	0	0.005	0.005	0.005	0.02	0
Fluazifop-P-butyl (sum)	0.050	0.050	10	10	0	0	0.025	0.025	0.025	0.3	0
Fludioxonil	0.010	0.010	10	10	0	0	0.005	0.005	0.005	0.05	0
Flufenoxuron	0.010	0.010	12	12	0	0	0.005	0.005	0.005	0.05	0
Fluquinconazole	0.010	0.010	12	12	0	0	0.005	0.005	0.005	0.05	0
Flusilazole	0.010	0.010	12	12	0	0	0.005	0.005	0.005	0.02	0
Flutriafol	0.010	0.010	12	12	0	0	0.005	0.005	0.005	0.05	0

For mean and median residue level calculations when results were below limit of detection LOQ/2 was substituted
 All results expressed in mg/kg

Table B: Results of the EU co-ordinated programme

Product=Head cabbage Treatment=Unprocessed

Compound	Min LOQ	Max LOQ	Total	Between LOQ		Above MRL	Max Residue Level	Mean Residue Level	Median Residue Level	MRL	Non Compliant
				Below LOQ	and MRL						
Folpet	0.010	0.010	12	12	0	0	0.005	0.005	0.005	0.02	0
Formetanate	0.010	0.010	12	12	0	0	0.005	0.005	0.005	0.05	0
Fosthiazate	0.010	0.010	12	12	0	0	0.005	0.005	0.005	0.02	0
Haloxypop including haloxypop-R	0.050	0.050	10	10	0	0	0.025	0.025	0.025	0.05	0
Hexaconazole	0.010	0.010	12	12	0	0	0.005	0.005	0.005	0.02	0
Hexythiazox	0.010	0.010	12	12	0	0	0.005	0.005	0.005	2	0
Imazalil	0.020	0.020	12	12	0	0	0.010	0.010	0.010	0.05	0
Imidacloprid	0.010	0.010	12	12	0	0	0.005	0.005	0.005	0.5	0
Indoxacarb as sum of the isomers S and R	0.010	0.010	12	12	0	0	0.005	0.005	0.005	3	0
Iprodione	0.010	0.010	12	12	0	0	0.005	0.005	0.005	5	0
Iprovalicarb	0.010	0.010	12	12	0	0	0.005	0.005	0.005	0.05	0
Isofenphos-methyl	0.010	0.010	12	12	0	0	0.005	0.005	0.005	0.01	0
Kresoxim-methyl	0.010	0.010	12	12	0	0	0.005	0.005	0.005	0.05	0
Lambda-Cyhalothrin	0.010	0.010	12	12	0	0	0.005	0.005	0.005	0.2	0
Linuron	0.010	0.010	12	12	0	0	0.005	0.005	0.005	0.05	0
Lufenuron	0.010	0.010	12	12	0	0	0.005	0.005	0.005	0.5	0
Malathion (sum of malathion and malaoxon expressed as malathion)	0.010	0.010	12	12	0	0	0.005	0.005	0.005	0.02	0
Mepanipyrim (Mepanipyrim and its metabolite (2-anilino-4-(2-hydroxypropyl)-6-methylpyrimidine) expressed as mepanipyrim)	0.010	0.010	12	12	0	0	0.005	0.005	0.005	0.01	0
Metalaxyl (Metalaxyl including other mixtures of constituent isomers including Metalaxyl-M (sum of isomers))	0.010	0.010	12	12	0	0	0.005	0.005	0.005	1	0
Metconazole	0.010	0.010	12	12	0	0	0.005	0.005	0.005	0.02	0
Methamidophos	0.010	0.010	12	12	0	0	0.005	0.005	0.005	0.01	0
Methidathion	0.020	0.020	12	12	0	0	0.010	0.010	0.010	0.02	0
Methiocarb (sum of methiocarb and methiocarb sulfoxide and sulfone, expressed as methiocarb)	0.010	0.010	12	12	0	0	0.005	0.005	0.005	0.1	0
Methomyl and thiodicarb (sum of methomyl and thiodicarb expressed as methomyl)	0.010	0.010	12	12	0	0	0.005	0.005	0.005	0.02	0

*For mean and median residue level calculations when results were below limit of detection LOQ/2 was substituted
All results expressed in mg/kg*

Table B: Results of the EU co-ordinated programme

Product=Head cabbage Treatment=Unprocessed

Compound	Min LOQ	Max LOQ	Total	Below LOQ	Between LOQ and MRL		Max Residue Level	Mean Residue Level	Median Residue Level	MRL	Non Compliant
					Above MRL						
Methoxychlor	0.010	0.010	12	12	0	0	0.005	0.005	0.005	0.01	0
Methoxyfenozide	0.010	0.010	12	12	0	0	0.005	0.005	0.005	0.02	0
Metobromuron	0.010	0.010	12	12	0	0	0.005	0.005	0.005	0.01	0
Monocrotophos	0.010	0.010	12	12	0	0	0.005	0.005	0.005	0.01	0
Myclobutanil	0.010	0.010	12	12	0	0	0.005	0.005	0.005	0.02	0
Nitenpyram	0.050	0.050	12	12	0	0	0.025	0.025	0.025	0.01	0
Oxadixyl	0.010	0.010	12	12	0	0	0.005	0.005	0.005	0.01	0
Oxamyl	0.010	0.010	12	12	0	0	0.005	0.005	0.005	0.01	0
Oxydemeton-methyl (sum of oxydemeton-methyl and demeton-S-methylsulfone expressed as oxydemeton-methyl)	0.010	0.010	12	12	0	0	0.005	0.005	0.005	0.01	0
Paclobutrazol	0.010	0.010	12	12	0	0	0.005	0.005	0.005	0.02	0
Parathion	0.010	0.010	12	12	0	0	0.005	0.005	0.005	0.05	0
Parathion-methyl (sum of Parathion-methyl and paraoxon-methyl expressed as Parathion-methyl)	0.020	0.020	12	12	0	0	0.010	0.010	0.010	0.02	0
Penconazole	0.010	0.010	12	12	0	0	0.005	0.005	0.005	0.05	0
Pencycuron	0.010	0.010	12	12	0	0	0.005	0.005	0.005	0.05	0
Pendimethalin	0.010	0.010	12	12	0	0	0.005	0.005	0.005	0.05	0
Phenthoate	0.020	0.020	12	12	0	0	0.010	0.010	0.010	0.01	0
Phosalone	0.010	0.010	12	12	0	0	0.005	0.005	0.005	0.05	0
Phosmet (phosmet and phosmet oxon expressed as phosmet)	0.010	0.010	12	12	0	0	0.005	0.005	0.005	0.05	0
Phoxim	0.010	0.010	12	12	0	0	0.005	0.005	0.005	0.01	0
Pirimicarb (sum of Pirimicarb and desmethyl pirimicarb expressed as Pirimicarb)	0.010	0.010	12	12	0	0	0.005	0.005	0.005	1	0
Pirimiphos-methyl	0.010	0.010	12	12	0	0	0.005	0.005	0.005	0.05	0
Prochloraz (sum of prochloraz and its metabolites containing the 2,4,6-Trichlorophenol moiety expressed as prochloraz)	0.010	0.010	12	12	0	0	0.005	0.005	0.005	0.05	0
Procymidone	0.010	0.010	12	12	0	0	0.005	0.005	0.005	0.02	0
Profenofos	0.010	0.010	12	12	0	0	0.005	0.005	0.005	0.05	0

For mean and median residue level calculations when results were below limit of detection LOQ/2 was substituted
All results expressed in mg/kg

Table B: Results of the EU co-ordinated programme

Product=Head cabbage Treatment=Unprocessed

Compound	Min LOQ	Max LOQ	Total	Between LOQ		Above MRL	Max Residue Level	Mean Residue Level	Median Residue Level	MRL	Non Compliant
				Below LOQ	and MRL						
Propamocarb (sum of propamocarb and its salt expressed as propamocarb)	0.010	0.010	12	12	0	0	0.005	0.005	0.005	10	0
Propargite	0.010	0.010	12	12	0	0	0.005	0.005	0.005	0.01	0
Propiconazole	0.010	0.010	12	12	0	0	0.005	0.005	0.005	0.05	0
Propyzamide	0.010	0.010	12	12	0	0	0.005	0.005	0.005	0.02	0
Prothioconazole (prothioconazole-desthio)	0.010	0.010	10	10	0	0	0.005	0.005	0.005	0.1	0
Prothiofos	0.010	0.010	12	12	0	0	0.005	0.005	0.005	0.01	0
Pymetrozine	0.010	0.010	12	12	0	0	0.005	0.005	0.005	0.05	0
Pyraclostrobin	0.010	0.010	12	12	0	0	0.005	0.005	0.005	0.2	0
Pyrethrins	0.010	0.010	12	12	0	0	0.005	0.005	0.005	1	0
Pyridaben	0.010	0.010	12	12	0	0	0.005	0.005	0.005	0.05	0
Pyrimethanil	0.010	0.010	12	12	0	0	0.005	0.005	0.005	0.05	0
Pyriproxyfen	0.010	0.010	12	12	0	0	0.005	0.005	0.005	0.05	0
Quinoxifen	0.010	0.010	12	12	0	0	0.005	0.005	0.005	0.02	0
Spinosad (sum of Spinosyn A and Spinosyn D, expressed as Spinosad)	0.010	0.010	12	12	0	0	0.005	0.005	0.005	2	0
Spirodiclofen	0.010	0.010	12	12	0	0	0.005	0.005	0.005	0.02	0
Spiroxamine	0.010	0.010	12	12	0	0	0.005	0.005	0.005	0.05	0
Tebuconazole	0.010	0.010	12	12	0	0	0.005	0.005	0.005	1	0
Tebufenozide	0.010	0.010	12	12	0	0	0.005	0.005	0.005	5	0
Tebufenpyrad	0.010	0.010	12	12	0	0	0.005	0.005	0.005	0.05	0
Teflubenzuron	0.010	0.010	10	10	0	0	0.005	0.005	0.005	0.5	0
Tefluthrin	0.010	0.010	12	12	0	0	0.005	0.005	0.005	0.05	0
Terbutylazine	0.010	0.010	12	12	0	0	0.005	0.005	0.005	0.05	0
Tetraconazole	0.010	0.010	12	12	0	0	0.005	0.005	0.005	0.02	0
Tetradifon	0.010	0.010	12	12	0	0	0.005	0.005	0.005	0.01	0
Thiabendazole	0.010	0.010	12	12	0	0	0.005	0.005	0.005	0.05	0
Thiacloprid	0.010	0.010	12	12	0	0	0.005	0.005	0.005	0.2	0

For mean and median residue level calculations when results were below limit of detection LOQ/2 was substituted

All results expressed in mg/kg

Product=Head cabbage Treatment=Unprocessed

Compound	Min LOQ	Max LOQ	Total	Below LOQ	Between LOQ and MRL		Max Residue Level	Mean Residue Level	Median Residue Level	MRL	Non Compliant
					Above MRL						
Thiametoxam (sum of thiametoxam and clothianidin expressed as thiametoxam)	0.010	0.010	12	12	0	0	0.005	0.005	0.005	5	0
Thiophanate-methyl	0.010	0.010	12	12	0	0	0.005	0.005	0.005	0.1	0
Tolclofos-methyl	0.010	0.010	12	12	0	0	0.005	0.005	0.005	0.5	0
Tolyfluanid (Sum of tolyfluanid and dimethylaminosulfotoluidide expressed as tolyfluanid)	0.010	0.010	12	12	0	0	0.005	0.005	0.005	0.05	0
Triadimefon (sum of Triadimefon and Triadimenol)	0.010	0.010	12	12	0	0	0.005	0.005	0.005	0.1	0
Triazophos	0.010	0.010	12	12	0	0	0.005	0.005	0.005	0.01	0
Trifloxystrobin	0.010	0.010	12	12	0	0	0.005	0.005	0.005	0.3	0
Triflumuron	0.010	0.010	10	10	0	0	0.005	0.005	0.005	0.2	0
Trifluralin	0.010	0.010	12	12	0	0	0.005	0.005	0.005	0.5	0
Triticonazole	0.010	0.010	12	12	0	0	0.005	0.005	0.005	0.01	0
Vinclozolin (sum of Vinclozolin and all metabolites containing the 3,5-dichloraniline moiety, expressed as Vinclozolin)	0.010	0.010	12	12	0	0	0.005	0.005	0.005	0.05	0
Zoxamide	0.010	0.010	12	12	0	0	0.005	0.005	0.005	0.02	0
tau-Fluvalinate	0.010	0.010	12	12	0	0	0.005	0.005	0.005	0.2	0

For mean and median residue level calculations when results were below limit of detection LOQ/2 was substituted
 All results expressed in mg/kg

Product=Leek Treatment=Unprocessed

Compound	Min LOQ	Max LOQ	Total	Between LOQ and MRL		Above MRL	Max Residue Level	Mean Residue Level	Median Residue Level	MRL	Non Compliant
				Below LOQ							
Abamectin (sum)	0.010	0.010	12	12	0	0	0.005	0.005	0.005	0.01	0
Acephate	0.010	0.010	12	12	0	0	0.005	0.005	0.005	0.02	0
Acetamiprid	0.010	0.010	12	12	0	0	0.005	0.005	0.005	0.01	0
Acrinathrin	0.010	0.010	12	12	0	0	0.005	0.005	0.005	0.05	0
Aldicarb (sum)	0.010	0.010	12	12	0	0	0.005	0.005	0.005	0.02	0
Azinphos-methyl	0.010	0.010	12	12	0	0	0.005	0.005	0.005	0.05	0
Azoxystrobin	0.010	0.010	12	12	0	0	0.005	0.005	0.005	10	0
Benfuracarb	0.010	0.010	12	12	0	0	0.005	0.005	0.005	0.05	0
Bifenthrin	0.010	0.010	12	12	0	0	0.005	0.005	0.005	0.05	0
Bitertanol	0.010	0.100	12	12	0	0	0.050	0.028	0.028	0.05	0
Boscalid	0.010	0.010	12	12	0	0	0.005	0.005	0.005	5	0
Bromopropylate	0.050	0.050	12	12	0	0	0.025	0.025	0.025	0.01	0
Bromuconazole (sum)	0.010	0.010	12	12	0	0	0.005	0.005	0.005	0.05	0
Bupirimate	0.010	0.010	12	12	0	0	0.005	0.005	0.005	0.05	0
Buprofezin	0.010	0.010	12	12	0	0	0.005	0.005	0.005	0.05	0
Captan	0.010	0.010	12	12	0	0	0.005	0.005	0.005	2	0
Carbaryl	0.010	0.010	12	12	0	0	0.005	0.005	0.005	0.05	0
Carbendazim and benomyl	0.010	0.010	12	12	0	0	0.005	0.005	0.005	0.1	0
Carbofuran (sum)	0.010	0.010	12	12	0	0	0.005	0.005	0.005	0.02	0
Carbosulfan	0.010	0.010	12	12	0	0	0.005	0.005	0.005	0.05	0
Chlorfenapyr	0.020	0.020	12	12	0	0	0.010	0.010	0.010	0.05	0
Chlorfenvinphos	0.010	0.010	12	12	0	0	0.005	0.005	0.005	0.02	0
Chlorothalonil	0.010	0.010	12	12	0	0	0.005	0.005	0.005	40	0
Chlorpropham (sum)	0.010	0.010	12	12	0	0	0.005	0.005	0.005	0.05	0
Chlorpyrifos	0.010	0.010	12	12	0	0	0.005	0.005	0.005	0.5	0
Chlorpyrifos-methyl	0.010	0.010	12	12	0	0	0.005	0.005	0.005	0.05	0

**For mean and median residue level calculations when results were below limit of detection LOQ/2 was substituted
 All results expressed in mg/kg**

Product=Leek Treatment=Unprocessed

Compound	Min LOQ	Max LOQ	Total	Between LOQ		Above MRL	Max Residue Level	Mean Residue Level	Median Residue Level	MRL	Non Compliant
				Below LOQ	and MRL						
Clofentezine	0.010	0.010	12	12	0	0	0.005	0.005	0.005	0.02	0
Clothianidin	0.010	0.010	12	12	0	0	0.005	0.005	0.005	0.02	0
Cyfluthrin (sum)	0.020	0.020	12	12	0	0	0.010	0.010	0.010	0.02	0
Cymoxanil	0.010	0.010	12	12	0	0	0.005	0.005	0.005	0.05	0
Cypermethrin (sum)	0.010	0.010	12	12	0	0	0.005	0.005	0.005	0.5	0
Cyproconazole	0.010	0.010	12	12	0	0	0.005	0.005	0.005	0.05	0
Cyprodinil	0.010	0.010	12	12	0	0	0.005	0.005	0.005	0.05	0
Cyromazine	0.010	0.010	12	12	0	0	0.005	0.005	0.005	0.05	0
Deltamethrin	0.010	0.010	12	12	0	0	0.005	0.005	0.005	0.2	0
Diazinon	0.010	0.010	12	12	0	0	0.005	0.005	0.005	0.01	0
Dichlofluanid	0.010	0.010	12	12	0	0	0.005	0.005	0.005	0.01	0
Dichlorvos	0.010	0.010	12	12	0	0	0.005	0.005	0.005	0.01	0
Dicloran	0.010	0.010	12	12	0	0	0.005	0.005	0.005	0.1	0
Dicofol (sum)	0.050	0.050	12	12	0	0	0.025	0.025	0.025	0.02	0
Dicrotophos	0.050	0.050	12	12	0	0	0.025	0.025	0.025	0.01	0
Diethofencarb	0.010	0.010	12	12	0	0	0.005	0.005	0.005	0.05	0
Difenoconazole	0.010	0.010	12	12	0	0	0.005	0.005	0.005	0.5	0
Diflubenzuron	0.010	0.010	12	12	0	0	0.005	0.005	0.005	0.05	0
Dimethoate (sum)	0.010	0.010	12	12	0	0	0.005	0.005	0.005	0.02	0
Dimethomorph	0.010	0.010	12	12	0	0	0.005	0.005	0.005	1.5	0
Diniconazole	0.010	0.010	12	12	0	0	0.005	0.005	0.005	0.05	0
Diphenylamine	0.100	0.100	12	12	0	0	0.050	0.050	0.050	0.05	0
EPN	0.010	0.010	12	12	0	0	0.005	0.005	0.005	0.01	0
Endosulfan (sum)	0.005	0.005	12	12	0	0	0.003	0.003	0.003	0.05	0
Epoxiconazole	0.010	0.010	12	12	0	0	0.005	0.005	0.005	0.05	0
Ethion	0.010	0.010	12	12	0	0	0.005	0.005	0.005	0.01	0

For mean and median residue level calculations when results were below limit of detection LOQ/2 was substituted
 All results expressed in mg/kg

Product=Leek Treatment=Unprocessed

Compound	Min LOQ	Max LOQ	Total	Between LOQ and MRL		Above MRL	Max Residue Level	Mean Residue Level	Median Residue Level	MRL	Non Compliant
				Below LOQ	MRL						
Ethirimol	0.010	0.010	12	12	0	0	0.005	0.005	0.005	0.05	0
Ethoprophos	0.010	0.010	12	12	0	0	0.005	0.005	0.005	0.02	0
Etofenprox	0.010	0.010	12	12	0	0	0.005	0.005	0.005	0.01	0
Famoxadone	0.010	0.010	12	12	0	0	0.005	0.005	0.005	2	0
Fenamidone	0.010	0.010	12	12	0	0	0.005	0.005	0.005	0.02	0
Fenamiphos (sum)	0.010	0.010	12	12	0	0	0.005	0.005	0.005	0.02	0
Fenarimol	0.010	0.010	12	12	0	0	0.005	0.005	0.005	0.02	0
Fenazaquin	0.010	0.010	12	12	0	0	0.005	0.005	0.005	0.01	0
Fenbuconazole	0.010	0.010	12	12	0	0	0.005	0.005	0.005	0.05	0
Fenhexamid	0.010	0.010	12	12	0	0	0.005	0.005	0.005	0.05	0
Fenitrothion	0.010	0.010	12	12	0	0	0.005	0.005	0.005	0.01	0
Fenoxycarb	0.010	0.010	12	12	0	0	0.005	0.005	0.005	0.05	0
Fenpropathrin	0.010	0.010	12	12	0	0	0.005	0.005	0.005	0.01	0
Fenpropimorph	0.010	0.010	12	12	0	0	0.005	0.005	0.005	1	0
Fenpyroximate	0.010	0.010	12	12	0	0	0.005	0.005	0.005	0.05	0
Fenthion (sum)	0.010	0.010	12	12	0	0	0.005	0.005	0.005	0.01	0
Fenvalerate and Esfenvalerate (Sum of RR and SS isomers)	0.010	0.010	12	12	0	0	0.005	0.005	0.005	0.02	0
Fenvalerate and Esfenvalerate (Sum of RS and SR isomers)	0.010	0.010	12	12	0	0	0.005	0.005	0.005	0.02	0
Fipronil (sum)	0.010	0.010	7	7	0	0	0.005	0.005	0.005	0.01	0
Fludioxonil	0.010	0.010	7	7	0	0	0.005	0.005	0.005	0.05	0
Flufenoxuron	0.010	0.010	12	12	0	0	0.005	0.005	0.005	0.05	0
Fluquinconazole	0.010	0.010	12	12	0	0	0.005	0.005	0.005	0.05	0
Flusilazole	0.010	0.010	12	12	0	0	0.005	0.005	0.005	0.02	0
Flutriafol	0.010	0.010	12	12	0	0	0.005	0.005	0.005	0.05	0
Folpet	0.010	0.010	12	12	0	0	0.005	0.005	0.005	0.02	0
Formetanate	0.010	0.010	12	12	0	0	0.005	0.005	0.005	0.05	0

For mean and median residue level calculations when results were below limit of detection LOQ/2 was substituted
 All results expressed in mg/kg

Product=Leek Treatment=Unprocessed

Compound	Min LOQ	Max LOQ	Total	Between LOQ and MRL		Above MRL	Max Residue Level	Mean Residue Level	Median Residue Level	MRL	Non Compliant
				Below LOQ	MRL						
Fosthiazate	0.010	0.010	12	12	0	0	0.005	0.005	0.005	0.02	0
Hexaconazole	0.010	0.010	12	12	0	0	0.005	0.005	0.005	0.02	0
Hexythiazox	0.010	0.010	12	12	0	0	0.005	0.005	0.005	0.5	0
Imazalil	0.020	0.020	12	12	0	0	0.010	0.010	0.010	0.05	0
Imidacloprid	0.010	0.010	12	12	0	0	0.005	0.005	0.005	0.05	0
Indoxacarb as sum of the isomers S and R	0.010	0.010	12	12	0	0	0.005	0.005	0.005	0.02	0
Iprodione	0.010	0.010	12	12	0	0	0.005	0.005	0.005	0.02	0
Iprovalicarb	0.010	0.010	12	12	0	0	0.005	0.005	0.005	0.05	0
Isofenphos-methyl	0.010	0.010	12	12	0	0	0.005	0.005	0.005	0.01	0
Kresoxim-methyl	0.010	0.010	12	12	0	0	0.005	0.005	0.005	5	0
Lambda-Cyhalothrin	0.010	0.010	12	12	0	0	0.005	0.005	0.005	0.3	0
Linuron	0.010	0.010	12	12	0	0	0.005	0.005	0.005	0.05	0
Lufenuron	0.010	0.010	12	12	0	0	0.005	0.005	0.005	0.05	0
Malathion (sum of malathion and malaoxon expressed as malathion)	0.010	0.010	12	12	0	0	0.005	0.005	0.005	0.02	0
Mepanipyrim (Mepanipyrim and its metabolite (2-anilino-4-(2-hydroxypropyl)-6-methylpyrimidine) expressed as mepanipyrim)	0.010	0.010	12	12	0	0	0.005	0.005	0.005	0.01	0
Metalaxyl (Metalaxyl including other mixtures of constituent isomers including Metalaxyl-M (sum of isomers))	0.010	0.010	12	12	0	0	0.005	0.005	0.005	0.2	0
Metconazole	0.010	0.010	12	12	0	0	0.005	0.005	0.005	0.02	0
Methamidophos	0.010	0.010	12	12	0	0	0.005	0.005	0.005	0.01	0
Methidathion	0.020	0.020	12	12	0	0	0.010	0.010	0.010	0.02	0
Methiocarb (sum of methiocarb and methiocarb sulfoxide and sulfone, expressed as methiocarb)	0.010	0.010	12	12	0	0	0.005	0.005	0.005	0.2	0
Methomyl and thiodicarb (sum of methomyl and thiodicarb expressed as methomyl)	0.010	0.010	12	12	0	0	0.005	0.005	0.005	0.02	0
Methoxychlor	0.010	0.010	12	12	0	0	0.005	0.005	0.005	0.01	0
Methoxyfenozide	0.010	0.010	12	12	0	0	0.005	0.005	0.005	0.02	0
Metobromuron	0.010	0.010	12	12	0	0	0.005	0.005	0.005	0.01	0

For mean and median residue level calculations when results were below limit of detection LOQ/2 was substituted
 All results expressed in mg/kg

Product=Leek Treatment=Unprocessed

Compound	Min LOQ	Max LOQ	Total	Between LOQ and MRL		Above MRL	Max Residue Level	Mean Residue Level	Median Residue Level	MRL	Non Compliant
				Below LOQ	MRL						
Monocrotophos	0.010	0.010	12	12	0	0	0.005	0.005	0.005	0.01	0
Myclobutanil	0.010	0.010	12	12	0	0	0.005	0.005	0.005	0.02	0
Nitenpyram	0.050	0.050	12	12	0	0	0.025	0.025	0.025	0.01	0
Oxadixyl	0.010	0.010	12	12	0	0	0.005	0.005	0.005	0.07	0
Oxamyl	0.010	0.010	12	12	0	0	0.005	0.005	0.005	0.01	0
Oxydemeton-methyl (sum of oxydemeton-methyl and demeton-S-methylsulfone expressed as oxydemeton-methyl)	0.010	0.010	12	12	0	0	0.005	0.005	0.005	0.01	0
Paclobutrazol	0.010	0.010	12	12	0	0	0.005	0.005	0.005	0.02	0
Parathion	0.010	0.010	12	12	0	0	0.005	0.005	0.005	0.05	0
Parathion-methyl (sum of Parathion-methyl and paraoxon-methyl expressed as Parathion-methyl)	0.020	0.020	12	12	0	0	0.010	0.010	0.010	0.02	0
Penconazole	0.010	0.010	12	12	0	0	0.005	0.005	0.005	0.05	0
Pencycuron	0.010	0.010	12	12	0	0	0.005	0.005	0.005	0.05	0
Pendimethalin	0.010	0.010	12	12	0	0	0.005	0.005	0.005	0.05	0
Phenthoate	0.020	0.020	12	12	0	0	0.010	0.010	0.010	0.01	0
Phosalone	0.010	0.010	12	12	0	0	0.005	0.005	0.005	0.05	0
Phosmet (phosmet and phosmet oxon expressed as phosmet)	0.010	0.010	12	12	0	0	0.005	0.005	0.005	0.05	0
Phoxim	0.010	0.010	12	12	0	0	0.005	0.005	0.005	0.01	0
Pirimicarb (sum of Pirimicarb and desmethyl pirimicarb expressed as Pirimicarb)	0.010	0.010	12	12	0	0	0.005	0.005	0.005	1	0
Pirimiphos-methyl	0.010	0.010	12	12	0	0	0.005	0.005	0.005	0.05	0
Prochloraz (sum of prochloraz and its metabolites containing the 2,4,6-Trichlorophenol moiety expressed as prochloraz)	0.010	0.010	12	12	0	0	0.005	0.005	0.005	0.05	0
Procymidone	0.010	0.010	12	12	0	0	0.005	0.005	0.005	0.02	0
Profenofos	0.010	0.010	12	12	0	0	0.005	0.005	0.005	0.05	0
Propamocarb (sum of propamocarb and its salt expressed as propamocarb)	0.010	0.010	12	12	0	0	0.005	0.005	0.005	10	0
Propargite	0.010	0.010	12	12	0	0	0.005	0.005	0.005	0.01	0
Propiconazole	0.010	0.010	12	12	0	0	0.005	0.005	0.005	0.1	0

For mean and median residue level calculations when results were below limit of detection LOQ/2 was substituted
 All results expressed in mg/kg

Product=Leek Treatment=Unprocessed

Compound	Min LOQ	Max LOQ	Total	Between LOQ and MRL		Above MRL	Max Residue Level	Mean Residue Level	Median Residue Level	MRL	Non Compliant
				Below LOQ	MRL						
Propyzamide	0.010	0.010	12	12	0	0	0.005	0.005	0.005	0.02	0
Prothioconazole (prothioconazole-desthio)	0.010	0.010	7	7	0	0	0.005	0.005	0.005	0.05	0
Prothiofos	0.010	0.010	12	12	0	0	0.005	0.005	0.005	0.01	0
Pymetrozine	0.010	0.010	12	12	0	0	0.005	0.005	0.005	0.02	0
Pyraclostrobin	0.010	0.010	12	12	0	0	0.005	0.005	0.005	0.5	0
Pyrethrins	0.010	0.010	12	12	0	0	0.005	0.005	0.005	1	0
Pyridaben	0.010	0.010	12	12	0	0	0.005	0.005	0.005	0.05	0
Pyrimethanil	0.010	0.010	12	12	0	0	0.005	0.005	0.005	1	0
Pyriproxyfen	0.010	0.010	12	12	0	0	0.005	0.005	0.005	0.05	0
Quinoxifen	0.010	0.010	12	12	0	0	0.005	0.005	0.005	0.02	0
Spinosad (sum of Spinosyn A and Spinosyn D, expressed as Spinosad)	0.010	0.010	12	12	0	0	0.005	0.005	0.005	0.5	0
Spirodiclofen	0.010	0.010	12	12	0	0	0.005	0.005	0.005	0.02	0
Spiroxamine	0.010	0.010	12	12	0	0	0.005	0.005	0.005	0.05	0
Tebuconazole	0.010	0.010	12	12	0	0	0.005	0.005	0.005	1	0
Tebufenozide	0.010	0.010	12	12	0	0	0.005	0.005	0.005	0.05	0
Tebufenpyrad	0.010	0.010	12	12	0	0	0.005	0.005	0.005	0.05	0
Teflubenzuron	0.010	0.010	7	7	0	0	0.005	0.005	0.005	0.05	0
Tefluthrin	0.010	0.010	12	12	0	0	0.005	0.005	0.005	0.05	0
Terbutylazine	0.010	0.010	12	12	0	0	0.005	0.005	0.005	0.05	0
Tetraconazole	0.010	0.010	12	12	0	0	0.005	0.005	0.005	0.02	0
Tetradifon	0.010	0.010	12	12	0	0	0.005	0.005	0.005	0.01	0
Thiabendazole	0.010	0.010	12	12	0	0	0.005	0.005	0.005	0.05	0
Thiacloprid	0.010	0.010	12	12	0	0	0.005	0.005	0.005	0.1	0
Thiametoxam (sum of thiametoxam and clothianidin expressed as thiametoxam)	0.010	0.010	12	12	0	0	0.005	0.005	0.005	0.05	0
Thiophanate-methyl	0.010	0.010	12	12	0	0	0.005	0.005	0.005	0.1	0
Tolclofos-methyl	0.010	0.010	12	12	0	0	0.005	0.005	0.005	0.05	0

For mean and median residue level calculations when results were below limit of detection LOQ/2 was substituted
 All results expressed in mg/kg

Product=Leek Treatment=Unprocessed

Compound	Min LOQ	Max LOQ	Total	Below LOQ	Between LOQ and MRL		Max Residue Level	Mean Residue Level	Median Residue Level	MRL	Non Compliant
					Above MRL						
Tolyfluanid (Sum of tolyfluanid and dimethylaminosulfotoluidide expressed as tolyfluanid)	0.010	0.010	12	12	0	0	0.005	0.005	0.005	3	0
Triadimefon (sum of Triadimefon and Triadimenol)	0.010	0.010	12	12	0	0	0.005	0.005	0.005	0.1	0
Triazophos	0.010	0.010	12	12	0	0	0.005	0.005	0.005	0.01	0
Trifloxystrobin	0.010	0.010	12	12	0	0	0.005	0.005	0.005	0.2	0
Triflumuron	0.010	0.010	7	7	0	0	0.005	0.005	0.005	0.05	0
Trifluralin	0.010	0.010	12	12	0	0	0.005	0.005	0.005	0.5	0
Triticonazole	0.010	0.010	12	12	0	0	0.005	0.005	0.005	0.01	0
Vinclozolin (sum of Vinclozolin and all metabolites containing the 3,5-dichloraniline moiety, expressed as Vinclozolin)	0.010	0.010	12	12	0	0	0.005	0.005	0.005	0.05	0
Zoxamide	0.010	0.010	12	12	0	0	0.005	0.005	0.005	0.02	0
tau-Fluvalinate	0.010	0.010	12	12	0	0	0.005	0.005	0.005	0.1	0

For mean and median residue level calculations when results were below limit of detection LOQ/2 was substituted
 All results expressed in mg/kg

Product=Lettuce Treatment=Unprocessed

Compound	Min LOQ	Max LOQ	Total	Between LOQ and MRL		Above MRL	Max Residue Level	Mean Residue Level	Median Residue Level	MRL	Non Compliant
				Below LOQ	Between LOQ and MRL						
Abamectin (sum)	0.010	0.010	15	15	0	0	0.005	0.005	0.005	0.1	0
Acephate	0.010	0.020	25	25	0	0	0.010	0.007	0.005	0.02	0
Acetamiprid	0.010	0.050	25	23	2	0	0.720	0.043	0.005	5	0
Acrinathrin	0.010	0.050	25	25	0	0	0.025	0.013	0.005	0.05	0
Aldicarb (sum)	0.010	0.010	15	15	0	0	0.005	0.005	0.005	0.02	0
Azinphos-methyl	0.010	0.050	25	25	0	0	0.025	0.013	0.005	0.05	0
Azoxystrobin	0.010	0.050	25	25	0	0	0.025	0.013	0.005	3	0
Benfuracarb	0.010	0.010	15	15	0	0	0.005	0.005	0.005	0.05	0
Bifenthrin	0.010	0.050	25	25	0	0	0.025	0.013	0.005	2	0
Bitertanol	0.010	0.100	15	15	0	0	0.050	0.023	0.005	0.05	0
Boscalid	0.010	0.010	15	13	2	0	0.700	0.072	0.005	30	0
Bromide ion	0.500	0.500	14	2	12	0	7.000	2.251	1.020	50	0
Bromopropylate	0.050	0.050	15	15	0	0	0.025	0.025	0.025	0.01	0
Bromuconazole (sum)	0.010	0.010	15	15	0	0	0.005	0.005	0.005	0.05	0
Bupirimate	0.010	0.050	25	25	0	0	0.025	0.013	0.005	0.05	0
Buprofezin	0.010	0.010	15	15	0	0	0.005	0.005	0.005	0.5	0
Captan	0.010	0.010	15	15	0	0	0.005	0.005	0.005	0.02	0
Carbaryl	0.010	0.010	9	9	0	0	0.005	0.005	0.005	0.01	0
	0.010	0.010	6	6	0	0	0.005	0.005	0.005	0.05	0
Carbendazim and benomyl	0.010	0.010	15	14	1	0	0.061	0.009	0.005	0.1	0
Carbofuran (sum)	0.010	0.010	15	15	0	0	0.005	0.005	0.005	0.02	0
Carbosulfan	0.010	0.010	15	15	0	0	0.005	0.005	0.005	0.05	0
Chlorfenapyr	0.020	0.020	15	15	0	0	0.010	0.010	0.010	0.05	0
Chlorfenvinphos	0.010	0.020	25	25	0	0	0.010	0.007	0.005	0.02	0
Chlorothalonil	0.010	0.050	25	25	0	0	0.025	0.013	0.005	0.01	0
Chlorpropham (sum)	0.010	0.010	15	15	0	0	0.005	0.005	0.005	0.05	0

**For mean and median residue level calculations when results were below limit of detection LOQ/2 was substituted
 All results expressed in mg/kg**

Table B: Results of the EU co-ordinated programme

Product=Lettuce Treatment=Unprocessed

Compound	Min LOQ	Max LOQ	Total	Between LOQ		Max Residue Level	Mean Residue Level	Median Residue Level	MRL	Non Compliant	
				Below LOQ	and MRL						Above MRL
Chlorpyrifos	0.010	0.050	25	24	1	0	0.040	0.014	0.005	0.05	0
Chlorpyrifos-methyl	0.010	0.050	25	25	0	0	0.025	0.013	0.005	0.05	0
Clofentezine	0.010	0.010	15	15	0	0	0.005	0.005	0.005	0.02	0
Clothianidin	0.010	0.010	15	14	1	0	0.310	0.025	0.005	2	0
Cyfluthrin (sum)	0.020	0.050	25	25	0	0	0.025	0.016	0.010	1	0
Cymoxanil	0.010	0.010	15	15	0	0	0.005	0.005	0.005	0.2	0
Cypermethrin (sum)	0.010	0.050	25	25	0	0	0.025	0.013	0.005	2	0
Cyproconazole	0.010	0.010	15	15	0	0	0.005	0.005	0.005	0.05	0
Cyprodinil	0.010	0.010	15	15	0	0	0.005	0.005	0.005	15	0
Cyromazine	0.010	0.010	15	15	0	0	0.005	0.005	0.005	3	0
Deltamethrin	0.010	0.050	25	24	1	0	0.090	0.016	0.005	0.5	0
Diazinon	0.010	0.020	25	25	0	0	0.010	0.007	0.005	0.01	0
Dichlofluanid	0.010	0.010	15	15	0	0	0.005	0.005	0.005	0.01	0
Dichlorvos	0.010	0.020	25	25	0	0	0.010	0.007	0.005	0.01	0
Dicloran	0.010	0.010	15	15	0	0	0.005	0.005	0.005	0.1	0
Dicofol (sum)	0.020	0.050	25	25	0	0	0.025	0.019	0.025	0.02	0
Dicrotophos	0.050	0.050	15	15	0	0	0.025	0.025	0.025	0.01	0
Diethofencarb	0.010	0.010	15	15	0	0	0.005	0.005	0.005	0.5	0
Difenoconazole	0.010	0.010	15	15	0	0	0.005	0.005	0.005	3	0
Diflubenzuron	0.010	0.010	15	15	0	0	0.005	0.005	0.005	0.2	0
Dimethoate (sum)	0.010	0.020	25	25	0	0	0.010	0.007	0.005	0.02	0
Dimethomorph	0.010	0.010	6	6	0	0	0.005	0.005	0.005	10	0
	0.010	0.010	9	9	0	0	0.005	0.005	0.005	15	0
Diniconazole	0.010	0.010	15	15	0	0	0.005	0.005	0.005	0.05	0
Diphenylamine	0.050	0.100	25	25	0	0	0.050	0.040	0.050	0.05	0
Dithiocarbamates	0.100	0.300	23	20	3	0	2.500	0.221	0.150	5	0

For mean and median residue level calculations when results were below limit of detection LOQ/2 was substituted
All results expressed in mg/kg

Product=Lettuce Treatment=Unprocessed

Compound	Min LOQ	Max LOQ	Total	Below LOQ	Between	Above MRL	Max Residue Level	Mean Residue Level	Median Residue Level	MRL	Non Compliant
					LOQ and MRL						
EPN	0.010	0.010	15	15	0	0	0.005	0.005	0.005	0.01	0
Endosulfan (sum)	0.005	0.005	15	15	0	0	0.003	0.003	0.003	0.05	0
Epoxiconazole	0.010	0.010	15	15	0	0	0.005	0.005	0.005	0.05	0
Ethion	0.010	0.020	25	25	0	0	0.010	0.007	0.005	0.01	0
Ethirimol	0.010	0.010	15	15	0	0	0.005	0.005	0.005	0.05	0
Ethoprophos	0.010	0.020	25	25	0	0	0.010	0.007	0.005	0.02	0
Etofenprox	0.010	0.010	15	15	0	0	0.005	0.005	0.005	3	0
Famoxadone	0.010	0.010	15	15	0	0	0.005	0.005	0.005	0.02	0
Fenamidone	0.010	0.010	15	15	0	0	0.005	0.005	0.005	2	0
Fenamiphos (sum)	0.010	0.010	15	15	0	0	0.005	0.005	0.005	0.02	0
Fenarimol	0.010	0.010	15	15	0	0	0.005	0.005	0.005	0.02	0
Fenazaquin	0.010	0.010	15	15	0	0	0.005	0.005	0.005	0.01	0
Fenbuconazole	0.010	0.010	15	15	0	0	0.005	0.005	0.005	0.05	0
Fenhexamid	0.010	0.010	9	9	0	0	0.005	0.005	0.005	30	0
	0.010	0.020	16	16	0	0	0.010	0.008	0.010	40	0
Fenitrothion	0.010	0.020	25	25	0	0	0.010	0.007	0.005	0.01	0
Fenoxycarb	0.010	0.010	15	15	0	0	0.005	0.005	0.005	0.05	0
Fenpropathrin	0.010	0.050	25	25	0	0	0.025	0.013	0.005	0.01	0
Fenpropimorph	0.010	0.010	15	15	0	0	0.005	0.005	0.005	0.05	0
Fenpyroximate	0.010	0.010	15	15	0	0	0.005	0.005	0.005	0.05	0
Fenthion (sum)	0.010	0.010	15	15	0	0	0.005	0.005	0.005	0.01	0
Fenvalerate and Esfenvalerate (Sum of RR and SS isomers)	0.010	0.010	15	15	0	0	0.005	0.005	0.005	0.02	0
Fenvalerate and Esfenvalerate (Sum of RS and SR isomers)	0.010	0.050	25	25	0	0	0.025	0.013	0.005	0.02	0
Fipronil (sum)	0.010	0.010	14	14	0	0	0.005	0.005	0.005	0.005	0
Fludioxonil	0.010	0.010	14	14	0	0	0.005	0.005	0.005	15	0
Flufenoxuron	0.010	0.010	15	15	0	0	0.005	0.005	0.005	1	0

For mean and median residue level calculations when results were below limit of detection LOQ/2 was substituted
 All results expressed in mg/kg

Product=Lettuce Treatment=Unprocessed

Compound	Min LOQ	Max LOQ	Total	Between LOQ and MRL		Above MRL	Max Residue Level	Mean Residue Level	Median Residue Level	MRL	Non Compliant
				Below LOQ							
Fluquinconazole	0.010	0.050	25	25	0	0	0.025	0.013	0.005	0.05	0
Flusilazole	0.010	0.010	15	15	0	0	0.005	0.005	0.005	0.02	0
Flutriafol	0.010	0.010	15	15	0	0	0.005	0.005	0.005	0.05	0
Folpet	0.010	0.010	15	15	0	0	0.005	0.005	0.005	2	0
Formetanate	0.010	0.010	15	15	0	0	0.005	0.005	0.005	0.05	0
Fosthiazate	0.010	0.010	15	15	0	0	0.005	0.005	0.005	0.02	0
Hexaconazole	0.010	0.020	25	25	0	0	0.010	0.007	0.005	0.02	0
Hexythiazox	0.010	0.010	15	15	0	0	0.005	0.005	0.005	0.5	0
Imazalil	0.020	0.050	25	25	0	0	0.025	0.016	0.010	0.05	0
Imidacloprid	0.010	0.010	15	14	1	0	0.012	0.005	0.005	2	0
Indoxacarb as sum of the isomers S and R	0.010	0.010	15	14	1	0	0.190	0.017	0.005	2	0
Iprodione	0.010	0.050	25	25	0	0	0.025	0.013	0.005	10	0
Iprovalicarb	0.010	0.010	15	15	0	0	0.005	0.005	0.005	1	0
Isofenphos-methyl	0.010	0.010	15	15	0	0	0.005	0.005	0.005	0.01	0
Kresoxim-methyl	0.010	0.050	25	25	0	0	0.025	0.013	0.005	0.05	0
Lambda-Cyhalothrin	0.010	0.050	25	25	0	0	0.025	0.013	0.005	0.5	0
Linuron	0.010	0.010	15	15	0	0	0.005	0.005	0.005	0.05	0
Lufenuron	0.010	0.010	15	15	0	0	0.005	0.005	0.005	0.5	0
Malathion (sum of malathion and malaoxon expressed as malathion)	0.010	0.020	25	25	0	0	0.010	0.007	0.005	0.02	0
Mepanipyrim (Mepanipyrim and its metabolite (2-anilino-4-(2-hydroxypropyl)-6-methylpyrimidine) expressed as mepanipyrim)	0.010	0.010	15	15	0	0	0.005	0.005	0.005	0.01	0
Metalaxyl (Metalaxyl including other mixtures of constituent isomers including Metalaxyl-M (sum of isomers))	0.010	0.010	15	14	1	0	0.055	0.008	0.005	3	0
Metconazole	0.010	0.010	15	15	0	0	0.005	0.005	0.005	0.02	0
Methamidophos	0.010	0.020	25	25	0	0	0.010	0.007	0.005	0.01	0
Methidathion	0.020	0.020	25	25	0	0	0.010	0.010	0.010	0.02	0

For mean and median residue level calculations when results were below limit of detection LOQ/2 was substituted
 All results expressed in mg/kg

Product=Lettuce Treatment=Unprocessed

Compound	Min LOQ	Max LOQ	Total	Between LOQ and MRL		Above MRL	Max Residue Level	Mean Residue Level	Median Residue Level	MRL	Non Compliant
				Below LOQ	MRL						
Methiocarb (sum of methiocarb and methiocarb sulfoxide and sulfone, expressed as methiocarb)	0.010	0.010	15	15	0	0	0.005	0.005	0.005	1	0
Methomyl and thiodicarb (sum of methomyl and thiodicarb expressed as methomyl)	0.010	0.010	6	6	0	0	0.005	0.005	0.005	0.2	0
	0.010	0.010	9	9	0	0	0.005	0.005	0.005	0.05	0
Methoxychlor	0.010	0.010	15	15	0	0	0.005	0.005	0.005	0.01	0
Methoxyfenozide	0.010	0.010	6	6	0	0	0.005	0.005	0.005	4	0
	0.010	0.010	9	9	0	0	0.005	0.005	0.005	0.02	0
Metobromuron	0.010	0.010	15	15	0	0	0.005	0.005	0.005	0.01	0
Monocrotophos	0.010	0.020	25	25	0	0	0.010	0.007	0.005	0.01	0
Myclobutanil	0.010	0.010	15	15	0	0	0.005	0.005	0.005	0.02	0
Nitenpyram	0.050	0.050	15	15	0	0	0.025	0.025	0.025	0.01	0
Oxadixyl	0.010	0.010	15	15	0	0	0.005	0.005	0.005	0.1	0
Oxamyl	0.010	0.010	15	15	0	0	0.005	0.005	0.005	0.01	0
	0.010	0.010	6	6	0	0	0.005	0.005	0.005	0.01	0
Oxydemeton-methyl (sum of oxydemeton-methyl and demeton-S-methylsulfone expressed as oxydemeton-methyl)	0.010	0.010	9	9	0	0	0.005	0.005	0.005	0.05	0
	0.010	0.010	15	15	0	0	0.005	0.005	0.005	0.02	0
Paclobutrazol	0.010	0.010	25	25	0	0	0.025	0.013	0.005	0.05	0
Parathion	0.020	0.020	25	25	0	0	0.010	0.010	0.010	0.02	0
Parathion-methyl (sum of Parathion-methyl and paraoxon-methyl expressed as Parathion-methyl)	0.010	0.050	25	25	0	0	0.025	0.013	0.005	0.05	0
Penconazole	0.010	0.010	25	25	0	0	0.025	0.013	0.005	0.05	0
Pencycuron	0.010	0.050	25	25	0	0	0.025	0.013	0.005	0.05	0
Pendimethalin	0.010	0.010	15	15	0	0	0.005	0.005	0.005	2	0
Phenthoate	0.010	0.050	25	25	0	0	0.025	0.013	0.005	0.05	0
Phosalone	0.020	0.020	25	25	0	0	0.010	0.010	0.010	0.01	0
Phosalone	0.010	0.020	25	25	0	0	0.010	0.007	0.005	0.05	0
Phosmet (phosmet and phosmet oxon expressed as phosmet)	0.010	0.050	25	25	0	0	0.025	0.013	0.005	0.05	0
Phoxim	0.010	0.010	15	15	0	0	0.005	0.005	0.005	0.01	0

For mean and median residue level calculations when results were below limit of detection LOQ/2 was substituted
 All results expressed in mg/kg

Table B: Results of the EU co-ordinated programme

Product=Lettuce Treatment=Unprocessed

Compound	Min LOQ	Max LOQ	Total	Between LOQ and MRL		Above MRL	Max Residue Level	Mean Residue Level	Median Residue Level	MRL	Non Compliant
				Below LOQ	MRL						
Pirimicarb (sum of Pirimicarb and desmethyl pirimicarb expressed as Pirimicarb)	0.010	0.010	15	14	1	0	0.081	0.010	0.005	5	0
Pirimiphos-methyl	0.010	0.050	25	25	0	0	0.025	0.013	0.005	0.05	0
Prochloraz (sum of prochloraz and its metabolites containing the 2,4,6-Trichlorophenol moiety expressed as prochloraz)	0.010	0.010	15	15	0	0	0.005	0.005	0.005	5	0
Procymidone	0.010	0.010	9	9	0	0	0.005	0.005	0.005	5	0
	0.010	0.050	16	16	0	0	0.025	0.018	0.025	0.02	0
Profenofos	0.010	0.050	25	25	0	0	0.025	0.013	0.005	0.05	0
Propamocarb (sum of propamocarb and its salt expressed as propamocarb)	0.010	0.010	15	15	0	0	0.005	0.005	0.005	50	0
Propargite	0.010	0.010	15	15	0	0	0.005	0.005	0.005	0.01	0
Propiconazole	0.010	0.050	25	25	0	0	0.025	0.013	0.005	0.05	0
Propyzamide	0.010	0.020	25	25	0	0	0.010	0.007	0.005	1	0
Prothioconazole (prothioconazole-desthio)	0.010	0.010	14	14	0	0	0.005	0.005	0.005	0.02	0
Prothiofos	0.010	0.010	15	15	0	0	0.005	0.005	0.005	0.01	0
Pymetrozine	0.010	0.010	15	15	0	0	0.005	0.005	0.005	2	0
Pyraclostrobin	0.010	0.010	15	14	1	0	0.081	0.010	0.005	2	0
Pyrethrins	0.010	0.010	15	15	0	0	0.005	0.005	0.005	1	0
Pyridaben	0.010	0.010	15	15	0	0	0.005	0.005	0.005	0.05	0
Pyrimethanil	0.010	0.050	25	25	0	0	0.025	0.013	0.005	20	0
Pyriproxyfen	0.010	0.010	15	15	0	0	0.005	0.005	0.005	0.05	0
Quinoxifen	0.010	0.020	25	25	0	0	0.010	0.007	0.005	0.02	0
Spinosad (sum of Spinosyn A and Spinosyn D, expressed as Spinosad)	0.010	0.010	15	15	0	0	0.005	0.005	0.005	10	0
Spirodiclofen	0.010	0.010	15	15	0	0	0.005	0.005	0.005	0.02	0
Spiroxamine	0.010	0.010	15	14	1	0	0.010	0.005	0.005	0.05	0
Tebuconazole	0.010	0.050	25	25	0	0	0.025	0.013	0.005	0.05	0
Tebufenozide	0.010	0.010	15	15	0	0	0.005	0.005	0.005	10	0
Tebufenpyrad	0.010	0.010	15	15	0	0	0.005	0.005	0.005	0.05	0

For mean and median residue level calculations when results were below limit of detection LOQ/2 was substituted
All results expressed in mg/kg

Product=Lettuce Treatment=Unprocessed

Compound	Min LOQ	Max LOQ	Total	Between LOQ and MRL		Above MRL	Max Residue Level	Mean Residue Level	Median Residue Level	MRL	Non Compliant
				Below LOQ	MRL						
Teflubenzuron	0.010	0.010	14	14	0	0	0.005	0.005	0.005	0.05	0
Tefluthrin	0.010	0.010	15	15	0	0	0.005	0.005	0.005	0.05	0
Terbutylazine	0.010	0.010	15	15	0	0	0.005	0.005	0.005	0.05	0
Tetraconazole	0.010	0.010	15	15	0	0	0.005	0.005	0.005	0.02	0
Tetradifon	0.010	0.050	25	25	0	0	0.025	0.013	0.005	0.01	0
Thiabendazole	0.010	0.010	15	15	0	0	0.005	0.005	0.005	0.05	0
Thiacloprid	0.010	0.010	15	15	0	0	0.005	0.005	0.005	2	0
Thiametoxam (sum of thiametoxam and clothianidin expressed as thiametoxam)	0.010	0.010	15	13	2	0	0.970	0.070	0.005	5	0
Thiophanate-methyl	0.010	0.010	15	14	1	0	0.058	0.009	0.005	0.1	0
Tolclofos-methyl	0.010	0.020	25	25	0	0	0.010	0.007	0.005	2	0
Tolyfluanid (Sum of tolyfluanid and dimethylaminosulfotoluidide expressed as tolyfluanid)	0.010	0.010	15	15	0	0	0.005	0.005	0.005	20	0
Triadimefon (sum of Triadimefon and Triadimenol)	0.010	0.100	25	25	0	0	0.050	0.023	0.005	0.1	0
Triazophos	0.010	0.020	25	25	0	0	0.010	0.007	0.005	0.01	0
Trifloxystrobin	0.010	0.010	15	15	0	0	0.005	0.005	0.005	10	0
Triflumuron	0.010	0.010	14	14	0	0	0.005	0.005	0.005	0.05	0
Trifluralin	0.010	0.020	25	25	0	0	0.010	0.007	0.005	0.5	0
Triticonazole	0.010	0.010	15	15	0	0	0.005	0.005	0.005	0.01	0
Vinclozolin (sum of Vinclozolin and all metabolites containing the 3,5-dichloraniline moiety, expressed as Vinclozolin)	0.010	0.010	9	9	0	0	0.005	0.005	0.005	5	0
	0.010	0.050	16	16	0	0	0.025	0.018	0.025	0.05	0
Zoxamide	0.010	0.010	15	15	0	0	0.005	0.005	0.005	0.02	0
tau-Fluvalinate	0.010	0.050	25	25	0	0	0.025	0.013	0.005	0.3	0

For mean and median residue level calculations when results were below limit of detection LOQ/2 was substituted
 All results expressed in mg/kg

Product=Oats Treatment=Unprocessed

Compound	Min LOQ	Max LOQ	Total	Between LOQ and MRL		Above MRL	Max Residue Level	Mean Residue Level	Median Residue Level	MRL	Non Compliant
				Below LOQ	and MRL						
Abamectin (sum)	0.010	0.010	1	1	0	0	0.005	0.005	0.005	0.01	0
Acephate	0.010	0.010	1	1	0	0	0.005	0.005	0.005	0.02	0
Acetamiprid	0.010	0.010	1	1	0	0	0.005	0.005	0.005	0.01	0
Acrinathrin	0.010	0.010	1	1	0	0	0.005	0.005	0.005	0.05	0
Aldicarb (sum)	0.010	0.010	1	1	0	0	0.005	0.005	0.005	0.02	0
Azinphos-methyl	0.010	0.010	1	1	0	0	0.005	0.005	0.005	0.05	0
Azoxystrobin	0.010	0.010	1	1	0	0	0.005	0.005	0.005	0.5	0
Benfuracarb	0.010	0.010	1	1	0	0	0.005	0.005	0.005	0.05	0
Bifenthrin	0.010	0.010	1	1	0	0	0.005	0.005	0.005	0.5	0
Bitertanol	0.100	0.100	1	1	0	0	0.050	0.050	0.050	0.05	0
Boscalid	0.010	0.010	1	1	0	0	0.005	0.005	0.005	3	0
Bromide ion	0.500	0.500	1	1	0	0	0.250	0.250	0.250	50	0
Bromopropylate	0.050	0.050	1	1	0	0	0.025	0.025	0.025	0.01	0
Bromuconazole (sum)	0.010	0.010	1	1	0	0	0.005	0.005	0.005	0.2	0
Bupirimate	0.010	0.010	1	1	0	0	0.005	0.005	0.005	0.05	0
Buprofezin	0.010	0.010	1	1	0	0	0.005	0.005	0.005	0.05	0
Captan	0.010	0.010	1	1	0	0	0.005	0.005	0.005	0.02	0
Carbaryl	0.010	0.010	1	1	0	0	0.005	0.005	0.005	0.5	0
Carbendazim and benomyl	0.010	0.010	1	1	0	0	0.005	0.005	0.005	2	0
Carbofuran (sum)	0.010	0.010	1	1	0	0	0.005	0.005	0.005	0.02	0
Carbosulfan	0.010	0.010	1	1	0	0	0.005	0.005	0.005	0.05	0
Chlorfenapyr	0.020	0.020	1	1	0	0	0.010	0.010	0.010	0.05	0
Chlorfenvinphos	0.010	0.010	1	1	0	0	0.005	0.005	0.005	0.02	0
Chlorothalonil	0.010	0.010	1	1	0	0	0.005	0.005	0.005	0.1	0
Chlorpropham (sum)	0.010	0.010	1	1	0	0	0.005	0.005	0.005	0.02	0
Chlorpyrifos	0.010	0.010	1	1	0	0	0.005	0.005	0.005	0.05	0

**For mean and median residue level calculations when results were below limit of detection LOQ/2 was substituted
 All results expressed in mg/kg**

Product=Oats Treatment=Unprocessed

Compound	Min LOQ	Max LOQ	Total	Between LOQ and MRL		Max Residue Level	Mean Residue Level	Median Residue Level	MRL	Non Compliant	
				Below LOQ	Above MRL						
Chlorpyrifos-methyl	0.010	0.010	1	1	0	0	0.005	0.005	0.005	3	0
Clofentezine	0.010	0.010	1	1	0	0	0.005	0.005	0.005	0.02	0
Clothianidin	0.010	0.010	1	1	0	0	0.005	0.005	0.005	0.02	0
Cyfluthrin (sum)	0.020	0.020	1	1	0	0	0.010	0.010	0.010	0.02	0
Cymoxanil	0.010	0.010	1	1	0	0	0.005	0.005	0.005	0.05	0
Cypermethrin (sum)	0.010	0.010	1	1	0	0	0.005	0.005	0.005	2	0
Cyproconazole	0.010	0.010	1	1	0	0	0.005	0.005	0.005	0.1	0
Cyprodinil	0.010	0.010	1	1	0	0	0.005	0.005	0.005	2	0
Cyromazine	0.010	0.010	1	1	0	0	0.005	0.005	0.005	0.05	0
Deltamethrin	0.010	0.010	1	1	0	0	0.005	0.005	0.005	2	0
Diazinon	0.010	0.010	1	1	0	0	0.005	0.005	0.005	0.02	0
Dichlofluanid	0.010	0.010	1	1	0	0	0.005	0.005	0.005	0.01	0
Dichlorvos	0.010	0.010	1	1	0	0	0.005	0.005	0.005	0.01	0
Dicloran	0.010	0.010	1	1	0	0	0.005	0.005	0.005	0.01	0
Dicofol (sum)	0.050	0.050	1	1	0	0	0.025	0.025	0.025	0.02	0
Dicrotophos	0.050	0.050	1	1	0	0	0.025	0.025	0.025	0.01	0
Diethofencarb	0.010	0.010	1	1	0	0	0.005	0.005	0.005	0.05	0
Difenoconazole	0.010	0.010	1	1	0	0	0.005	0.005	0.005	0.05	0
Diflubenzuron	0.010	0.010	1	1	0	0	0.005	0.005	0.005	0.1	0
Dimethoate (sum)	0.010	0.010	1	1	0	0	0.005	0.005	0.005	0.02	0
Dimethomorph	0.010	0.010	1	1	0	0	0.005	0.005	0.005	0.05	0
Diniconazole	0.010	0.010	1	1	0	0	0.005	0.005	0.005	0.05	0
Diphenylamine	0.100	0.100	1	1	0	0	0.050	0.050	0.050	0.05	0
Dithiocarbamates	0.100	0.100	1	1	0	0	0.050	0.050	0.050	2	0
EPN	0.010	0.010	1	1	0	0	0.005	0.005	0.005	0.01	0
Endosulfan (sum)	0.005	0.005	1	1	0	0	0.003	0.003	0.003	0.05	0

For mean and median residue level calculations when results were below limit of detection LOQ/2 was substituted
 All results expressed in mg/kg

Product=Oats Treatment=Unprocessed

Compound	Min LOQ	Max LOQ	Total	Below LOQ	Between	Above MRL	Max Residue Level	Mean Residue Level	Median Residue Level	MRL	Non Compliant
					LOQ and MRL						
Epoxiconazole	0.010	0.010	1	1	0	0	0.005	0.005	0.005	1.5	0
Ethion	0.010	0.010	1	1	0	0	0.005	0.005	0.005	0.01	0
Ethirimol	0.010	0.010	1	1	0	0	0.005	0.005	0.005	0.05	0
Ethoprophos	0.010	0.010	1	1	0	0	0.005	0.005	0.005	0.02	0
Etofenprox	0.010	0.010	1	1	0	0	0.005	0.005	0.005	0.5	0
Famoxadone	0.010	0.010	1	1	0	0	0.005	0.005	0.005	0.2	0
Fenamidone	0.010	0.010	1	1	0	0	0.005	0.005	0.005	0.02	0
Fenamiphos (sum)	0.010	0.010	1	1	0	0	0.005	0.005	0.005	0.02	0
Fenarimol	0.010	0.010	1	1	0	0	0.005	0.005	0.005	0.02	0
Fenazaquin	0.010	0.010	1	1	0	0	0.005	0.005	0.005	0.01	0
Fenbuconazole	0.010	0.010	1	1	0	0	0.005	0.005	0.005	0.05	0
Fenhexamid	0.010	0.010	1	1	0	0	0.005	0.005	0.005	0.05	0
Fenitrothion	0.010	0.010	1	1	0	0	0.005	0.005	0.005	0.05	0
Fenoxycarb	0.010	0.010	1	1	0	0	0.005	0.005	0.005	0.05	0
Fenpropathrin	0.010	0.010	1	1	0	0	0.005	0.005	0.005	0.01	0
Fenpropimorph	0.010	0.010	1	1	0	0	0.005	0.005	0.005	0.5	0
Fenpyroximate	0.010	0.010	1	1	0	0	0.005	0.005	0.005	0.05	0
Fenthion (sum)	0.010	0.010	1	1	0	0	0.005	0.005	0.005	0.01	0
Fenvalerate and Esfenvalerate (Sum of RR and SS isomers)	0.010	0.010	1	1	0	0	0.005	0.005	0.005	0.2	0
Fenvalerate and Esfenvalerate (Sum of RS and SR isomers)	0.010	0.010	1	1	0	0	0.005	0.005	0.005	0.05	0
Fipronil (sum)	0.010	0.010	1	1	0	0	0.005	0.005	0.005	0.005	0
Fludioxonil	0.010	0.010	1	1	0	0	0.005	0.005	0.005	0.05	0
Flufenoxuron	0.010	0.010	1	1	0	0	0.005	0.005	0.005	0.05	0
Fluquinconazole	0.010	0.010	1	1	0	0	0.005	0.005	0.005	0.05	0
Flusilazole	0.010	0.010	1	1	0	0	0.005	0.005	0.005	0.2	0
Flutriafol	0.010	0.010	1	1	0	0	0.005	0.005	0.005	0.5	0

For mean and median residue level calculations when results were below limit of detection LOQ/2 was substituted
 All results expressed in mg/kg

Product=Oats Treatment=Unprocessed

Compound	Min LOQ	Max LOQ	Total	Between LOQ and MRL		Above MRL	Max Residue Level	Mean Residue Level	Median Residue Level	MRL	Non Compliant
				Below LOQ	MRL						
Folpet	0.010	0.010	1	1	0	0	0.005	0.005	0.005	0.02	0
Formetanate	0.010	0.010	1	1	0	0	0.005	0.005	0.005	0.05	0
Fosthiazate	0.010	0.010	1	1	0	0	0.005	0.005	0.005	0.02	0
Hexaconazole	0.010	0.010	1	1	0	0	0.005	0.005	0.005	0.02	0
Hexythiazox	0.010	0.010	1	1	0	0	0.005	0.005	0.005	0.5	0
Imazalil	0.020	0.020	1	1	0	0	0.010	0.010	0.010	0.05	0
Imidacloprid	0.010	0.010	1	1	0	0	0.005	0.005	0.005	0.1	0
Indoxacarb as sum of the isomers S and R	0.010	0.010	1	1	0	0	0.005	0.005	0.005	0.02	0
Iprodione	0.010	0.010	1	1	0	0	0.005	0.005	0.005	0.5	0
Iprovalicarb	0.010	0.010	1	1	0	0	0.005	0.005	0.005	0.05	0
Isofenphos-methyl	0.010	0.010	1	1	0	0	0.005	0.005	0.005	0.01	0
Kresoxim-methyl	0.010	0.010	1	1	0	0	0.005	0.005	0.005	0.05	0
Lambda-Cyhalothrin	0.010	0.010	1	1	0	0	0.005	0.005	0.005	0.05	0
Linuron	0.010	0.010	1	1	0	0	0.005	0.005	0.005	0.05	0
Lufenuron	0.010	0.010	1	1	0	0	0.005	0.005	0.005	0.02	0
Malathion (sum of malathion and malaixon expressed as malathion)	0.010	0.010	1	1	0	0	0.005	0.005	0.005	8	0
Mepanipyrim (Mepanipyrim and its metabolite (2-anilino-4-(2-hydroxypropyl)-6-methylpyrimidine) expressed as mepanipyrim)	0.010	0.010	1	1	0	0	0.005	0.005	0.005	0.01	0
Metalaxyl (Metalaxyl including other mixtures of constituent isomers including Metalaxyl-M (sum of isomers))	0.010	0.010	1	1	0	0	0.005	0.005	0.005	0.05	0
Metconazole	0.010	0.010	1	1	0	0	0.005	0.005	0.005	0.1	0
Methamidophos	0.010	0.010	1	1	0	0	0.005	0.005	0.005	0.01	0
Methidathion	0.020	0.020	1	1	0	0	0.010	0.010	0.010	0.02	0
Methiocarb (sum of methiocarb and methiocarb sulfoxide and sulfone, expressed as methiocarb)	0.010	0.010	1	1	0	0	0.005	0.005	0.005	0.1	0
Methomyl and thiodicarb (sum of methomyl and thiodicarb expressed as methomyl)	0.010	0.010	1	1	0	0	0.005	0.005	0.005	0.02	0
Methoxychlor	0.010	0.010	1	1	0	0	0.005	0.005	0.005	0.01	0

For mean and median residue level calculations when results were below limit of detection LOQ/2 was substituted
 All results expressed in mg/kg

Product=Oats Treatment=Unprocessed

Compound	Min LOQ	Max LOQ	Total	Between LOQ and MRL		Above MRL	Max Residue Level	Mean Residue Level	Median Residue Level	MRL	Non Compliant
				Below LOQ	MRL						
Methoxyfenozide	0.010	0.010	1	1	0	0	0.005	0.005	0.005	0.05	0
Metobromuron	0.010	0.010	1	1	0	0	0.005	0.005	0.005	0.01	0
Monocrotophos	0.010	0.010	1	1	0	0	0.005	0.005	0.005	0.01	0
Myclobutanil	0.010	0.010	1	1	0	0	0.005	0.005	0.005	0.02	0
Nitenpyram	0.050	0.050	1	1	0	0	0.025	0.025	0.025	0.01	0
Oxadixyl	0.010	0.010	1	1	0	0	0.005	0.005	0.005	0.01	0
Oxamyl	0.010	0.010	1	1	0	0	0.005	0.005	0.005	0.01	0
Oxydemeton-methyl (sum of oxydemeton-methyl and demeton-S-methylsulfone expressed as oxydemeton-methyl)	0.010	0.010	1	1	0	0	0.005	0.005	0.005	0.02	0
Paclobutrazol	0.010	0.010	1	1	0	0	0.005	0.005	0.005	0.02	0
Parathion	0.010	0.010	1	1	0	0	0.005	0.005	0.005	0.05	0
Parathion-methyl (sum of Parathion-methyl and paraoxon-methyl expressed as Parathion-methyl)	0.020	0.020	1	1	0	0	0.010	0.010	0.010	0.02	0
Penconazole	0.010	0.010	1	1	0	0	0.005	0.005	0.005	0.05	0
Pencycuron	0.010	0.010	1	1	0	0	0.005	0.005	0.005	0.05	0
Pendimethalin	0.010	0.010	1	1	0	0	0.005	0.005	0.005	0.05	0
Phenthoate	0.020	0.020	1	1	0	0	0.010	0.010	0.010	0.01	0
Phosalone	0.010	0.010	1	1	0	0	0.005	0.005	0.005	0.05	0
Phosmet (phosmet and phosmet oxon expressed as phosmet)	0.010	0.010	1	1	0	0	0.005	0.005	0.005	0.05	0
Phoxim	0.010	0.010	1	1	0	0	0.005	0.005	0.005	0.01	0
Pirimicarb (sum of Pirimicarb and desmethyl pirimicarb expressed as Pirimicarb)	0.010	0.010	1	1	0	0	0.005	0.005	0.005	0.5	0
Pirimiphos-methyl	0.010	0.010	1	1	0	0	0.005	0.005	0.005	5	0
Prochloraz (sum of prochloraz and its metabolites containing the 2,4,6-Trichlorophenol moiety expressed as prochloraz)	0.010	0.010	1	1	0	0	0.005	0.005	0.005	1	0
Procymidone	0.010	0.010	1	1	0	0	0.005	0.005	0.005	0.02	0
Profenofos	0.010	0.010	1	1	0	0	0.005	0.005	0.005	0.05	0
Propamocarb (sum of propamocarb and its salt expressed as propamocarb)	0.010	0.010	1	1	0	0	0.005	0.005	0.005	0.1	0

For mean and median residue level calculations when results were below limit of detection LOQ/2 was substituted
 All results expressed in mg/kg

Product=Oats Treatment=Unprocessed

Compound	Min LOQ	Max LOQ	Total	Between LOQ		Above MRL	Max Residue Level	Mean Residue Level	Median Residue Level	MRL	Non Compliant
				Below LOQ	and MRL						
Propargite	0.010	0.010	1	1	0	0	0.005	0.005	0.005	0.01	0
Propiconazole	0.010	0.010	1	1	0	0	0.005	0.005	0.005	0.2	0
Propyzamide	0.010	0.010	1	1	0	0	0.005	0.005	0.005	0.02	0
Prothioconazole (prothioconazole-desthio)	0.010	0.010	1	1	0	0	0.005	0.005	0.005	0.05	0
Prothiofos	0.010	0.010	1	1	0	0	0.005	0.005	0.005	0.01	0
Pymetrozine	0.010	0.010	1	1	0	0	0.005	0.005	0.005	0.02	0
Pyraclostrobin	0.010	0.010	1	1	0	0	0.005	0.005	0.005	0.3	0
Pyrethrins	0.010	0.010	1	1	0	0	0.005	0.005	0.005	3	0
Pyridaben	0.010	0.010	1	1	0	0	0.005	0.005	0.005	0.05	0
Pyrimethanil	0.010	0.010	1	1	0	0	0.005	0.005	0.005	0.05	0
Pyriproxyfen	0.010	0.010	1	1	0	0	0.005	0.005	0.005	0.05	0
Quinoxifen	0.010	0.010	1	1	0	0	0.005	0.005	0.005	0.2	0
Spinosad (sum of Spinosyn A and Spinosyn D, expressed as Spinosad)	0.010	0.010	1	1	0	0	0.005	0.005	0.005	1	0
Spirodiclofen	0.010	0.010	1	1	0	0	0.005	0.005	0.005	0.02	0
Spiroxamine	0.010	0.010	1	1	0	0	0.005	0.005	0.005	0.3	0
Tebuconazole	0.010	0.010	1	1	0	0	0.005	0.005	0.005	2	0
Tebufenozide	0.010	0.010	1	1	0	0	0.005	0.005	0.005	0.05	0
Tebufenpyrad	0.010	0.010	1	1	0	0	0.005	0.005	0.005	0.05	0
Teflubenzuron	0.010	0.010	1	1	0	0	0.005	0.005	0.005	0.1	0
Tefluthrin	0.010	0.010	1	1	0	0	0.005	0.005	0.005	0.05	0
Terbutylazine	0.010	0.010	1	1	0	0	0.005	0.005	0.005	0.05	0
Tetraconazole	0.010	0.010	1	1	0	0	0.005	0.005	0.005	0.1	0
Tetradifon	0.010	0.010	1	1	0	0	0.005	0.005	0.005	0.01	0
Thiabendazole	0.010	0.010	1	1	0	0	0.005	0.005	0.005	0.05	0
Thiacloprid	0.010	0.010	1	1	0	0	0.005	0.005	0.005	1	0
Thiametoxam (sum of thiametoxam and clothianidin expressed as thiametoxam)	0.010	0.010	1	1	0	0	0.005	0.005	0.005	0.05	0

For mean and median residue level calculations when results were below limit of detection LOQ/2 was substituted
 All results expressed in mg/kg

Product=Oats Treatment=Unprocessed

Compound	Min LOQ	Max LOQ	Total	Below LOQ	Between LOQ and MRL		Max Residue Level	Mean Residue Level	Median Residue Level	MRL	Non Compliant
					Above MRL						
Thiophanate-methyl	0.010	0.010	1	1	0	0	0.005	0.005	0.005	0.3	0
Tolclofos-methyl	0.010	0.010	1	1	0	0	0.005	0.005	0.005	0.05	0
Tolyfluanid (Sum of tolyfluanid and dimethylaminosulfotoluidide expressed as tolyfluanid)	0.010	0.010	1	1	0	0	0.005	0.005	0.005	0.05	0
Triadimefon (sum of Triadimefon and Triadimenol)	0.010	0.010	1	1	0	0	0.005	0.005	0.005	0.2	0
Triazophos	0.010	0.010	1	1	0	0	0.005	0.005	0.005	0.02	0
Trifloxystrobin	0.010	0.010	1	1	0	0	0.005	0.005	0.005	0.02	0
Triflumuron	0.010	0.010	1	1	0	0	0.005	0.005	0.005	0.05	0
Trifluralin	0.010	0.010	1	1	0	0	0.005	0.005	0.005	0.1	0
Triticonazole	0.010	0.010	1	1	0	0	0.005	0.005	0.005	0.01	0
Vinclozolin (sum of Vinclozolin and all metabolites containing the 3,5-dichloraniline moiety, expressed as Vinclozolin)	0.010	0.010	1	1	0	0	0.005	0.005	0.005	0.05	0
Zoxamide	0.010	0.010	1	1	0	0	0.005	0.005	0.005	0.02	0
tau-Fluvalinate	0.010	0.010	1	1	0	0	0.005	0.005	0.005	0.5	0

For mean and median residue level calculations when results were below limit of detection LOQ/2 was substituted
 All results expressed in mg/kg

Product=Peaches Treatment=Unprocessed

Compound	Min LOQ	Max LOQ	Total	Between LOQ and MRL		Above MRL	Max Residue Level	Mean Residue Level	Median Residue Level	MRL	Non Compliant
				Below LOQ	Above MRL						
Abamectin (sum)	0.010	0.010	8	8	0	0	0.005	0.005	0.005	0.02	0
Acephate	0.010	0.010	8	8	0	0	0.005	0.005	0.005	0.02	0
Acetamiprid	0.010	0.010	8	7	1	0	0.013	0.006	0.005	0.1	0
Acrinathrin	0.010	0.010	8	8	0	0	0.005	0.005	0.005	0.2	0
Aldicarb (sum)	0.010	0.010	8	8	0	0	0.005	0.005	0.005	0.02	0
Azinphos-methyl	0.010	0.100	16	16	0	0	0.050	0.028	0.028	0.05	0
Azoxystrobin	0.010	0.100	16	16	0	0	0.050	0.028	0.028	2	0
Benfuracarb	0.010	0.010	8	8	0	0	0.005	0.005	0.005	0.05	0
Bifenthrin	0.010	0.010	8	8	0	0	0.005	0.005	0.005	0.2	0
Bitertanol	0.100	0.100	7	7	0	0	0.050	0.050	0.050	1	0
Boscalid	0.010	0.010	8	8	0	0	0.005	0.005	0.005	3	0
Bromide ion	0.500	0.500	1	1	0	0	0.250	0.250	0.250	20	0
Bromopropylate	0.050	0.050	8	8	0	0	0.025	0.025	0.025	0.01	0
Bromuconazole (sum)	0.010	0.010	8	8	0	0	0.005	0.005	0.005	0.1	0
Bupirimate	0.010	0.010	8	8	0	0	0.005	0.005	0.005	0.2	0
Buprofezin	0.010	0.010	8	8	0	0	0.005	0.005	0.005	0.7	0
Captan	0.010	0.020	15	15	0	0	0.010	0.008	0.010	4	0
Carbaryl	0.010	0.010	8	8	0	0	0.005	0.005	0.005	0.05	0
Carbendazim and benomyl	0.010	0.010	8	7	1	0	0.039	0.009	0.005	0.2	0
Carbofuran (sum)	0.010	0.010	8	8	0	0	0.005	0.005	0.005	0.02	0
Carbosulfan	0.010	0.010	8	8	0	0	0.005	0.005	0.005	0.05	0
Chlorfenapyr	0.020	0.020	7	7	0	0	0.010	0.010	0.010	0.05	0
Chlorfenvinphos	0.010	0.010	8	8	0	0	0.005	0.005	0.005	0.02	0
Chlorothalonil	0.010	0.050	16	16	0	0	0.025	0.015	0.015	1	0
Chlorpropham (sum)	0.010	0.010	8	8	0	0	0.005	0.005	0.005	0.05	0
Chlorpyrifos	0.010	0.050	16	13	2	1	1.440	0.107	0.025	0.2	1

**For mean and median residue level calculations when results were below limit of detection LOQ/2 was substituted
 All results expressed in mg/kg**

Product=Peaches Treatment=Unprocessed

Compound	Min LOQ	Max LOQ	Total	Between LOQ and MRL		Above MRL	Max Residue Level	Mean Residue Level	Median Residue Level	MRL	Non Compliant
				Below LOQ							
Chlorpyrifos-methyl	0.010	0.010	8	8	0	0	0.005	0.005	0.005	0.5	0
Clofentezine	0.010	0.010	8	8	0	0	0.005	0.005	0.005	0.02	0
Clothianidin	0.010	0.010	8	8	0	0	0.005	0.005	0.005	0.1	0
Cyfluthrin (sum)	0.020	0.020	8	8	0	0	0.010	0.010	0.010	0.3	0
Cymoxanil	0.010	0.010	8	8	0	0	0.005	0.005	0.005	0.05	0
Cypermethrin (sum)	0.010	0.500	16	15	1	0	0.250	0.128	0.130	2	0
Cyproconazole	0.010	0.010	8	8	0	0	0.005	0.005	0.005	0.1	0
Cyprodinil	0.010	0.010	8	8	0	0	0.005	0.005	0.005	2	0
Cyromazine	0.010	0.010	8	8	0	0	0.005	0.005	0.005	0.05	0
Deltamethrin	0.010	0.500	15	15	0	0	0.250	0.136	0.250	0.1	0
Diazinon	0.010	0.050	16	16	0	0	0.025	0.015	0.015	0.01	0
Dichlofluanid	0.010	0.010	16	16	0	0	0.005	0.005	0.005	0.01	0
Dichlorvos	0.010	0.050	16	16	0	0	0.025	0.015	0.015	0.01	0
Dicloran	0.010	0.010	7	7	0	0	0.005	0.005	0.005	0.1	0
Dicofol (sum)	0.050	0.050	15	15	0	0	0.025	0.025	0.025	0.02	0
Dicrotophos	0.050	0.050	8	8	0	0	0.025	0.025	0.025	0.01	0
Diethofencarb	0.010	0.010	8	8	0	0	0.005	0.005	0.005	0.05	0
Difenoconazole	0.010	0.010	8	8	0	0	0.005	0.005	0.005	0.5	0
Diflubenzuron	0.010	0.010	8	7	1	0	0.039	0.009	0.005	1	0
Dimethoate (sum)	0.010	0.010	8	8	0	0	0.005	0.005	0.005	0.02	0
Dimethomorph	0.010	0.010	8	8	0	0	0.005	0.005	0.005	0.05	0
Diniconazole	0.010	0.010	7	7	0	0	0.005	0.005	0.005	0.2	0
Diphenylamine	0.100	0.100	8	8	0	0	0.050	0.050	0.050	0.05	0
Dithiocarbamates	0.100	0.100	5	5	0	0	0.050	0.050	0.050	2	0
EPN	0.010	0.010	8	8	0	0	0.005	0.005	0.005	0.01	0
Endosulfan (sum)	0.005	0.050	16	16	0	0	0.025	0.014	0.014	0.05	0

*For mean and median residue level calculations when results were below limit of detection LOQ/2 was substituted
 All results expressed in mg/kg*

Product=Peaches Treatment=Unprocessed

Compound	Min LOQ	Max LOQ	Total	Below LOQ	Between	Above MRL	Max Residue Level	Mean Residue Level	Median Residue Level	MRL	Non Compliant
					LOQ and MRL						
Epoxiconazole	0.010	0.010	8	8	0	0	0.005	0.005	0.005	0.05	0
Ethion	0.010	0.010	8	8	0	0	0.005	0.005	0.005	0.01	0
Ethirimol	0.010	0.010	8	8	0	0	0.005	0.005	0.005	0.05	0
Ethoprophos	0.010	0.050	16	16	0	0	0.025	0.015	0.015	0.02	0
Etofenprox	0.010	0.010	8	6	2	0	0.077	0.020	0.005	0.5	0
Famoxadone	0.010	0.010	8	8	0	0	0.005	0.005	0.005	0.02	0
Fenamidone	0.010	0.010	8	8	0	0	0.005	0.005	0.005	0.02	0
Fenamiphos (sum)	0.010	0.010	8	8	0	0	0.005	0.005	0.005	0.02	0
Fenarimol	0.010	0.010	7	7	0	0	0.005	0.005	0.005	0.5	0
Fenazaquin	0.010	0.010	8	8	0	0	0.005	0.005	0.005	0.5	0
Fenbuconazole	0.010	0.010	8	5	3	0	0.039	0.011	0.005	0.5	0
Fenhexamid	0.010	0.010	8	8	0	0	0.005	0.005	0.005	5	0
Fenitrothion	0.010	0.010	8	8	0	0	0.005	0.005	0.005	0.01	0
Fenoxycarb	0.010	0.500	16	15	1	0	0.250	0.130	0.145	1	0
Fenpropathrin	0.010	0.500	16	16	0	0	0.250	0.128	0.128	0.01	0
Fenpropimorph	0.010	0.010	8	8	0	0	0.005	0.005	0.005	0.05	0
Fenpyroximate	0.010	0.010	8	8	0	0	0.005	0.005	0.005	0.3	0
Fenthion (sum)	0.010	0.010	8	8	0	0	0.005	0.005	0.005	0.01	0
Fenvalerate and Esfenvalerate (Sum of RR and SS isomers)	0.010	0.010	7	7	0	0	0.005	0.005	0.005	0.1	0
Fenvalerate and Esfenvalerate (Sum of RS and SR isomers)	0.010	0.010	7	7	0	0	0.005	0.005	0.005	0.02	0
Fipronil (sum)	0.010	0.010	2	2	0	0	0.005	0.005	0.005	0.005	0
Fludioxonil	0.010	0.010	2	2	0	0	0.005	0.005	0.005	7	0
Flufenoxuron	0.010	0.010	8	8	0	0	0.005	0.005	0.005	0.5	0
Fluquinconazole	0.010	0.010	8	8	0	0	0.005	0.005	0.005	0.1	0
Flusilazole	0.010	0.010	8	8	0	0	0.005	0.005	0.005	0.2	0
Flutriafol	0.010	0.010	8	8	0	0	0.005	0.005	0.005	0.05	0

For mean and median residue level calculations when results were below limit of detection LOQ/2 was substituted
 All results expressed in mg/kg

Product=Peaches Treatment=Unprocessed

Compound	Min LOQ	Max LOQ	Total	Between LOQ and MRL		Above MRL	Max Residue Level	Mean Residue Level	Median Residue Level	MRL	Non Compliant
				Below LOQ	MRL						
Folpet	0.010	0.050	16	16	0	0	0.025	0.015	0.015	0.02	0
Formetanate	0.010	0.010	8	8	0	0	0.005	0.005	0.005	0.05	0
Fosthiazate	0.010	0.010	8	8	0	0	0.005	0.005	0.005	0.02	0
Hexaconazole	0.010	0.010	8	8	0	0	0.005	0.005	0.005	0.02	0
Hexythiazox	0.010	0.010	8	8	0	0	0.005	0.005	0.005	1	0
Imazalil	0.020	0.020	8	8	0	0	0.010	0.010	0.010	0.05	0
Imidacloprid	0.010	0.010	8	7	1	0	0.016	0.006	0.005	0.5	0
Indoxacarb as sum of the isomers S and R	0.010	0.010	8	8	0	0	0.005	0.005	0.005	1	0
Iprodione	0.010	0.100	15	15	0	0	0.050	0.029	0.050	3	0
Iprovalicarb	0.010	0.010	8	8	0	0	0.005	0.005	0.005	0.05	0
Isofenphos-methyl	0.010	0.010	8	8	0	0	0.005	0.005	0.005	0.01	0
Kresoxim-methyl	0.010	0.010	8	8	0	0	0.005	0.005	0.005	0.05	0
Lambda-Cyhalothrin	0.010	0.010	7	7	0	0	0.005	0.005	0.005	0.2	0
Linuron	0.010	0.010	8	8	0	0	0.005	0.005	0.005	0.05	0
Lufenuron	0.010	0.010	8	8	0	0	0.005	0.005	0.005	1	0
Malathion (sum of malathion and malaoxon expressed as malathion)	0.010	0.010	8	8	0	0	0.005	0.005	0.005	0.02	0
Mepanipyrim (Mepanipyrim and its metabolite (2-anilino-4-(2-hydroxypropyl)-6-methylpyrimidine) expressed as mepanipyrim)	0.010	0.010	8	8	0	0	0.005	0.005	0.005	0.01	0
Metalaxyl (Metalaxyl including other mixtures of constituent isomers including Metalaxyl-M (sum of isomers))	0.010	0.010	8	8	0	0	0.005	0.005	0.005	0.05	0
Metconazole	0.010	0.010	8	8	0	0	0.005	0.005	0.005	0.1	0
Methamidophos	0.010	0.010	8	8	0	0	0.005	0.005	0.005	0.05	0
Methidathion	0.020	0.020	7	7	0	0	0.010	0.010	0.010	0.02	0
Methiocarb (sum of methiocarb and methiocarb sulfoxide and sulfone, expressed as methiocarb)	0.010	0.010	8	8	0	0	0.005	0.005	0.005	0.2	0
Methomyl and thiodicarb (sum of methomyl and thiodicarb expressed as methomyl)	0.010	0.010	8	8	0	0	0.005	0.005	0.005	0.02	0
Methoxychlor	0.010	0.050	15	15	0	0	0.025	0.016	0.025	0.01	0

For mean and median residue level calculations when results were below limit of detection LOQ/2 was substituted
 All results expressed in mg/kg

Product=Peaches Treatment=Unprocessed

Compound	Min LOQ	Max LOQ	Total	Between LOQ and MRL		Above MRL	Max Residue Level	Mean Residue Level	Median Residue Level	MRL	Non Compliant
				Below LOQ	MRL						
Methoxyfenozide	0.010	0.010	8	8	0	0	0.005	0.005	0.005	0.3	0
Metobromuron	0.010	0.010	8	8	0	0	0.005	0.005	0.005	0.01	0
Monocrotophos	0.010	0.010	8	8	0	0	0.005	0.005	0.005	0.01	0
Myclobutanil	0.010	0.010	8	8	0	0	0.005	0.005	0.005	0.5	0
Nitenpyram	0.050	0.050	8	8	0	0	0.025	0.025	0.025	0.01	0
Oxadixyl	0.010	0.010	8	8	0	0	0.005	0.005	0.005	0.01	0
Oxamyl	0.010	0.010	8	8	0	0	0.005	0.005	0.005	0.01	0
Oxydemeton-methyl (sum of oxydemeton-methyl and demeton-S-methylsulfone expressed as oxydemeton-methyl)	0.010	0.010	8	8	0	0	0.005	0.005	0.005	0.01	0
Paclobutrazol	0.010	0.010	8	8	0	0	0.005	0.005	0.005	0.5	0
Parathion	0.010	0.010	7	7	0	0	0.005	0.005	0.005	0.05	0
Parathion-methyl (sum of Parathion-methyl and paraoxon-methyl expressed as Parathion-methyl)	0.020	0.020	7	7	0	0	0.010	0.010	0.010	0.02	0
Penconazole	0.010	0.010	8	8	0	0	0.005	0.005	0.005	0.1	0
Pencycuron	0.010	0.010	8	8	0	0	0.005	0.005	0.005	0.05	0
Pendimethalin	0.010	0.010	8	8	0	0	0.005	0.005	0.005	0.05	0
Phenthoate	0.020	0.020	8	8	0	0	0.010	0.010	0.010	0.01	0
Phosalone	0.010	0.010	8	8	0	0	0.005	0.005	0.005	2	0
Phosmet (phosmet and phosmet oxon expressed as phosmet)	0.010	0.010	8	8	0	0	0.005	0.005	0.005	1	0
Phoxim	0.010	0.010	8	8	0	0	0.005	0.005	0.005	0.01	0
Pirimicarb (sum of Pirimicarb and desmethyl pirimicarb expressed as Pirimicarb)	0.010	0.010	8	8	0	0	0.005	0.005	0.005	2	0
Pirimiphos-methyl	0.010	0.010	8	8	0	0	0.005	0.005	0.005	0.05	0
Prochloraz (sum of prochloraz and its metabolites containing the 2,4,6-Trichlorophenol moiety expressed as prochloraz)	0.010	0.010	8	8	0	0	0.005	0.005	0.005	0.05	0
Procymidone	0.010	0.050	16	16	0	0	0.025	0.015	0.015	0.02	0
Profenofos	0.010	0.010	8	8	0	0	0.005	0.005	0.005	0.05	0
Propamocarb (sum of propamocarb and its salt expressed as propamocarb)	0.010	0.010	8	8	0	0	0.005	0.005	0.005	0.1	0

For mean and median residue level calculations when results were below limit of detection LOQ/2 was substituted
 All results expressed in mg/kg

Product=Peaches Treatment=Unprocessed

Compound	Min LOQ	Max LOQ	Total	Between LOQ and MRL		Above MRL	Max Residue Level	Mean Residue Level	Median Residue Level	MRL	Non Compliant
				Below LOQ	MRL						
Propargite	0.010	0.010	8	8	0	0	0.005	0.005	0.005	4	0
Propiconazole	0.010	0.010	8	8	0	0	0.005	0.005	0.005	0.2	0
Propyzamide	0.010	0.010	7	7	0	0	0.005	0.005	0.005	0.02	0
Prothioconazole (prothioconazole-desthio)	0.010	0.010	2	2	0	0	0.005	0.005	0.005	0.02	0
Prothiofos	0.010	0.010	16	16	0	0	0.005	0.005	0.005	0.01	0
Pymetrozine	0.010	0.010	8	8	0	0	0.005	0.005	0.005	0.05	0
Pyraclostrobin	0.010	0.010	8	8	0	0	0.005	0.005	0.005	0.2	0
Pyrethrins	0.010	0.010	8	8	0	0	0.005	0.005	0.005	1	0
Pyridaben	0.010	0.010	8	8	0	0	0.005	0.005	0.005	0.5	0
Pyrimethanil	0.010	0.010	8	8	0	0	0.005	0.005	0.005	10	0
Pyriproxyfen	0.010	0.010	8	8	0	0	0.005	0.005	0.005	0.5	0
Quinoxifen	0.010	0.010	8	8	0	0	0.005	0.005	0.005	0.05	0
Spinosad (sum of Spinosyn A and Spinosyn D, expressed as Spinosad)	0.010	0.010	8	8	0	0	0.005	0.005	0.005	1	0
Spirodiclofen	0.010	0.010	8	8	0	0	0.005	0.005	0.005	2	0
Spiroxamine	0.010	0.010	8	8	0	0	0.005	0.005	0.005	0.05	0
Tebuconazole	0.010	0.010	8	5	3	0	0.026	0.011	0.005	1	0
Tebufenozide	0.010	0.010	8	8	0	0	0.005	0.005	0.005	0.5	0
Tebufenpyrad	0.010	0.010	8	8	0	0	0.005	0.005	0.005	0.3	0
Teflubenzuron	0.010	0.010	2	2	0	0	0.005	0.005	0.005	1	0
Tefluthrin	0.010	0.010	7	7	0	0	0.005	0.005	0.005	0.05	0
Terbutylazine	0.010	0.050	16	16	0	0	0.025	0.015	0.015	0.05	0
Tetraconazole	0.010	0.010	8	8	0	0	0.005	0.005	0.005	0.1	0
Tetradifon	0.010	0.010	7	7	0	0	0.005	0.005	0.005	0.01	0
Thiabendazole	0.010	0.010	8	8	0	0	0.005	0.005	0.005	0.05	0
Thiacloprid	0.010	0.010	8	8	0	0	0.005	0.005	0.005	0.3	0
Thiametoxam (sum of thiametoxam and clothianidin expressed as thiametoxam)	0.010	0.010	8	8	0	0	0.005	0.005	0.005	0.3	0

**For mean and median residue level calculations when results were below limit of detection LOQ/2 was substituted
 All results expressed in mg/kg**

Product=Peaches Treatment=Unprocessed

Compound	Min LOQ	Max LOQ	Total	Between LOQ and MRL		Above MRL	Max Residue Level	Mean Residue Level	Median Residue Level	MRL	Non Compliant
				Below LOQ	MRL						
Thiophanate-methyl	0.010	0.010	8	8	0	0	0.005	0.005	0.005	2	0
Tolclofos-methyl	0.010	0.010	8	8	0	0	0.005	0.005	0.005	0.05	0
Tolyfluanid (Sum of tolyfluanid and dimethylaminosulfotoluidide expressed as tolyfluanid)	0.010	0.010	8	8	0	0	0.005	0.005	0.005	0.05	0
Triadimefon (sum of Triadimefon and Triadimenol)	0.010	0.010	8	8	0	0	0.005	0.005	0.005	0.1	0
Triazophos	0.010	0.010	8	8	0	0	0.005	0.005	0.005	0.01	0
Trifloxystrobin	0.010	0.010	8	8	0	0	0.005	0.005	0.005	1	0
Triflumuron	0.010	0.010	2	2	0	0	0.005	0.005	0.005	1	0
Trifluralin	0.010	0.010	7	7	0	0	0.005	0.005	0.005	0.1	0
Triticonazole	0.010	0.010	8	8	0	0	0.005	0.005	0.005	0.01	0
Vinclozolin (sum of Vinclozolin and all metabolites containing the 3,5-dichloraniline moiety, expressed as Vinclozolin)	0.010	0.010	7	7	0	0	0.005	0.005	0.005	0.05	0
Zoxamide	0.010	0.010	8	8	0	0	0.005	0.005	0.005	0.02	0
tau-Fluvalinate	0.010	0.010	7	7	0	0	0.005	0.005	0.005	0.1	0

*For mean and median residue level calculations when results were below limit of detection LOQ/2 was substituted
 All results expressed in mg/kg*

Product=Rye Treatment=Unprocessed

Compound	Min LOQ	Max LOQ	Total	Between LOQ		Above MRL	Max Residue Level	Mean Residue Level	Median Residue Level	MRL	Non Compliant
				Below LOQ	and MRL						
Abamectin (sum)	0.010	0.010	1	1	0	0	0.005	0.005	0.005	0.01	0
Acephate	0.010	0.010	1	1	0	0	0.005	0.005	0.005	0.02	0
Acetamiprid	0.010	0.010	1	1	0	0	0.005	0.005	0.005	0.01	0
Acrinathrin	0.010	0.010	1	1	0	0	0.005	0.005	0.005	0.05	0
Aldicarb (sum)	0.010	0.010	1	1	0	0	0.005	0.005	0.005	0.02	0
Azinphos-methyl	0.010	0.010	1	1	0	0	0.005	0.005	0.005	0.05	0
Azoxystrobin	0.010	0.010	1	1	0	0	0.005	0.005	0.005	0.3	0
Benfuracarb	0.010	0.010	1	1	0	0	0.005	0.005	0.005	0.05	0
Bifenthrin	0.010	0.010	1	1	0	0	0.005	0.005	0.005	0.05	0
Boscalid	0.010	0.010	1	1	0	0	0.005	0.005	0.005	0.5	0
Bromopropylate	0.050	0.050	1	1	0	0	0.025	0.025	0.025	0.01	0
Bromuconazole (sum)	0.010	0.010	1	1	0	0	0.005	0.005	0.005	0.2	0
Bupirimate	0.010	0.010	1	1	0	0	0.005	0.005	0.005	0.05	0
Buprofezin	0.010	0.010	1	1	0	0	0.005	0.005	0.005	0.05	0
Carbaryl	0.010	0.010	1	1	0	0	0.005	0.005	0.005	0.5	0
Carbendazim and benomyl	0.010	0.010	1	1	0	0	0.005	0.005	0.005	0.1	0
Carbofuran (sum)	0.010	0.010	1	1	0	0	0.005	0.005	0.005	0.02	0
Carbosulfan	0.010	0.010	1	1	0	0	0.005	0.005	0.005	0.05	0
Chlorfenvinphos	0.010	0.010	1	1	0	0	0.005	0.005	0.005	0.02	0
Chlorothalonil	0.010	0.010	1	1	0	0	0.005	0.005	0.005	0.1	0
Chlorpropham (sum)	0.010	0.010	1	1	0	0	0.005	0.005	0.005	0.02	0
Chlorpyrifos	0.010	0.010	1	1	0	0	0.005	0.005	0.005	0.05	0
Chlorpyrifos-methyl	0.010	0.010	1	1	0	0	0.005	0.005	0.005	3	0
Clofentezine	0.010	0.010	1	1	0	0	0.005	0.005	0.005	.	0
Clothianidin	0.010	0.010	1	1	0	0	0.005	0.005	0.005	0.02	0
Cyfluthrin (sum)	0.020	0.020	1	1	0	0	0.010	0.010	0.010	0.02	0

**For mean and median residue level calculations when results were below limit of detection LOQ/2 was substituted
 All results expressed in mg/kg**

Product=Rye Treatment=Unprocessed

Compound	Min LOQ	Max LOQ	Total	Between LOQ		Above MRL	Max Residue Level	Mean Residue Level	Median Residue Level	MRL	Non Compliant
				Below LOQ	and MRL						
Cymoxanil	0.010	0.010	1	1	0	0	0.005	0.005	0.005	0.05	0
Cypermethrin (sum)	0.010	0.010	1	1	0	0	0.005	0.005	0.005	2	0
Cyproconazole	0.010	0.010	1	1	0	0	0.005	0.005	0.005	0.1	0
Cyprodinil	0.010	0.010	1	1	0	0	0.005	0.005	0.005	0.5	0
Cyromazine	0.010	0.010	1	1	0	0	0.005	0.005	0.005	0.05	0
Diazinon	0.010	0.010	1	1	0	0	0.005	0.005	0.005	0.02	0
Dichlofluanid	0.010	0.010	1	1	0	0	0.005	0.005	0.005	0.01	0
Dichlorvos	0.010	0.010	1	1	0	0	0.005	0.005	0.005	0.01	0
Dicrotophos	0.050	0.050	1	1	0	0	0.025	0.025	0.025	0.01	0
Diethofencarb	0.010	0.010	1	1	0	0	0.005	0.005	0.005	0.05	0
Difenoconazole	0.010	0.010	1	1	0	0	0.005	0.005	0.005	0.1	0
Diflubenzuron	0.010	0.010	1	1	0	0	0.005	0.005	0.005	0.1	0
Dimethoate (sum)	0.010	0.010	1	1	0	0	0.005	0.005	0.005	0.05	0
Dimethomorph	0.010	0.010	1	1	0	0	0.005	0.005	0.005	0.05	0
Diphenylamine	0.100	0.100	1	1	0	0	0.050	0.050	0.050	0.05	0
EPN	0.010	0.010	1	1	0	0	0.005	0.005	0.005	0.01	0
Endosulfan (sum)	0.005	0.005	1	1	0	0	0.003	0.003	0.003	0.05	0
Epoxiconazole	0.010	0.010	1	1	0	0	0.005	0.005	0.005	0.6	0
Ethion	0.010	0.010	1	1	0	0	0.005	0.005	0.005	0.01	0
Ethirimol	0.010	0.010	1	1	0	0	0.005	0.005	0.005	0.05	0
Ethoprophos	0.010	0.010	1	1	0	0	0.005	0.005	0.005	0.02	0
Etofenprox	0.010	0.010	1	1	0	0	0.005	0.005	0.005	0.5	0
Famoxadone	0.010	0.010	1	1	0	0	0.005	0.005	0.005	0.02	0
Fenamidone	0.010	0.010	1	1	0	0	0.005	0.005	0.005	0.02	0
Fenamiphos (sum)	0.010	0.010	1	1	0	0	0.005	0.005	0.005	0.02	0
Fenazaquin	0.010	0.010	1	1	0	0	0.005	0.005	0.005	0.01	0

For mean and median residue level calculations when results were below limit of detection LOQ/2 was substituted
 All results expressed in mg/kg

Product=Rye Treatment=Unprocessed

Compound	Min LOQ	Max LOQ	Total	Between LOQ		Above MRL	Max Residue Level	Mean Residue Level	Median Residue Level	MRL	Non Compliant
				Below LOQ	and MRL						
Fenbuconazole	0.010	0.010	1	1	0	0	0.005	0.005	0.005	0.1	0
Fenhexamid	0.010	0.010	1	1	0	0	0.005	0.005	0.005	0.05	0
Fenitrothion	0.010	0.010	1	1	0	0	0.005	0.005	0.005	0.05	0
Fenoxycarb	0.010	0.010	1	1	0	0	0.005	0.005	0.005	0.05	0
Fenpropathrin	0.010	0.010	1	1	0	0	0.005	0.005	0.005	0.01	0
Fenpropimorph	0.010	0.010	1	1	0	0	0.005	0.005	0.005	0.5	0
Fenpyroximate	0.010	0.010	1	1	0	0	0.005	0.005	0.005	0.05	0
Fenthion (sum)	0.010	0.010	1	1	0	0	0.005	0.005	0.005	0.01	0
Flufenoxuron	0.010	0.010	1	1	0	0	0.005	0.005	0.005	0.05	0
Fluquinconazole	0.010	0.010	1	1	0	0	0.005	0.005	0.005	0.1	0
Flusilazole	0.010	0.010	1	1	0	0	0.005	0.005	0.005	0.1	0
Flutriafol	0.010	0.010	1	1	0	0	0.005	0.005	0.005	0.5	0
Folpet	0.010	0.010	1	1	0	0	0.005	0.005	0.005	0.02	0
Formetanate	0.010	0.010	1	1	0	0	0.005	0.005	0.005	0.05	0
Fosthiazate	0.010	0.010	1	1	0	0	0.005	0.005	0.005	0.02	0
Hexaconazole	0.010	0.010	1	1	0	0	0.005	0.005	0.005	0.02	0
Hexythiazox	0.010	0.010	1	1	0	0	0.005	0.005	0.005	0.5	0
Imazalil	0.020	0.020	1	1	0	0	0.010	0.010	0.010	0.05	0
Imidacloprid	0.010	0.010	1	1	0	0	0.005	0.005	0.005	0.1	0
Indoxacarb as sum of the isomers S and R	0.010	0.010	1	1	0	0	0.005	0.005	0.005	0.02	0
Iprovalicarb	0.010	0.010	1	1	0	0	0.005	0.005	0.005	0.05	0
Isofenphos-methyl	0.010	0.010	1	1	0	0	0.005	0.005	0.005	0.01	0
Kresoxim-methyl	0.010	0.010	1	1	0	0	0.005	0.005	0.005	0.05	0
Linuron	0.010	0.010	1	1	0	0	0.005	0.005	0.005	0.05	0
Lufenuron	0.010	0.010	1	1	0	0	0.005	0.005	0.005	0.02	0
Malathion (sum of malathion and malaoxon expressed as malathion)	0.010	0.010	1	1	0	0	0.005	0.005	0.005	8	0

For mean and median residue level calculations when results were below limit of detection LOQ/2 was substituted
 All results expressed in mg/kg

Product=Rye Treatment=Unprocessed

Compound	Min LOQ	Max LOQ	Total	Below LOQ	Between LOQ and MRL		Max Residue Level	Mean Residue Level	Median Residue Level	MRL	Non Compliant
					Above MRL						
Mepanipyrim (Mepanipyrim and its metabolite (2-anilino-4-(2-hydroxypropyl)-6-methylpyrimidine) expressed as mepanipyrim)	0.010	0.010	1	1	0	0	0.005	0.005	0.005	0.01	0
Metalaxyl (Metalaxyl including other mixtures of constituent isomers including Metalaxyl-M (sum of isomers))	0.010	0.010	1	1	0	0	0.005	0.005	0.005	0.05	0
Metconazole	0.010	0.010	1	1	0	0	0.005	0.005	0.005	0.1	0
Methamidophos	0.010	0.010	1	1	0	0	0.005	0.005	0.005	0.01	0
Methiocarb (sum of methiocarb and methiocarb sulfoxide and sulfone, expressed as methiocarb)	0.010	0.010	1	1	0	0	0.005	0.005	0.005	0.1	0
Methomyl and thiodicarb (sum of methomyl and thiodicarb expressed as methomyl)	0.010	0.010	1	1	0	0	0.005	0.005	0.005	0.02	0
Methoxyfenozide	0.010	0.010	1	1	0	0	0.005	0.005	0.005	0.05	0
Metobromuron	0.010	0.010	1	1	0	0	0.005	0.005	0.005	0.01	0
Monocrotophos	0.010	0.010	1	1	0	0	0.005	0.005	0.005	0.01	0
Myclobutanil	0.010	0.010	1	1	0	0	0.005	0.005	0.005	0.02	0
Nitenpyram	0.050	0.050	1	1	0	0	0.025	0.025	0.025	0.01	0
Oxadixyl	0.010	0.010	1	1	0	0	0.005	0.005	0.005	0.01	0
Oxamyl	0.010	0.010	1	1	0	0	0.005	0.005	0.005	0.01	0
Oxydemeton-methyl (sum of oxydemeton-methyl and demeton-S-methylsulfone expressed as oxydemeton-methyl)	0.010	0.010	1	1	0	0	0.005	0.005	0.005	0.02	0
Paclobutrazol	0.010	0.010	1	1	0	0	0.005	0.005	0.005	0.02	0
Penconazole	0.010	0.010	1	1	0	0	0.005	0.005	0.005	0.05	0
Pencycuron	0.010	0.010	1	1	0	0	0.005	0.005	0.005	0.05	0
Pendimethalin	0.010	0.010	1	1	0	0	0.005	0.005	0.005	0.05	0
Phenthoate	0.020	0.020	1	1	0	0	0.010	0.010	0.010	0.01	0
Phosalone	0.010	0.010	1	1	0	0	0.005	0.005	0.005	0.05	0
Phosmet (phosmet and phosmet oxon expressed as phosmet)	0.010	0.010	1	1	0	0	0.005	0.005	0.005	0.05	0
Phoxim	0.010	0.010	1	1	0	0	0.005	0.005	0.005	0.01	0
Pirimicarb (sum of Pirimicarb and desmethyl pirimicarb expressed as Pirimicarb)	0.010	0.010	1	1	0	0	0.005	0.005	0.005	0.5	0
Pirimiphos-methyl	0.010	0.010	1	1	0	0	0.005	0.005	0.005	5	0

For mean and median residue level calculations when results were below limit of detection LOQ/2 was substituted
 All results expressed in mg/kg

Product=Rye Treatment=Unprocessed

Compound	Min LOQ	Max LOQ	Total	Below LOQ	Between LOQ and MRL		Max Residue Level	Mean Residue Level	Median Residue Level	MRL	Non Compliant
					Above MRL						
Prochloraz (sum of prochloraz and its metabolites containing the 2,4,6-Trichlorophenol moiety expressed as prochloraz)	0.010	0.010	1	1	0	0	0.005	0.005	0.005	0.5	0
Procymidone	0.010	0.010	1	1	0	0	0.005	0.005	0.005	0.02	0
Profenofos	0.010	0.010	1	1	0	0	0.005	0.005	0.005	0.05	0
Propamocarb (sum of propamocarb and its salt expressed as propamocarb)	0.010	0.010	1	1	0	0	0.005	0.005	0.005	0.1	0
Propargite	0.010	0.010	1	1	0	0	0.005	0.005	0.005	0.01	0
Propiconazole	0.010	0.010	1	1	0	0	0.005	0.005	0.005	0.05	0
Prothiofos	0.010	0.010	1	1	0	0	0.005	0.005	0.005	0.01	0
Pymetrozine	0.010	0.010	1	1	0	0	0.005	0.005	0.005	0.02	0
Pyraclostrobin	0.010	0.010	1	1	0	0	0.005	0.005	0.005	0.1	0
Pyrethrins	0.010	0.010	1	1	0	0	0.005	0.005	0.005	3	0
Pyridaben	0.010	0.010	1	1	0	0	0.005	0.005	0.005	0.05	0
Pyrimethanil	0.010	0.010	1	1	0	0	0.005	0.005	0.005	0.05	0
Pyriproxyfen	0.010	0.010	1	1	0	0	0.005	0.005	0.005	0.05	0
Quinoxifen	0.010	0.010	1	1	0	0	0.005	0.005	0.005	0.02	0
Spinosad (sum of Spinosyn A and Spinosyn D, expressed as Spinosad)	0.010	0.010	1	1	0	0	0.005	0.005	0.005	1	0
Spirodiclofen	0.010	0.010	1	1	0	0	0.005	0.005	0.005	0.02	0
Spiroxamine	0.010	0.010	1	1	0	0	0.005	0.005	0.005	0.05	0
Tebuconazole	0.010	0.010	1	1	0	0	0.005	0.005	0.005	0.2	0
Tebufenozide	0.010	0.010	1	1	0	0	0.005	0.005	0.005	0.05	0
Tebufenpyrad	0.010	0.010	1	1	0	0	0.005	0.005	0.005	0.05	0
Terbutylazine	0.010	0.010	1	1	0	0	0.005	0.005	0.005	0.05	0
Tetraconazole	0.010	0.010	1	1	0	0	0.005	0.005	0.005	0.05	0
Thiabendazole	0.010	0.010	1	1	0	0	0.005	0.005	0.005	0.05	0
Thiacloprid	0.010	0.010	1	1	0	0	0.005	0.005	0.005	0.05	0
Thiametoxam (sum of thiametoxam and clothianidin expressed as thiametoxam)	0.010	0.010	1	1	0	0	0.005	0.005	0.005	0.05	0

For mean and median residue level calculations when results were below limit of detection LOQ/2 was substituted
 All results expressed in mg/kg

Product=Rye Treatment=Unprocessed

Compound	Min LOQ	Max LOQ	Total	Below LOQ	Between LOQ and MRL		Max Residue Level	Mean Residue Level	Median Residue Level	MRL	Non Compliant
					Above MRL						
Thiophanate-methyl	0.010	0.010	1	1	0	0	0.005	0.005	0.005	0.05	0
Tolclofos-methyl	0.010	0.010	1	1	0	0	0.005	0.005	0.005	0.05	0
Tolyfluanid (Sum of tolyfluanid and dimethylaminosulfotoluidide expressed as tolyfluanid)	0.010	0.010	1	1	0	0	0.005	0.005	0.005	0.05	0
Triadimefon (sum of Triadimefon and Triadimenol)	0.010	0.010	1	1	0	0	0.005	0.005	0.005	0.2	0
Triazophos	0.010	0.010	1	1	0	0	0.005	0.005	0.005	0.02	0
Trifloxystrobin	0.010	0.010	1	1	0	0	0.005	0.005	0.005	0.05	0
Triticonazole	0.010	0.010	1	1	0	0	0.005	0.005	0.005	0.01	0
Zoxamide	0.010	0.010	1	1	0	0	0.005	0.005	0.005	0.02	0

For mean and median residue level calculations when results were below limit of detection LOQ/2 was substituted
 All results expressed in mg/kg

Product=Strawberries Treatment=Unprocessed

Compound	Min LOQ	Max LOQ	Total	Between LOQ and MRL		Above MRL	Max Residue Level	Mean Residue Level	Median Residue Level	MRL	Non Compliant
				Below LOQ	Between LOQ and MRL						
Abamectin (sum)	0.010	0.010	12	12	0	0	0.005	0.005	0.005	0.1	0
Acephate	0.010	0.020	22	22	0	0	0.010	0.007	0.005	0.02	0
Acetamiprid	0.010	0.010	12	12	0	0	0.005	0.005	0.005	0.5	0
Acrinathrin	0.010	0.020	22	22	0	0	0.010	0.007	0.005	0.2	0
Aldicarb (sum)	0.010	0.010	12	12	0	0	0.005	0.005	0.005	0.02	0
Azinphos-methyl	0.010	0.050	22	22	0	0	0.025	0.014	0.005	0.05	0
Azoxystrobin	0.010	0.050	22	16	6	0	0.380	0.069	0.025	10	0
Benfuracarb	0.010	0.010	12	12	0	0	0.005	0.005	0.005	0.05	0
Bifenthrin	0.010	0.020	22	22	0	0	0.010	0.007	0.005	0.5	0
Bitertanol	0.010	0.100	12	12	0	0	0.050	0.043	0.050	0.05	0
Boscalid	0.010	0.010	12	10	2	0	0.400	0.057	0.005	10	0
Bromide ion	0.500	0.500	7	7	0	0	0.250	0.250	0.250	30	0
Bromopropylate	0.050	0.050	12	12	0	0	0.025	0.025	0.025	0.01	0
Bromuconazole (sum)	0.010	0.010	12	12	0	0	0.005	0.005	0.005	0.05	0
Bupirimate	0.010	0.050	22	21	1	0	0.025	0.015	0.013	1	0
Buprofezin	0.010	0.010	12	12	0	0	0.005	0.005	0.005	3	0
Carbaryl	0.010	0.010	12	12	0	0	0.005	0.005	0.005	0.05	0
Carbendazim and benomyl	0.010	0.010	12	12	0	0	0.005	0.005	0.005	0.1	0
Carbofuran (sum)	0.010	0.010	12	12	0	0	0.005	0.005	0.005	0.02	0
Carbosulfan	0.010	0.010	12	12	0	0	0.005	0.005	0.005	0.05	0
Chlorfenapyr	0.020	0.020	12	12	0	0	0.010	0.010	0.010	0.05	0
Chlorfenvinphos	0.010	0.020	22	22	0	0	0.010	0.007	0.005	0.02	0
Chlorothalonil	0.010	0.020	22	22	0	0	0.010	0.007	0.005	5	0
Chlorpropham (sum)	0.010	0.010	12	12	0	0	0.005	0.005	0.005	0.05	0
Chlorpyrifos	0.010	0.020	22	22	0	0	0.010	0.007	0.005	0.2	0
Chlorpyrifos-methyl	0.010	0.020	22	22	0	0	0.010	0.007	0.005	0.5	0

**For mean and median residue level calculations when results were below limit of detection LOQ/2 was substituted
 All results expressed in mg/kg**

Table B: Results of the EU co-ordinated programme

Product=Strawberries Treatment=Unprocessed

Compound	Min LOQ	Max LOQ	Total	Between LOQ and MRL		Above MRL	Max Residue Level	Mean Residue Level	Median Residue Level	MRL	Non Compliant
				Below LOQ							
Clofentezine	0.010	0.010	12	12	0	0	0.005	0.005	0.005	2	0
Clothianidin	0.010	0.010	12	12	0	0	0.005	0.005	0.005	0.02	0
Cyfluthrin (sum)	0.020	0.020	22	22	0	0	0.010	0.010	0.010	0.02	0
Cymoxanil	0.010	0.010	12	12	0	0	0.005	0.005	0.005	0.05	0
Cypermethrin (sum)	0.010	0.020	22	22	0	0	0.010	0.007	0.005	0.07	0
Cyproconazole	0.010	0.010	12	12	0	0	0.005	0.005	0.005	0.05	0
Cyprodinil	0.010	0.050	22	20	2	0	0.088	0.019	0.025	5	0
Cyromazine	0.010	0.010	12	12	0	0	0.005	0.005	0.005	0.05	0
Deltamethrin	0.010	0.020	22	22	0	0	0.010	0.007	0.005	0.2	0
Diazinon	0.010	0.020	22	22	0	0	0.010	0.007	0.005	0.01	0
Dichlofluanid	0.010	0.010	12	12	0	0	0.005	0.005	0.005	0.01	0
Dichlorvos	0.010	0.020	22	22	0	0	0.010	0.007	0.005	0.01	0
Dicloran	0.010	0.010	12	12	0	0	0.005	0.005	0.005	0.3	0
Dicofol (sum)	0.020	0.050	22	22	0	0	0.025	0.018	0.025	0.02	0
Dicrotophos	0.050	0.050	12	12	0	0	0.025	0.025	0.025	0.01	0
Diethofencarb	0.010	0.010	12	12	0	0	0.005	0.005	0.005	0.5	0
Difenoconazole	0.010	0.010	12	12	0	0	0.005	0.005	0.005	0.4	0
Diflubenzuron	0.010	0.010	12	12	0	0	0.005	0.005	0.005	2	0
Dimethoate (sum)	0.010	0.020	22	22	0	0	0.010	0.007	0.005	0.02	0
Dimethomorph	0.010	0.010	12	12	0	0	0.005	0.005	0.005	0.7	0
Diniconazole	0.010	0.010	12	12	0	0	0.005	0.005	0.005	0.05	0
Diphenylamine	0.100	0.100	12	12	0	0	0.050	0.050	0.050	0.05	0
Dithiocarbamates	0.100	0.250	19	19	0	0	0.125	0.089	0.125	10	0
EPN	0.010	0.010	12	12	0	0	0.005	0.005	0.005	0.01	0
Endosulfan (sum)	0.005	0.005	12	12	0	0	0.003	0.003	0.003	0.05	0
Epoxiconazole	0.010	0.010	12	12	0	0	0.005	0.005	0.005	0.05	0

For mean and median residue level calculations when results were below limit of detection LOQ/2 was substituted
All results expressed in mg/kg

Product=Strawberries Treatment=Unprocessed

Compound	Min LOQ	Max LOQ	Total	Below LOQ	Between	Above MRL	Max Residue Level	Mean Residue Level	Median Residue Level	MRL	Non Compliant
					LOQ and MRL						
Ethion	0.010	0.020	22	22	0	0	0.010	0.007	0.005	0.01	0
Ethirimol	0.010	0.010	12	12	0	0	0.005	0.005	0.005	0.2	0
Ethoprophos	0.010	0.020	22	22	0	0	0.010	0.007	0.005	0.02	0
Etofenprox	0.010	0.010	12	12	0	0	0.005	0.005	0.005	1	0
Famoxadone	0.010	0.010	12	12	0	0	0.005	0.005	0.005	0.02	0
Fenamidone	0.010	0.010	12	12	0	0	0.005	0.005	0.005	0.04	0
Fenamiphos (sum)	0.010	0.010	12	12	0	0	0.005	0.005	0.005	0.02	0
Fenarimol	0.010	0.010	12	12	0	0	0.005	0.005	0.005	0.3	0
Fenazaquin	0.010	0.010	12	12	0	0	0.005	0.005	0.005	1	0
Fenbuconazole	0.010	0.010	12	12	0	0	0.005	0.005	0.005	0.05	0
Fenhexamid	0.010	0.020	22	22	0	0	0.010	0.007	0.005	5	0
Fenitrothion	0.010	0.020	22	22	0	0	0.010	0.007	0.005	0.01	0
Fenoxycarb	0.010	0.010	12	12	0	0	0.005	0.005	0.005	0.05	0
Fenpropathrin	0.010	0.020	22	22	0	0	0.010	0.007	0.005	2	0
Fenpropimorph	0.010	0.010	12	12	0	0	0.005	0.005	0.005	1	0
Fenpyroximate	0.010	0.010	12	12	0	0	0.005	0.005	0.005	1	0
Fenthion (sum)	0.010	0.010	12	12	0	0	0.005	0.005	0.005	0.01	0
Fenvalerate and Esfenvalerate (Sum of RR and SS isomers)	0.010	0.010	12	12	0	0	0.005	0.005	0.005	0.02	0
Fenvalerate and Esfenvalerate (Sum of RS and SR isomers)	0.010	0.020	22	22	0	0	0.010	0.007	0.005	0.02	0
Fipronil (sum)	0.010	0.010	9	9	0	0	0.005	0.005	0.005	0.005	0
Fluazifop-P-butyl (sum)	0.050	0.050	3	3	0	0	0.025	0.025	0.025	0.2	0
Fludioxonil	0.010	0.010	9	7	2	0	0.040	0.012	0.005	3	0
Flufenoxuron	0.010	0.010	12	12	0	0	0.005	0.005	0.005	0.05	0
Fluquinconazole	0.010	0.050	22	22	0	0	0.025	0.014	0.005	0.05	0
Flusilazole	0.010	0.010	12	12	0	0	0.005	0.005	0.005	0.02	0
Flutriafol	0.010	0.010	12	12	0	0	0.005	0.005	0.005	0.5	0

For mean and median residue level calculations when results were below limit of detection LOQ/2 was substituted
 All results expressed in mg/kg

Table B: Results of the EU co-ordinated programme

Product=Strawberries Treatment=Unprocessed

Compound	Min LOQ	Max LOQ	Total	Between LOQ		Above MRL	Max Residue Level	Mean Residue Level	Median Residue Level	MRL	Non Compliant
				Below LOQ	and MRL						
Formetanate	0.010	0.010	12	11	0	1	0.550	0.050	0.005	0.3	0
Fosthiazate	0.010	0.010	12	12	0	0	0.005	0.005	0.005	0.02	0
Haloxypop including haloxypop-R	0.050	0.050	3	3	0	0	0.025	0.025	0.025	0.05	0
Hexaconazole	0.010	0.020	22	22	0	0	0.010	0.007	0.005	0.2	0
Hexythiazox	0.010	0.010	12	12	0	0	0.005	0.005	0.005	0.5	0
Imazalil	0.020	0.020	12	12	0	0	0.010	0.010	0.010	0.05	0
Imidacloprid	0.010	0.010	12	12	0	0	0.005	0.005	0.005	0.5	0
Indoxacarb as sum of the isomers S and R	0.010	0.010	12	12	0	0	0.005	0.005	0.005	0.02	0
Iprodione	0.010	0.020	22	21	1	0	0.240	0.018	0.005	15	0
Iprovalicarb	0.010	0.010	12	12	0	0	0.005	0.005	0.005	0.05	0
Isofenphos-methyl	0.010	0.010	12	12	0	0	0.005	0.005	0.005	0.01	0
Kresoxim-methyl	0.010	0.020	22	22	0	0	0.010	0.007	0.005	1	0
Lambda-Cyhalothrin	0.010	0.050	22	22	0	0	0.025	0.014	0.005	0.5	0
Linuron	0.010	0.010	12	12	0	0	0.005	0.005	0.005	0.05	0
Lufenuron	0.010	0.010	12	12	0	0	0.005	0.005	0.005	1	0
Malathion (sum of malathion and malaixon expressed as malathion)	0.010	0.020	22	22	0	0	0.010	0.007	0.005	0.02	0
Mepanipyrim (Mepanipyrim and its metabolite (2-anilino-4-(2-hydroxypropyl)-6-methylpyrimidine) expressed as mepanipyrim)	0.010	0.010	12	12	0	0	0.005	0.005	0.005	2	0
Metalaxyl (Metalaxyl including other mixtures of constituent isomers including Metalaxyl-M (sum of isomers))	0.010	0.010	12	12	0	0	0.005	0.005	0.005	0.5	0
Metconazole	0.010	0.010	12	12	0	0	0.005	0.005	0.005	0.02	0
Methamidophos	0.010	0.020	22	22	0	0	0.010	0.007	0.005	0.01	0
Methidathion	0.020	0.020	22	22	0	0	0.010	0.010	0.010	0.02	0
Methiocarb (sum of methiocarb and methiocarb sulfoxide and sulfone, expressed as methiocarb)	0.010	0.010	12	12	0	0	0.005	0.005	0.005	1	0
Methomyl and thiodicarb (sum of methomyl and thiodicarb expressed as methomyl)	0.010	0.010	12	12	0	0	0.005	0.005	0.005	0.02	0
Methoxychlor	0.010	0.010	12	12	0	0	0.005	0.005	0.005	0.01	0

For mean and median residue level calculations when results were below limit of detection LOQ/2 was substituted
All results expressed in mg/kg

Table B: Results of the EU co-ordinated programme

Product=Strawberries Treatment=Unprocessed

Compound	Min LOQ	Max LOQ	Total	Between LOQ and MRL		Above MRL	Max Residue Level	Mean Residue Level	Median Residue Level	MRL	Non Compliant
				Below LOQ	MRL						
Methoxyfenozide	0.010	0.010	12	12	0	0	0.005	0.005	0.005	2	0
Metobromuron	0.010	0.010	12	12	0	0	0.005	0.005	0.005	0.01	0
Monocrotophos	0.010	0.020	22	22	0	0	0.010	0.007	0.005	0.01	0
Myclobutanil	0.010	0.010	12	12	0	0	0.005	0.005	0.005	1	0
Nitenpyram	0.050	0.050	12	12	0	0	0.025	0.025	0.025	0.01	0
Oxadixyl	0.010	0.010	12	12	0	0	0.005	0.005	0.005	0.01	0
Oxamyl	0.010	0.010	12	12	0	0	0.005	0.005	0.005	0.01	0
Oxydemeton-methyl (sum of oxydemeton-methyl and demeton-S-methylsulfone expressed as oxydemeton-methyl)	0.010	0.010	12	12	0	0	0.005	0.005	0.005	0.01	0
Paclobutrazol	0.010	0.010	12	12	0	0	0.005	0.005	0.005	0.5	0
Parathion	0.010	0.050	22	22	0	0	0.025	0.014	0.005	0.05	0
Parathion-methyl (sum of Parathion-methyl and paraoxon-methyl expressed as Parathion-methyl)	0.020	0.020	22	22	0	0	0.010	0.010	0.010	0.02	0
Penconazole	0.010	0.050	22	20	2	0	0.071	0.018	0.023	0.5	0
Pencycuron	0.010	0.010	12	12	0	0	0.005	0.005	0.005	0.05	0
Pendimethalin	0.010	0.050	22	22	0	0	0.025	0.014	0.005	0.05	0
Phenthoate	0.020	0.020	22	22	0	0	0.010	0.010	0.010	0.01	0
Phosalone	0.010	0.050	22	22	0	0	0.025	0.014	0.005	0.05	0
Phosmet (phosmet and phosmet oxon expressed as phosmet)	0.010	0.050	22	22	0	0	0.025	0.014	0.005	0.05	0
Phoxim	0.010	0.010	12	12	0	0	0.005	0.005	0.005	0.01	0
Pirimicarb (sum of Pirimicarb and desmethyl pirimicarb expressed as Pirimicarb)	0.010	0.010	12	12	0	0	0.005	0.005	0.005	3	0
Pirimiphos-methyl	0.010	0.050	22	22	0	0	0.025	0.014	0.005	0.05	0
Prochloraz (sum of prochloraz and its metabolites containing the 2,4,6-Trichlorophenol moiety expressed as prochloraz)	0.010	0.010	12	12	0	0	0.005	0.005	0.005	0.05	0
Procymidone	0.010	0.020	22	22	0	0	0.010	0.007	0.005	0.02	0
Profenofos	0.010	0.020	22	22	0	0	0.010	0.007	0.005	0.05	0
Propamocarb (sum of propamocarb and its salt expressed as propamocarb)	0.010	0.010	12	12	0	0	0.005	0.005	0.005	10	0

For mean and median residue level calculations when results were below limit of detection LOQ/2 was substituted
All results expressed in mg/kg

Product=Strawberries Treatment=Unprocessed

Compound	Min LOQ	Max LOQ	Total	Between LOQ and MRL		Above MRL	Max Residue Level	Mean Residue Level	Median Residue Level	MRL	Non Compliant
				Below LOQ							
Propargite	0.010	0.010	12	12	0	0	0.005	0.005	0.005	0.01	0
Propiconazole	0.010	0.050	22	22	0	0	0.025	0.014	0.005	0.05	0
Propyzamide	0.010	0.020	22	22	0	0	0.010	0.007	0.005	0.02	0
Prothioconazole (prothioconazole-desthio)	0.010	0.010	9	9	0	0	0.005	0.005	0.005	0.02	0
Prothiofos	0.010	0.010	12	12	0	0	0.005	0.005	0.005	0.01	0
Pymetrozine	0.010	0.010	12	12	0	0	0.005	0.005	0.005	0.5	0
Pyraclostrobin	0.010	0.010	12	10	2	0	0.059	0.012	0.005	1	0
Pyrethrins	0.010	0.010	12	12	0	0	0.005	0.005	0.005	1	0
Pyridaben	0.010	0.010	12	12	0	0	0.005	0.005	0.005	1	0
Pyrimethanil	0.010	0.050	22	22	0	0	0.025	0.014	0.005	5	0
Pyriproxyfen	0.010	0.010	12	12	0	0	0.005	0.005	0.005	0.05	0
Quinoxifen	0.010	0.050	22	22	0	0	0.025	0.014	0.005	0.3	0
Spinosad (sum of Spinosyn A and Spinosyn D, expressed as Spinosad)	0.010	0.010	12	8	4	0	0.100	0.017	0.005	0.3	0
Spirodiclofen	0.010	0.010	12	12	0	0	0.005	0.005	0.005	2	0
Spiroxamine	0.010	0.010	12	12	0	0	0.005	0.005	0.005	0.05	0
Tebuconazole	0.010	0.010	12	12	0	0	0.005	0.005	0.005	0.05	0
Tebufenozide	0.010	0.010	12	12	0	0	0.005	0.005	0.005	0.05	0
Tebufenpyrad	0.010	0.010	12	12	0	0	0.005	0.005	0.005	0.5	0
Teflubenzuron	0.010	0.010	9	9	0	0	0.005	0.005	0.005	0.2	0
Tefluthrin	0.010	0.010	12	12	0	0	0.005	0.005	0.005	0.05	0
Terbutylazine	0.010	0.010	12	12	0	0	0.005	0.005	0.005	0.05	0
Tetraconazole	0.010	0.010	12	12	0	0	0.005	0.005	0.005	0.2	0
Tetradifon	0.010	0.020	22	22	0	0	0.010	0.007	0.005	0.01	0
Thiabendazole	0.010	0.010	12	12	0	0	0.005	0.005	0.005	0.05	0
Thiacloprid	0.010	0.010	12	12	0	0	0.005	0.005	0.005	1	0
Thiametoxam (sum of thiametoxam and clothianidin expressed as thiametoxam)	0.010	0.010	12	12	0	0	0.005	0.005	0.005	0.3	0

For mean and median residue level calculations when results were below limit of detection LOQ/2 was substituted
 All results expressed in mg/kg

Product=Strawberries Treatment=Unprocessed

Compound	Min LOQ	Max LOQ	Total	Below LOQ	Between LOQ and MRL		Max Residue Level	Mean Residue Level	Median Residue Level	MRL	Non Compliant
					Above MRL						
Thiophanate-methyl	0.010	0.010	12	12	0	0	0.005	0.005	0.005	0.1	0
Tolclofos-methyl	0.010	0.050	22	22	0	0	0.025	0.014	0.005	0.05	0
Tolyfluanid (Sum of tolyfluanid and dimethylaminosulfotoluidide expressed as tolyfluanid)	0.010	0.010	12	12	0	0	0.005	0.005	0.005	5	0
Triadimefon (sum of Triadimefon and Triadimenol)	0.010	0.050	22	19	3	0	0.320	0.047	0.025	0.5	0
Triazophos	0.010	0.020	22	22	0	0	0.010	0.007	0.005	0.01	0
Trifloxystrobin	0.010	0.010	12	12	0	0	0.005	0.005	0.005	0.5	0
Triflumuron	0.010	0.010	9	9	0	0	0.005	0.005	0.005	0.05	0
Trifluralin	0.010	0.050	22	22	0	0	0.025	0.014	0.005	0.1	0
Triticonazole	0.010	0.010	12	12	0	0	0.005	0.005	0.005	0.01	0
Vinclozolin (sum of Vinclozolin and all metabolites containing the 3,5-dichloraniline moiety, expressed as Vinclozolin)	0.010	0.050	22	22	0	0	0.025	0.014	0.005	0.05	0
Zoxamide	0.010	0.010	12	12	0	0	0.005	0.005	0.005	0.02	0
tau-Fluvalinate	0.010	0.020	22	22	0	0	0.010	0.007	0.005	0.5	0

For mean and median residue level calculations when results were below limit of detection LOQ/2 was substituted
 All results expressed in mg/kg

Product=Swine Meat Treatment=Unprocessed

Compound	Min LOQ	Max LOQ	Total	Between LOQ and MRL		Above MRL	Max Residue Level	Mean Residue Level	Median Residue Level	MRL	Non Compliant
				Below LOQ							
Aldrin and Dieldrin	0.010	0.010	15	15	0	0	0.005	0.005	0.005	0.2	0
Azinphos-ethyl	0.020	0.020	15	15	0	0	0.010	0.010	0.010	0.01	0
Bifenthrin	0.010	0.010	15	15	0	0	0.005	0.005	0.005	3	0
Chlorobenzilate	0.010	0.010	15	15	0	0	0.005	0.005	0.005	0.1	0
Chlorpyrifos	0.010	0.010	15	15	0	0	0.005	0.005	0.005	0.01	0
Chlorpyrifos-methyl	0.010	0.010	15	15	0	0	0.005	0.005	0.005	0.05	0
Cyfluthrin (sum)	0.020	0.020	15	15	0	0	0.010	0.010	0.010	0.05	0
Cypermethrin (sum)	0.010	0.010	15	15	0	0	0.005	0.005	0.005	2	0
DDT (sum)	0.020	0.020	15	15	0	0	0.010	0.010	0.010	1	0
Deltamethrin	0.010	0.010	15	15	0	0	0.005	0.005	0.005	0.5	0
Diazinon	0.010	0.010	15	15	0	0	0.005	0.005	0.005	0.05	0
Endosulfan (sum)	0.005	0.005	15	15	0	0	0.003	0.003	0.003	0.05	0
Endrin	0.020	0.020	15	15	0	0	0.010	0.010	0.010	0.05	0
Famoxadone	0.010	0.010	15	15	0	0	0.005	0.005	0.005	0.05	0
Fenthion (sum)	0.010	0.010	15	15	0	0	0.005	0.005	0.005	0.05	0
Fenvalerate and Esfenvalerate (Sum of RR and SS isomers)	0.010	0.010	15	15	0	0	0.005	0.005	0.005	0.2	0
Fenvalerate and Esfenvalerate (Sum of RS and SR isomers)	0.010	0.010	15	15	0	0	0.005	0.005	0.005	0.05	0
Fluquinconazole	0.010	0.010	15	15	0	0	0.005	0.005	0.005	2	0
Heptachlor (sum of heptachlor and heptachlor epoxide expressed as heptachlor)	0.010	0.010	15	15	0	0	0.005	0.005	0.005	0.2	0
Hexachlorobenzene	0.010	0.010	15	15	0	0	0.005	0.005	0.005	0.2	0
Hexachlorocyclohexane (HCH), alpha-isomer	0.005	0.005	15	15	0	0	0.003	0.003	0.003	0.2	0
Hexachlorocyclohexane (HCH), beta-isomer	0.005	0.005	15	15	0	0	0.003	0.003	0.003	0.1	0
Indoxacarb as sum of the isomers S and R	0.010	0.010	15	15	0	0	0.005	0.005	0.005	2	0
Lindane (Gamma-isomer of hexachlorocyclohexane (HCH))	0.010	0.010	15	15	0	0	0.005	0.005	0.005	0.02	0
Methidathion	0.020	0.020	15	15	0	0	0.010	0.010	0.010	0.02	0
Methoxychlor	0.010	0.010	15	15	0	0	0.005	0.005	0.005	0.01	0

**For mean and median residue level calculations when results were below limit of detection LOQ/2 was substituted
 All results expressed in mg/kg**

Product=Swine Meat Treatment=Unprocessed

Compound	Min LOQ	Max LOQ	Total	Below LOQ	Between LOQ and MRL		Max Residue Level	Mean Residue Level	Median Residue Level	MRL	Non Compliant
					Above MRL						
Parathion	0.010	0.010	15	15	0	0	0.005	0.005	0.005	0.05	0
Parathion-methyl (sum of Parathion-methyl and paraoxon-methyl expressed as Parathion-methyl)	0.020	0.020	15	15	0	0	0.010	0.010	0.010	0.02	0
Permethrin (sum of isomers)	0.010	0.010	15	15	0	0	0.005	0.005	0.005	0.05	0
Pirimiphos-methyl	0.010	0.010	15	15	0	0	0.005	0.005	0.005	0.05	0
Prochloraz (sum of prochloraz and its metabolites containing the 2,4,6-Trichlorophenol moiety expressed as prochloraz)	0.010	0.010	15	15	0	0	0.005	0.005	0.005	0.1	0
Profenofos	0.010	0.010	15	15	0	0	0.005	0.005	0.005	0.05	0
Pyrazophos	0.010	0.010	15	15	0	0	0.005	0.005	0.005	0.02	0
Resmethrin (resmethrin including other mixtures of constituent isomers (sum of isomers))	0.010	0.010	15	15	0	0	0.005	0.005	0.005	0.1	0
Tetraconazole	0.010	0.010	15	15	0	0	0.005	0.005	0.005	0.05	0
Triazophos	0.010	0.010	15	15	0	0	0.005	0.005	0.005	0.01	0
tau-Fluvalinate	0.010	0.010	15	15	0	0	0.005	0.005	0.005	0.05	0

For mean and median residue level calculations when results were below limit of detection LOQ/2 was substituted
 All results expressed in mg/kg

Product=Tomatoes Treatment=Unprocessed

Compound	Min LOQ	Max LOQ	Total	Between LOQ and MRL		Above MRL	Max Residue Level	Mean Residue Level	Median Residue Level	MRL	Non Compliant
				Below LOQ	Between LOQ and MRL						
Abamectin (sum)	0.010	0.010	20	20	0	0	0.005	0.005	0.005	0.02	0
Acephate	0.010	0.020	30	30	0	0	0.010	0.007	0.005	0.02	0
Acetamiprid	0.010	0.010	20	15	4	1	0.220	0.022	0.005	0.15	0
Acrinathrin	0.010	0.050	30	30	0	0	0.025	0.012	0.005	0.1	0
Aldicarb (sum)	0.010	0.010	21	21	0	0	0.005	0.005	0.005	0.02	0
Amitraz (sum)	0.010	0.010	10	10	0	0	0.005	0.005	0.005	0.05	0
Azinphos-methyl	0.010	0.100	40	40	0	0	0.050	0.021	0.015	0.05	0
Azoxystrobin	0.010	0.100	40	40	0	0	0.050	0.018	0.008	3	0
Benfuracarb	0.010	0.010	20	20	0	0	0.005	0.005	0.005	0.05	0
Bifenthrin	0.010	0.020	30	30	0	0	0.010	0.007	0.005	0.3	0
Bitertanol	0.010	0.100	20	20	0	0	0.050	0.034	0.050	3	0
Boscalid	0.010	0.010	20	18	2	0	0.450	0.029	0.005	3	0
Bromide ion	0.500	0.500	13	6	7	0	2.800	0.978	0.570	50	0
Bromopropylate	0.050	0.050	20	20	0	0	0.025	0.025	0.025	0.01	0
Bromuconazole (sum)	0.010	0.010	20	20	0	0	0.005	0.005	0.005	0.05	0
Bupirimate	0.010	0.010	20	20	0	0	0.005	0.005	0.005	2	0
Buprofezin	0.010	0.010	20	20	0	0	0.005	0.005	0.005	1	0
Carbaryl	0.010	0.010	21	21	0	0	0.005	0.005	0.005	0.5	0
Carbendazim and benomyl	0.010	0.010	20	19	1	0	0.024	0.006	0.005	0.3	0
Carbofuran (sum)	0.010	0.010	21	21	0	0	0.005	0.005	0.005	0.02	0
Carbosulfan	0.010	0.010	20	20	0	0	0.005	0.005	0.005	0.05	0
Chlorfenapyr	0.020	0.020	20	20	0	0	0.010	0.010	0.010	0.05	0
Chlorfenvinphos	0.010	0.040	30	30	0	0	0.020	0.010	0.005	0.02	0
Chlormequat	0.010	0.010	10	10	0	0	0.005	0.005	0.005	0.05	0
Chlorothalonil	0.010	0.050	40	40	0	0	0.025	0.011	0.008	2	0
Chlorpropham (sum)	0.010	0.010	20	20	0	0	0.005	0.005	0.005	0.05	0

**For mean and median residue level calculations when results were below limit of detection LOQ/2 was substituted
 All results expressed in mg/kg**

Product=Tomatoes Treatment=Unprocessed

Compound	Min LOQ	Max LOQ	Total	Between LOQ		Above MRL	Max Residue Level	Mean Residue Level	Median Residue Level	MRL	Non Compliant
				Below LOQ	and MRL						
Chlorpyrifos	0.010	0.050	40	40	0	0	0.025	0.015	0.015	0.5	0
Chlorpyrifos-methyl	0.010	0.020	30	29	1	0	0.070	0.009	0.005	0.5	0
Clofentezine	0.010	0.010	20	20	0	0	0.005	0.005	0.005	0.3	0
Clothianidin	0.010	0.010	20	20	0	0	0.005	0.005	0.005	0.05	0
Cyfluthrin (sum)	0.020	0.020	30	30	0	0	0.010	0.010	0.010	0.05	0
Cymoxanil	0.010	0.010	20	20	0	0	0.005	0.005	0.005	0.2	0
Cypermethrin (sum)	0.010	0.500	40	39	1	0	0.250	0.068	0.010	0.5	0
Cyproconazole	0.010	0.010	20	20	0	0	0.005	0.005	0.005	0.05	0
Cyprodinil	0.010	0.010	20	18	2	0	0.140	0.013	0.005	1	0
Cyromazine	0.010	0.010	20	20	0	0	0.005	0.005	0.005	1	0
Deltamethrin	0.010	0.500	40	40	0	0	0.250	0.067	0.008	0.3	0
Diazinon	0.010	0.050	40	40	0	0	0.025	0.011	0.008	0.01	0
Dichlofluanid	0.010	0.010	30	30	0	0	0.005	0.005	0.005	0.01	0
Dichlorvos	0.010	0.050	40	40	0	0	0.025	0.011	0.008	0.01	0
Dicloran	0.010	0.010	20	20	0	0	0.005	0.005	0.005	0.3	0
Dicofol (sum)	0.020	0.050	40	40	0	0	0.025	0.021	0.025	1	0
Dicrotophos	0.050	0.050	20	20	0	0	0.025	0.025	0.025	0.01	0
Diethofencarb	0.010	0.010	20	20	0	0	0.005	0.005	0.005	1	0
Difenoconazole	0.010	0.010	20	20	0	0	0.005	0.005	0.005	2	0
Diflubenzuron	0.010	0.010	20	20	0	0	0.005	0.005	0.005	0.05	0
Dimethoate (sum)	0.010	0.020	30	30	0	0	0.010	0.007	0.005	0.02	0
Dimethomorph	0.010	0.010	20	20	0	0	0.005	0.005	0.005	1	0
Diniconazole	0.010	0.010	20	20	0	0	0.005	0.005	0.005	0.05	0
Diphenylamine	0.100	0.100	20	20	0	0	0.050	0.050	0.050	0.05	0
Dithiocarbamates	0.100	0.250	23	20	3	0	0.620	0.130	0.050	3	0
EPN	0.010	0.010	20	20	0	0	0.005	0.005	0.005	0.01	0

For mean and median residue level calculations when results were below limit of detection LOQ/2 was substituted
 All results expressed in mg/kg

Product=Tomatoes Treatment=Unprocessed

Compound	Min LOQ	Max LOQ	Total	Below LOQ	Between	Above MRL	Max Residue Level	Mean Residue Level	Median Residue Level	MRL	Non Compliant
					LOQ and MRL						
Endosulfan (sum)	0.005	0.050	30	30	0	0	0.025	0.010	0.003	0.05	0
Epoxiconazole	0.010	0.010	20	20	0	0	0.005	0.005	0.005	0.05	0
Ethephon	0.100	0.100	10	10	0	0	0.050	0.050	0.050	1	0
Ethion	0.010	0.020	30	30	0	0	0.010	0.007	0.005	0.01	0
Ethirimol	0.010	0.010	20	20	0	0	0.005	0.005	0.005	0.1	0
Ethoprophos	0.010	0.050	40	40	0	0	0.025	0.011	0.008	0.02	0
Etofenprox	0.010	0.010	20	20	0	0	0.005	0.005	0.005	1	0
Famoxadone	0.010	0.010	20	20	0	0	0.005	0.005	0.005	1	0
Fenamidone	0.010	0.010	20	20	0	0	0.005	0.005	0.005	0.5	0
Fenamiphos (sum)	0.010	0.010	20	20	0	0	0.005	0.005	0.005	0.04	0
Fenarimol	0.010	0.010	20	20	0	0	0.005	0.005	0.005	0.02	0
Fenazaquin	0.010	0.010	20	20	0	0	0.005	0.005	0.005	0.5	0
Fenbuconazole	0.010	0.010	20	20	0	0	0.005	0.005	0.005	0.5	0
Fenhexamid	0.010	0.020	30	28	2	0	0.190	0.013	0.005	1	0
Fenitrothion	0.010	0.020	30	30	0	0	0.010	0.007	0.005	0.01	0
Fenoxycarb	0.010	0.500	30	30	0	0	0.250	0.087	0.005	0.05	0
Fenpropathrin	0.010	0.500	40	40	0	0	0.250	0.067	0.008	0.01	0
Fenpropimorph	0.010	0.010	20	20	0	0	0.005	0.005	0.005	0.05	0
Fenpyroximate	0.010	0.010	20	20	0	0	0.005	0.005	0.005	0.2	0
Fenthion (sum)	0.010	0.010	20	20	0	0	0.005	0.005	0.005	0.01	0
Fenvalerate and Esfenvalerate (Sum of RR and SS isomers)	0.010	0.010	20	20	0	0	0.005	0.005	0.005	0.05	0
Fenvalerate and Esfenvalerate (Sum of RS and SR isomers)	0.010	0.020	30	30	0	0	0.010	0.007	0.005	0.02	0
Fipronil (sum)	0.010	0.010	7	7	0	0	0.005	0.005	0.005	0.005	0
Fludioxonil	0.010	0.010	8	7	1	0	0.079	0.014	0.005	1	0
Flufenoxuron	0.010	0.010	20	20	0	0	0.005	0.005	0.005	0.5	0
Fluquinconazole	0.010	0.050	30	30	0	0	0.025	0.012	0.005	0.05	0

For mean and median residue level calculations when results were below limit of detection LOQ/2 was substituted
 All results expressed in mg/kg

Product=Tomatoes Treatment=Unprocessed

Compound	Min LOQ	Max LOQ	Total	Between LOQ and MRL		Above MRL	Max Residue Level	Mean Residue Level	Median Residue Level	MRL	Non Compliant
				Below LOQ	MRL						
Flusilazole	0.010	0.010	20	20	0	0	0.005	0.005	0.005	0.02	0
Flutriafol	0.010	0.010	20	20	0	0	0.005	0.005	0.005	0.3	0
Formetanate	0.010	0.010	20	20	0	0	0.005	0.005	0.005	0.2	0
Fosthiazate	0.010	0.010	20	20	0	0	0.005	0.005	0.005	0.02	0
Hexaconazole	0.010	0.020	30	30	0	0	0.010	0.007	0.005	0.1	0
Hexythiazox	0.010	0.010	20	20	0	0	0.005	0.005	0.005	0.5	0
Imazalil	0.020	0.020	30	30	0	0	0.010	0.010	0.010	0.5	0
Imidacloprid	0.010	0.010	20	20	0	0	0.005	0.005	0.005	0.5	0
Indoxacarb as sum of the isomers S and R	0.010	0.010	20	20	0	0	0.005	0.005	0.005	0.5	0
Iprodione	0.010	0.100	40	34	6	0	0.260	0.035	0.010	5	0
Iprovalicarb	0.010	0.010	20	20	0	0	0.005	0.005	0.005	1	0
Isofenphos-methyl	0.010	0.010	20	20	0	0	0.005	0.005	0.005	0.01	0
Kresoxim-methyl	0.010	0.050	30	30	0	0	0.025	0.012	0.005	0.5	0
Lambda-Cyhalothrin	0.010	0.020	30	30	0	0	0.010	0.007	0.005	0.1	0
Linuron	0.010	0.050	30	30	0	0	0.025	0.012	0.005	0.05	0
Lufenuron	0.010	0.010	20	20	0	0	0.005	0.005	0.005	0.5	0
Malathion (sum of malathion and malaoxon expressed as malathion)	0.010	0.020	30	30	0	0	0.010	0.007	0.005	0.02	0
Mepanipyrim (Mepanipyrim and its metabolite (2-anilino-4-(2-hydroxypropyl)-6-methylpyrimidine) expressed as mepanipyrim)	0.010	0.010	20	20	0	0	0.005	0.005	0.005	1	0
Mepiquat	0.010	0.010	10	10	0	0	0.005	0.005	0.005	0.05	0
Metalaxyl (Metalaxyl including other mixtures of constituent isomers including Metalaxyl-M (sum of isomers))	0.010	0.010	20	20	0	0	0.005	0.005	0.005	0.2	0
Metconazole	0.010	0.010	20	20	0	0	0.005	0.005	0.005	0.02	0
Methamidophos	0.010	0.020	30	30	0	0	0.010	0.007	0.005	0.01	0
Methidathion	0.020	0.020	30	30	0	0	0.010	0.010	0.010	0.02	0
Methiocarb (sum of methiocarb and methiocarb sulfoxide and sulfone, expressed as methiocarb)	0.010	0.010	20	20	0	0	0.005	0.005	0.005	0.2	0

For mean and median residue level calculations when results were below limit of detection LOQ/2 was substituted
 All results expressed in mg/kg

Product=Tomatoes Treatment=Unprocessed

Compound	Min LOQ	Max LOQ	Total	Between LOQ and MRL		Above MRL	Max Residue Level	Mean Residue Level	Median Residue Level	MRL	Non Compliant
				Below LOQ	MRL						
Methomyl and thiodicarb (sum of methomyl and thiodicarb expressed as methomyl)	0.010	0.010	20	20	0	0	0.005	0.005	0.005	0.02	0
Methoxychlor	0.010	0.050	30	30	0	0	0.025	0.012	0.005	0.01	0
Methoxyfenozide	0.010	0.010	20	20	0	0	0.005	0.005	0.005	2	0
Metobromuron	0.010	0.010	20	20	0	0	0.005	0.005	0.005	0.01	0
Monocrotophos	0.010	0.040	30	30	0	0	0.020	0.010	0.005	0.01	0
Myclobutanil	0.010	0.040	30	30	0	0	0.020	0.010	0.005	0.3	0
Nitenpyram	0.050	0.050	20	20	0	0	0.025	0.025	0.025	0.01	0
Oxadixyl	0.010	0.010	20	20	0	0	0.005	0.005	0.005	0.01	0
Oxamyl	0.010	0.010	21	21	0	0	0.005	0.005	0.005	0.02	0
Oxydemeton-methyl (sum of oxydemeton-methyl and demeton-S-methylsulfone expressed as oxydemeton-methyl)	0.010	0.010	20	20	0	0	0.005	0.005	0.005	0.01	0
Paclobutrazol	0.010	0.010	20	20	0	0	0.005	0.005	0.005	0.02	0
Parathion	0.010	0.050	30	30	0	0	0.025	0.012	0.005	0.05	0
Parathion-methyl (sum of Parathion-methyl and paraoxon-methyl expressed as Parathion-methyl)	0.020	0.020	30	30	0	0	0.010	0.010	0.010	0.02	0
Penconazole	0.010	0.050	30	30	0	0	0.025	0.012	0.005	0.1	0
Pencycuron	0.010	0.010	20	20	0	0	0.005	0.005	0.005	0.05	0
Pendimethalin	0.010	0.050	30	30	0	0	0.025	0.012	0.005	0.05	0
Phenthoate	0.020	0.050	30	30	0	0	0.025	0.015	0.010	0.01	0
Phosalone	0.010	0.050	30	30	0	0	0.025	0.012	0.005	0.05	0
Phosmet (phosmet and phosmet oxon expressed as phosmet)	0.010	0.050	30	30	0	0	0.025	0.012	0.005	0.05	0
Phoxim	0.010	0.010	20	20	0	0	0.005	0.005	0.005	0.01	0
Pirimicarb (sum of Pirimicarb and desmethyl pirimicarb expressed as Pirimicarb)	0.010	0.010	20	20	0	0	0.005	0.005	0.005	1	0
Pirimiphos-methyl	0.010	0.050	30	30	0	0	0.025	0.012	0.005	1	0
Prochloraz (sum of prochloraz and its metabolites containing the 2,4,6-Trichlorophenol moiety expressed as prochloraz)	0.010	0.010	20	20	0	0	0.005	0.005	0.005	0.05	0
Procymidone	0.010	0.050	40	40	0	0	0.025	0.011	0.008	0.02	0

For mean and median residue level calculations when results were below limit of detection LOQ/2 was substituted
 All results expressed in mg/kg

Product=Tomatoes Treatment=Unprocessed

Compound	Min LOQ	Max LOQ	Total	Between LOQ and MRL		Above MRL	Max Residue Level	Mean Residue Level	Median Residue Level	MRL	Non Compliant
				Below LOQ	Between LOQ and MRL						
Profenofos	0.010	0.050	30	30	0	0	0.025	0.012	0.005	10	0
Propamocarb (sum of propamocarb and its salt expressed as propamocarb)	0.010	0.010	20	20	0	0	0.005	0.005	0.005	10	0
Propargite	0.010	0.010	20	20	0	0	0.005	0.005	0.005	2	0
Propiconazole	0.010	0.050	30	30	0	0	0.025	0.012	0.005	0.05	0
Propoxur	0.010	0.010	1	1	0	0	0.005	0.005	0.005	0.05	0
Propyzamide	0.010	0.020	30	30	0	0	0.010	0.007	0.005	0.02	0
Prothioconazole (prothioconazole-desthio)	0.010	0.010	7	7	0	0	0.005	0.005	0.005	0.02	0
Prothiofos	0.010	0.010	30	30	0	0	0.005	0.005	0.005	0.01	0
Pymetrozine	0.010	0.010	20	20	0	0	0.005	0.005	0.005	0.5	0
Pyraclostrobin	0.010	0.010	20	18	2	0	0.140	0.012	0.005	0.3	0
Pyrethrins	0.010	0.010	20	20	0	0	0.005	0.005	0.005	1	0
Pyridaben	0.010	0.010	20	20	0	0	0.005	0.005	0.005	0.3	0
Pyrimethanil	0.010	0.050	30	30	0	0	0.025	0.012	0.005	1	0
Pyriproxyfen	0.010	0.010	20	19	1	0	0.020	0.006	0.005	1	0
Quinoxifen	0.010	0.020	30	30	0	0	0.010	0.007	0.005	0.02	0
Spinosad (sum of Spinosyn A and Spinosyn D, expressed as Spinosad)	0.010	0.010	20	18	2	0	0.039	0.007	0.005	1	0
Spirodiclofen	0.010	0.010	20	20	0	0	0.005	0.005	0.005	0.5	0
Spiroxamine	0.010	0.010	20	20	0	0	0.005	0.005	0.005	0.05	0
Tebuconazole	0.010	0.010	20	20	0	0	0.005	0.005	0.005	1	0
Tebufenozide	0.010	0.010	20	20	0	0	0.005	0.005	0.005	1	0
Tebufenpyrad	0.010	0.010	20	20	0	0	0.005	0.005	0.005	0.5	0
Teflubenzuron	0.010	0.010	7	7	0	0	0.005	0.005	0.005	1	0
Tefluthrin	0.010	0.010	20	20	0	0	0.005	0.005	0.005	0.05	0
Terbutylazine	0.010	0.050	30	30	0	0	0.025	0.012	0.005	0.05	0
Tetraconazole	0.010	0.010	20	20	0	0	0.005	0.005	0.005	0.1	0
Tetradifon	0.010	0.020	30	30	0	0	0.010	0.007	0.005	0.01	0

For mean and median residue level calculations when results were below limit of detection LOQ/2 was substituted
 All results expressed in mg/kg

Product=Tomatoes Treatment=Unprocessed

Compound	Min LOQ	Max LOQ	Total	Below LOQ	Between LOQ and MRL		Max Residue Level	Mean Residue Level	Median Residue Level	MRL	Non Compliant
					Above MRL						
Thiabendazole	0.010	0.010	20	20	0	0	0.005	0.005	0.005	0.05	0
Thiacloprid	0.010	0.010	20	18	2	0	0.042	0.008	0.005	0.5	0
Thiametoxam (sum of thiametoxam and clothianidin expressed as thiametoxam)	0.010	0.010	20	20	0	0	0.005	0.005	0.005	0.2	0
Thiophanate-methyl	0.010	0.010	20	18	2	0	0.067	0.009	0.005	1	0
Tolclofos-methyl	0.010	0.050	30	30	0	0	0.025	0.012	0.005	1	0
Tolyfluanid (Sum of tolyfluanid and dimethylaminosulfotoluidide expressed as tolyfluanid)	0.010	0.010	20	20	0	0	0.005	0.005	0.005	3	0
Triadimefon (sum of Triadimefon and Triadimenol)	0.010	0.020	30	30	0	0	0.010	0.007	0.005	1	0
Triazophos	0.010	0.020	30	30	0	0	0.010	0.007	0.005	0.01	0
Trifloxystrobin	0.010	0.010	20	20	0	0	0.005	0.005	0.005	0.5	0
Triflumuron	0.010	0.010	7	7	0	0	0.005	0.005	0.005	0.05	0
Trifluralin	0.010	0.010	30	30	0	0	0.005	0.005	0.005	0.5	0
Triticonazole	0.010	0.010	20	20	0	0	0.005	0.005	0.005	0.01	0
Vinclozolin (sum of Vinclozolin and all metabolites containing the 3,5-dichloraniline moiety, expressed as Vinclozolin)	0.010	0.050	30	30	0	0	0.025	0.012	0.005	0.05	0
Zoxamide	0.010	0.010	20	20	0	0	0.005	0.005	0.005	0.5	0
tau-Fluvalinate	0.010	0.020	30	30	0	0	0.010	0.007	0.005	0.1	0

For mean and median residue level calculations when results were below limit of detection LOQ/2 was substituted
 All results expressed in mg/kg

Table B: Results of the EU co-ordinated programme

Product=Wine grapes Treatment=Wine production

Compound	Min LOQ	Max LOQ	Total	Between LOQ		Max Residue Level	Mean Residue Level	Median Residue Level	MRL	Non Compliant	
				Below LOQ	and MRL						
Abamectin (sum)	0.010	0.010	20	20	0	0	0.005	0.005	0.005	0.01	0
Acephate	0.010	0.010	20	20	0	0	0.005	0.005	0.005	0.02	0
Acetamiprid	0.010	0.010	20	20	0	0	0.005	0.005	0.005	0.2	0
Acrinathrin	0.010	0.010	20	20	0	0	0.005	0.005	0.005	0.05	0
Aldicarb (sum)	0.010	0.010	20	20	0	0	0.005	0.005	0.005	0.02	0
Azinphos-methyl	0.010	0.010	20	20	0	0	0.005	0.005	0.005	0.05	0
Azoxystrobin	0.010	0.010	20	20	0	0	0.005	0.005	0.005	2	0
Bifenthrin	0.010	0.010	20	20	0	0	0.005	0.005	0.005	0.2	0
Bitertanol	0.010	0.010	20	20	0	0	0.005	0.005	0.005	0.05	0
Boscalid	0.010	0.010	20	20	0	0	0.005	0.005	0.005	5	0
Bromopropylate	0.050	0.050	20	20	0	0	0.025	0.025	0.025	0.01	0
Bromuconazole (sum)	0.010	0.010	20	20	0	0	0.005	0.005	0.005	0.5	0
Bupirimate	0.010	0.010	20	20	0	0	0.005	0.005	0.005	1	0
Buprofezin	0.010	0.010	20	20	0	0	0.005	0.005	0.005	1	0
Carbaryl	0.010	0.010	20	20	0	0	0.005	0.005	0.005	0.05	0
Carbendazim and benomyl	0.010	0.010	20	14	6	0	0.162	0.019	0.005	0.5	0
Carbofuran (sum)	0.010	0.010	20	20	0	0	0.005	0.005	0.005	0.02	0
Chlorfenapyr	0.010	0.010	20	20	0	0	0.005	0.005	0.005	0.05	0
Chlorfenvinphos	0.010	0.010	20	20	0	0	0.005	0.005	0.005	0.02	0
Chlorothalonil	0.010	0.010	20	20	0	0	0.005	0.005	0.005	3	0
Chlorpyrifos	0.010	0.010	20	20	0	0	0.005	0.005	0.005	0.5	0
Chlorpyrifos-methyl	0.010	0.010	20	20	0	0	0.005	0.005	0.005	0.2	0
Clothianidin	0.010	0.010	20	20	0	0	0.005	0.005	0.005	0.05	0
Cyfluthrin (sum)	0.010	0.010	20	20	0	0	0.005	0.005	0.005	0.3	0
Cypermethrin (sum)	0.010	0.010	20	20	0	0	0.005	0.005	0.005	0.5	0
Cyproconazole	0.010	0.010	20	20	0	0	0.005	0.005	0.005	0.2	0

For mean and median residue level calculations when results were below limit of detection LOQ/2 was substituted

All results expressed in mg/kg

Product=Wine grapes Treatment=Wine production

Compound	Min LOQ	Max LOQ	Total	Between LOQ and MRL		Above MRL	Max Residue Level	Mean Residue Level	Median Residue Level	MRL	Non Compliant
				Below LOQ	MRL						
Cyprodinil	0.010	0.010	20	20	0	0	0.005	0.005	0.005	5	0
Deltamethrin	0.010	0.010	20	20	0	0	0.005	0.005	0.005	0.2	0
Diazinon	0.010	0.010	20	20	0	0	0.005	0.005	0.005	0.01	0
Dichlofluanid	0.010	0.010	20	20	0	0	0.005	0.005	0.005	0.01	0
Difenoconazole	0.010	0.010	20	20	0	0	0.005	0.005	0.005	0.5	0
Dimethoate (sum)	0.010	0.010	20	20	0	0	0.005	0.005	0.005	0.02	0
Dimethomorph	0.010	0.010	20	20	0	0	0.005	0.005	0.005	3	0
Diphenylamine	0.010	0.010	20	20	0	0	0.005	0.005	0.005	0.05	0
Endosulfan (sum)	0.010	0.010	20	20	0	0	0.005	0.005	0.005	0.05	0
Epoxiconazole	0.010	0.010	20	20	0	0	0.005	0.005	0.005	0.05	0
Ethoprophos	0.010	0.010	20	20	0	0	0.005	0.005	0.005	0.02	0
Famoxadone	0.010	0.010	20	20	0	0	0.005	0.005	0.005	2	0
Fenarimol	0.010	0.010	20	20	0	0	0.005	0.005	0.005	0.3	0
Fenazaquin	0.010	0.010	20	20	0	0	0.005	0.005	0.005	0.2	0
Fenbuconazole	0.010	0.010	20	20	0	0	0.005	0.005	0.005	1	0
Fenhexamid	0.010	0.010	20	18	2	0	0.019	0.006	0.005	5	0
Fenitrothion	0.010	0.010	20	20	0	0	0.005	0.005	0.005	0.01	0
Fenoxycarb	0.010	0.010	20	20	0	0	0.005	0.005	0.005	1	0
Fenpropathrin	0.010	0.010	20	20	0	0	0.005	0.005	0.005	0.01	0
Fenpropimorph	0.010	0.010	20	20	0	0	0.005	0.005	0.005	0.05	0
Fenthion (sum)	0.010	0.010	20	20	0	0	0.005	0.005	0.005	0.01	0
Fenvalerate and Esfenvalerate (Sum of RR and SS isomers)	0.010	0.010	20	20	0	0	0.005	0.005	0.005	0.1	0
Fenvalerate and Esfenvalerate (Sum of RS and SR isomers)	0.010	0.010	20	20	0	0	0.005	0.005	0.005	0.02	0
Fludioxonil	0.010	0.010	20	20	0	0	0.005	0.005	0.005	4	0
Flufenoxuron	0.010	0.010	20	20	0	0	0.005	0.005	0.005	2	0
Fluquinconazole	0.010	0.010	20	20	0	0	0.005	0.005	0.005	0.5	0

For mean and median residue level calculations when results were below limit of detection LOQ/2 was substituted
 All results expressed in mg/kg

Table B: Results of the EU co-ordinated programme

Product=Wine grapes Treatment=Wine production

Compound	Min LOQ	Max LOQ	Total	Between LOQ and MRL		Above MRL	Max Residue Level	Mean Residue Level	Median Residue Level	MRL	Non Compliant
				Below LOQ	Between LOQ and MRL						
Flusilazole	0.010	0.010	20	20	0	0	0.005	0.005	0.005	0.2	0
Flutriafol	0.010	0.010	20	20	0	0	0.005	0.005	0.005	1	0
Hexaconazole	0.010	0.010	20	20	0	0	0.005	0.005	0.005	0.1	0
Hexythiazox	0.010	0.010	20	20	0	0	0.005	0.005	0.005	1	0
Imazalil	0.010	0.010	20	20	0	0	0.005	0.005	0.005	0.05	0
Imidacloprid	0.010	0.010	20	20	0	0	0.005	0.005	0.005	1	0
Indoxacarb as sum of the isomers S and R	0.010	0.010	20	20	0	0	0.005	0.005	0.005	2	0
Iprodione	0.010	0.010	20	18	2	0	0.031	0.007	0.005	10	0
Iprovalicarb	0.010	0.010	20	20	0	0	0.005	0.005	0.005	2	0
Isofenphos-methyl	0.010	0.010	20	20	0	0	0.005	0.005	0.005	0.01	0
Kresoxim-methyl	0.010	0.010	20	20	0	0	0.005	0.005	0.005	1	0
Lambda-Cyhalothrin	0.010	0.010	20	20	0	0	0.005	0.005	0.005	0.2	0
Linuron	0.010	0.010	20	20	0	0	0.005	0.005	0.005	0.05	0
Lufenuron	0.010	0.010	20	20	0	0	0.005	0.005	0.005	1	0
Malathion (sum of malathion and malaoxon expressed as malathion)	0.010	0.010	20	20	0	0	0.005	0.005	0.005	0.02	0
Metalaxyl (Metalaxyl including other mixtures of constituent isomers including Metalaxyl-M (sum of isomers))	0.010	0.010	20	20	0	0	0.005	0.005	0.005	1	0
Metconazole	0.010	0.010	20	20	0	0	0.005	0.005	0.005	0.02	0
Methamidophos	0.010	0.010	20	20	0	0	0.005	0.005	0.005	0.01	0
Methidathion	0.020	0.020	20	20	0	0	0.010	0.010	0.010	0.02	0
Methiocarb (sum of methiocarb and methiocarb sulfoxide and sulfone, expressed as methiocarb)	0.010	0.010	20	20	0	0	0.005	0.005	0.005	0.3	0
Methomyl and thiodicarb (sum of methomyl and thiodicarb expressed as methomyl)	0.010	0.010	20	20	0	0	0.005	0.005	0.005	0.5	0
Methoxychlor	0.010	0.010	20	20	0	0	0.005	0.005	0.005	0.01	0
Methoxyfenozide	0.010	0.010	20	20	0	0	0.005	0.005	0.005	1	0
Monocrotophos	0.010	0.010	20	20	0	0	0.005	0.005	0.005	0.01	0
Myclobutanil	0.010	0.010	20	20	0	0	0.005	0.005	0.005	1	0

*For mean and median residue level calculations when results were below limit of detection LOQ/2 was substituted
All results expressed in mg/kg*

Table B: Results of the EU co-ordinated programme

Product=Wine grapes Treatment=Wine production

Compound	Min LOQ	Max LOQ	Total	Between LOQ		Above MRL	Max Residue Level	Mean Residue Level	Median Residue Level	MRL	Non Compliant
				Below LOQ	and MRL						
Orthophenylphenol	0.050	0.050	20	20	0	0	0.025	0.025	0.025	0.05	0
Oxadixyl	0.010	0.010	20	20	0	0	0.005	0.005	0.005	0.01	0
Oxamyl	0.010	0.010	20	20	0	0	0.005	0.005	0.005	0.01	0
Oxydemeton-methyl (sum of oxydemeton-methyl and demeton-S-methylsulfone expressed as oxydemeton-methyl)	0.010	0.010	20	20	0	0	0.005	0.005	0.005	0.01	0
Paclobutrazol	0.010	0.010	20	20	0	0	0.005	0.005	0.005	0.05	0
Parathion	0.010	0.010	20	20	0	0	0.005	0.005	0.005	0.05	0
Parathion-methyl (sum of Parathion-methyl and paraoxon-methyl expressed as Parathion-methyl)	0.010	0.010	20	20	0	0	0.005	0.005	0.005	0.02	0
Penconazole	0.010	0.010	20	20	0	0	0.005	0.005	0.005	0.2	0
Pendimethalin	0.010	0.010	20	20	0	0	0.005	0.005	0.005	0.05	0
Pirimicarb (sum of Pirimicarb and desmethyl pirimicarb expressed as Pirimicarb)	0.010	0.010	20	20	0	0	0.005	0.005	0.005	1	0
Pirimiphos-methyl	0.010	0.010	20	20	0	0	0.005	0.005	0.005	2	0
Procymidone	0.010	0.010	20	20	0	0	0.005	0.005	0.005	0.02	0
Profenofos	0.010	0.010	20	20	0	0	0.005	0.005	0.005	0.05	0
Propiconazole	0.010	0.010	20	20	0	0	0.005	0.005	0.005	0.3	0
Propoxur	0.010	0.010	20	20	0	0	0.005	0.005	0.005	0.05	0
Propyzamide	0.010	0.010	20	20	0	0	0.005	0.005	0.005	0.02	0
Prothiofos	0.010	0.010	20	20	0	0	0.005	0.005	0.005	0.01	0
Pyraclostrobin	0.010	0.010	20	20	0	0	0.005	0.005	0.005	2	0
Pyrimethanil	0.010	0.010	20	20	0	0	0.005	0.005	0.005	5	0
Pyriproxyfen	0.010	0.010	20	20	0	0	0.005	0.005	0.005	0.05	0
Quinoxifen	0.010	0.010	20	20	0	0	0.005	0.005	0.005	1	0
Spinosad (sum of Spinosyn A and Spinosyn D, expressed as Spinosad)	0.010	0.010	20	20	0	0	0.005	0.005	0.005	0.5	0
Spiroxamine	0.010	0.010	20	20	0	0	0.005	0.005	0.005	1	0
Tebuconazole	0.010	0.010	20	20	0	0	0.005	0.005	0.005	2	0
Tebufenozide	0.010	0.010	20	20	0	0	0.005	0.005	0.005	3	0

For mean and median residue level calculations when results were below limit of detection LOQ/2 was substituted

All results expressed in mg/kg

Table B: Results of the EU co-ordinated programme

Product=Wine grapes Treatment=Wine production

Compound	Min LOQ	Max LOQ	Total	Below LOQ	Between	Above MRL	Max Residue Level	Mean Residue Level	Median Residue Level	MRL	Non Compliant
					LOQ and MRL						
Tebufenpyrad	0.010	0.010	20	20	0	0	0.005	0.005	0.005	0.5	0
Teflubenzuron	0.010	0.010	20	20	0	0	0.005	0.005	0.005	1	0
Tetraconazole	0.010	0.010	20	20	0	0	0.005	0.005	0.005	0.5	0
Tetradifon	0.010	0.010	20	20	0	0	0.005	0.005	0.005	0.01	0
Thiabendazole	0.010	0.010	20	20	0	0	0.005	0.005	0.005	0.05	0
Thiacloprid	0.010	0.010	20	20	0	0	0.005	0.005	0.005	0.02	0
Thiametoxam (sum of thiametoxam and clothianidin expressed as thiametoxam)	0.010	0.010	20	20	0	0	0.005	0.005	0.005	0.5	0
Thiophanate-methyl	0.010	0.010	20	15	5	0	0.199	0.025	0.005	3	0
Tolclofos-methyl	0.010	0.010	20	20	0	0	0.005	0.005	0.005	0.05	0
Triadimefon (sum of Triadimefon and Triadimenol)	0.010	0.010	20	20	0	0	0.005	0.005	0.005	2	0
Triazophos	0.010	0.010	20	20	0	0	0.005	0.005	0.005	0.01	0
Trifloxystrobin	0.010	0.010	20	20	0	0	0.005	0.005	0.005	5	0
Trifluralin	0.010	0.010	20	20	0	0	0.005	0.005	0.005	0.1	0
Triticonazole	0.010	0.010	20	20	0	0	0.005	0.005	0.005	0.01	0
tau-Fluvalinate	0.010	0.010	20	20	0	0	0.005	0.005	0.005	0.1	0

For mean and median residue level calculations when results were below limit of detection LOQ/2 was substituted

All results expressed in mg/kg

Product=Wine grapes Treatment=Wine production - white wine

Compound	Min LOQ	Max LOQ	Total	Between LOQ		Max Residue Level	Mean Residue Level	Median Residue Level	MRL	Non Compliant	
				Below LOQ	Above MRL						
Abamectin (sum)	0.010	0.010	15	15	0	0	0.005	0.005	0.005	0.01	0
Acephate	0.010	0.010	15	15	0	0	0.005	0.005	0.005	0.02	0
Acetamiprid	0.010	0.010	15	15	0	0	0.005	0.005	0.005	0.2	0
Acrinathrin	0.010	0.010	15	15	0	0	0.005	0.005	0.005	0.05	0
Aldicarb (sum)	0.010	0.010	15	15	0	0	0.005	0.005	0.005	0.02	0
Azinphos-methyl	0.010	0.010	15	15	0	0	0.005	0.005	0.005	0.05	0
Azoxystrobin	0.010	0.010	15	15	0	0	0.005	0.005	0.005	2	0
Bifenthrin	0.010	0.010	15	15	0	0	0.005	0.005	0.005	0.2	0
Bitertanol	0.010	0.010	15	15	0	0	0.005	0.005	0.005	0.05	0
Boscalid	0.010	0.010	15	15	0	0	0.005	0.005	0.005	5	0
Bromopropylate	0.050	0.050	15	15	0	0	0.025	0.025	0.025	0.01	0
Bromuconazole (sum)	0.010	0.010	15	15	0	0	0.005	0.005	0.005	0.5	0
Bupirimate	0.010	0.010	15	15	0	0	0.005	0.005	0.005	1	0
Buprofezin	0.010	0.010	15	15	0	0	0.005	0.005	0.005	1	0
Carbaryl	0.010	0.010	15	15	0	0	0.005	0.005	0.005	0.05	0
Carbendazim and benomyl	0.010	0.010	15	15	0	0	0.005	0.005	0.005	0.5	0
Carbofuran (sum)	0.010	0.010	15	15	0	0	0.005	0.005	0.005	0.02	0
Chlorfenapyr	0.010	0.010	15	15	0	0	0.005	0.005	0.005	0.05	0
Chlorfenvinphos	0.010	0.010	15	15	0	0	0.005	0.005	0.005	0.02	0
Chlorothalonil	0.010	0.010	15	15	0	0	0.005	0.005	0.005	3	0
Chlorpyrifos	0.010	0.010	15	15	0	0	0.005	0.005	0.005	0.5	0
Chlorpyrifos-methyl	0.010	0.010	15	15	0	0	0.005	0.005	0.005	0.2	0
Clothianidin	0.010	0.010	15	15	0	0	0.005	0.005	0.005	0.05	0
Cyfluthrin (sum)	0.010	0.010	15	15	0	0	0.005	0.005	0.005	0.3	0
Cypermethrin (sum)	0.010	0.010	15	15	0	0	0.005	0.005	0.005	0.5	0
Cyproconazole	0.010	0.010	15	15	0	0	0.005	0.005	0.005	0.2	0

**For mean and median residue level calculations when results were below limit of detection LOQ/2 was substituted
 All results expressed in mg/kg**

Product=Wine grapes Treatment=Wine production - white wine

Compound	Min LOQ	Max LOQ	Total	Between LOQ and MRL		Above MRL	Max Residue Level	Mean Residue Level	Median Residue Level	MRL	Non Compliant
				Below LOQ							
Cyprodinil	0.010	0.010	15	15	0	0	0.005	0.005	0.005	5	0
Deltamethrin	0.010	0.010	15	15	0	0	0.005	0.005	0.005	0.2	0
Diazinon	0.010	0.010	15	15	0	0	0.005	0.005	0.005	0.01	0
Dichlofluanid	0.010	0.010	15	15	0	0	0.005	0.005	0.005	0.01	0
Difenoconazole	0.010	0.010	15	15	0	0	0.005	0.005	0.005	0.5	0
Dimethoate (sum)	0.010	0.010	15	15	0	0	0.005	0.005	0.005	0.02	0
Dimethomorph	0.010	0.010	15	14	1	0	0.017	0.006	0.005	3	0
Diphenylamine	0.010	0.010	15	15	0	0	0.005	0.005	0.005	0.05	0
Endosulfan (sum)	0.010	0.010	15	15	0	0	0.005	0.005	0.005	0.05	0
Epoxiconazole	0.010	0.010	15	15	0	0	0.005	0.005	0.005	0.05	0
Ethoprophos	0.010	0.010	15	15	0	0	0.005	0.005	0.005	0.02	0
Famoxadone	0.010	0.010	15	15	0	0	0.005	0.005	0.005	2	0
Fenarimol	0.010	0.010	15	15	0	0	0.005	0.005	0.005	0.3	0
Fenazaquin	0.010	0.010	15	15	0	0	0.005	0.005	0.005	0.2	0
Fenbuconazole	0.010	0.010	15	15	0	0	0.005	0.005	0.005	1	0
Fenhexamid	0.010	0.010	15	14	1	0	0.066	0.009	0.005	5	0
Fenitrothion	0.010	0.010	15	15	0	0	0.005	0.005	0.005	0.01	0
Fenoxycarb	0.010	0.010	15	15	0	0	0.005	0.005	0.005	1	0
Fenpropathrin	0.010	0.010	15	15	0	0	0.005	0.005	0.005	0.01	0
Fenpropimorph	0.010	0.010	15	15	0	0	0.005	0.005	0.005	0.05	0
Fenthion (sum)	0.010	0.010	15	15	0	0	0.005	0.005	0.005	0.01	0
Fenvalerate and Esfenvalerate (Sum of RR and SS isomers)	0.010	0.010	15	15	0	0	0.005	0.005	0.005	0.1	0
Fenvalerate and Esfenvalerate (Sum of RS and SR isomers)	0.010	0.010	15	15	0	0	0.005	0.005	0.005	0.02	0
Fludioxonil	0.010	0.010	15	15	0	0	0.005	0.005	0.005	4	0
Flufenoxuron	0.010	0.010	15	15	0	0	0.005	0.005	0.005	2	0
Fluquinconazole	0.010	0.010	15	15	0	0	0.005	0.005	0.005	0.5	0

For mean and median residue level calculations when results were below limit of detection LOQ/2 was substituted
 All results expressed in mg/kg

Product=Wine grapes Treatment=Wine production - white wine

Compound	Min LOQ	Max LOQ	Total	Between LOQ and MRL		Above MRL	Max Residue Level	Mean Residue Level	Median Residue Level	MRL	Non Compliant
				Below LOQ	Between LOQ and MRL						
Flusilazole	0.010	0.010	15	15	0	0	0.005	0.005	0.005	0.2	0
Flutriafol	0.010	0.010	15	15	0	0	0.005	0.005	0.005	1	0
Hexaconazole	0.010	0.010	15	15	0	0	0.005	0.005	0.005	0.1	0
Hexythiazox	0.010	0.010	15	15	0	0	0.005	0.005	0.005	1	0
Imazalil	0.010	0.010	15	15	0	0	0.005	0.005	0.005	0.05	0
Imidacloprid	0.010	0.010	15	15	0	0	0.005	0.005	0.005	1	0
Indoxacarb as sum of the isomers S and R	0.010	0.010	15	15	0	0	0.005	0.005	0.005	2	0
Iprodione	0.010	0.010	15	14	1	0	0.024	0.006	0.005	10	0
Iprovalicarb	0.010	0.010	15	15	0	0	0.005	0.005	0.005	2	0
Isofenphos-methyl	0.010	0.010	15	15	0	0	0.005	0.005	0.005	0.01	0
Kresoxim-methyl	0.010	0.010	15	15	0	0	0.005	0.005	0.005	1	0
Lambda-Cyhalothrin	0.010	0.010	15	15	0	0	0.005	0.005	0.005	0.2	0
Linuron	0.010	0.010	15	15	0	0	0.005	0.005	0.005	0.05	0
Lufenuron	0.010	0.010	15	15	0	0	0.005	0.005	0.005	1	0
Malathion (sum of malathion and malaoxon expressed as malathion)	0.010	0.010	15	15	0	0	0.005	0.005	0.005	0.02	0
Metalaxyl (Metalaxyl including other mixtures of constituent isomers including Metalaxyl-M (sum of isomers))	0.010	0.010	15	15	0	0	0.005	0.005	0.005	1	0
Metconazole	0.010	0.010	15	15	0	0	0.005	0.005	0.005	0.02	0
Methamidophos	0.010	0.010	15	15	0	0	0.005	0.005	0.005	0.01	0
Methidathion	0.020	0.020	15	15	0	0	0.010	0.010	0.010	0.02	0
Methiocarb (sum of methiocarb and methiocarb sulfoxide and sulfone, expressed as methiocarb)	0.010	0.010	15	15	0	0	0.005	0.005	0.005	0.3	0
Methomyl and thiodicarb (sum of methomyl and thiodicarb expressed as methomyl)	0.010	0.010	15	15	0	0	0.005	0.005	0.005	0.5	0
Methoxychlor	0.010	0.010	15	15	0	0	0.005	0.005	0.005	0.01	0
Methoxyfenozide	0.010	0.010	15	15	0	0	0.005	0.005	0.005	1	0
Monocrotophos	0.010	0.010	15	15	0	0	0.005	0.005	0.005	0.01	0
Myclobutanil	0.010	0.010	15	15	0	0	0.005	0.005	0.005	1	0

For mean and median residue level calculations when results were below limit of detection LOQ/2 was substituted
 All results expressed in mg/kg

Product=Wine grapes Treatment=Wine production - white wine

Compound	Min LOQ	Max LOQ	Total	Between LOQ		Above MRL	Max Residue Level	Mean Residue Level	Median Residue Level	MRL	Non Compliant
				Below LOQ	and MRL						
Orthophenylphenol	0.050	0.050	15	15	0	0	0.025	0.025	0.025	0.05	0
Oxadixyl	0.010	0.010	15	15	0	0	0.005	0.005	0.005	0.01	0
Oxamyl	0.010	0.010	15	15	0	0	0.005	0.005	0.005	0.01	0
Oxydemeton-methyl (sum of oxydemeton-methyl and demeton-S-methylsulfone expressed as oxydemeton-methyl)	0.010	0.010	15	15	0	0	0.005	0.005	0.005	0.01	0
Paclobutrazol	0.010	0.010	15	15	0	0	0.005	0.005	0.005	0.05	0
Parathion	0.010	0.010	15	15	0	0	0.005	0.005	0.005	0.05	0
Parathion-methyl (sum of Parathion-methyl and paraoxon-methyl expressed as Parathion-methyl)	0.010	0.010	15	15	0	0	0.005	0.005	0.005	0.02	0
Penconazole	0.010	0.010	15	15	0	0	0.005	0.005	0.005	0.2	0
Pendimethalin	0.010	0.010	15	15	0	0	0.005	0.005	0.005	0.05	0
Pirimicarb (sum of Pirimicarb and desmethyl pirimicarb expressed as Pirimicarb)	0.010	0.010	15	15	0	0	0.005	0.005	0.005	1	0
Pirimiphos-methyl	0.010	0.010	15	15	0	0	0.005	0.005	0.005	2	0
Procymidone	0.010	0.010	15	15	0	0	0.005	0.005	0.005	0.02	0
Profenofos	0.010	0.010	15	15	0	0	0.005	0.005	0.005	0.05	0
Propiconazole	0.010	0.010	15	15	0	0	0.005	0.005	0.005	0.3	0
Propoxur	0.010	0.010	15	15	0	0	0.005	0.005	0.005	0.05	0
Propyzamide	0.010	0.010	15	15	0	0	0.005	0.005	0.005	0.02	0
Prothiofos	0.010	0.010	15	15	0	0	0.005	0.005	0.005	0.01	0
Pyraclostrobin	0.010	0.010	15	15	0	0	0.005	0.005	0.005	2	0
Pyrimethanil	0.010	0.010	15	15	0	0	0.005	0.005	0.005	5	0
Pyriproxyfen	0.010	0.010	15	15	0	0	0.005	0.005	0.005	0.05	0
Quinoxifen	0.010	0.010	15	15	0	0	0.005	0.005	0.005	1	0
Spinosad (sum of Spinosyn A and Spinosyn D, expressed as Spinosad)	0.010	0.010	15	15	0	0	0.005	0.005	0.005	0.5	0
Spiroxamine	0.010	0.010	15	15	0	0	0.005	0.005	0.005	1	0
Tebuconazole	0.010	0.010	15	15	0	0	0.005	0.005	0.005	2	0
Tebufenozide	0.010	0.010	15	15	0	0	0.005	0.005	0.005	3	0

For mean and median residue level calculations when results were below limit of detection LOQ/2 was substituted
 All results expressed in mg/kg

Product=Wine grapes Treatment=Wine production - white wine

Compound	Min LOQ	Max LOQ	Total	Between LOQ and MRL		Above MRL	Max Residue Level	Mean Residue Level	Median Residue Level	MRL	Non Compliant
				Below LOQ	MRL						
Tebufenpyrad	0.010	0.010	15	15	0	0	0.005	0.005	0.005	0.5	0
Teflubenzuron	0.010	0.010	15	15	0	0	0.005	0.005	0.005	1	0
Tetraconazole	0.010	0.010	15	15	0	0	0.005	0.005	0.005	0.5	0
Tetradifon	0.010	0.010	15	15	0	0	0.005	0.005	0.005	0.01	0
Thiabendazole	0.010	0.010	15	15	0	0	0.005	0.005	0.005	0.05	0
Thiacloprid	0.010	0.010	15	15	0	0	0.005	0.005	0.005	0.02	0
Thiametoxam (sum of thiametoxam and clothianidin expressed as thiametoxam)	0.010	0.010	15	15	0	0	0.005	0.005	0.005	0.5	0
Thiophanate-methyl	0.010	0.010	15	14	1	0	0.012	0.005	0.005	3	0
Tolclofos-methyl	0.010	0.010	15	15	0	0	0.005	0.005	0.005	0.05	0
Triadimefon (sum of Triadimefon and Triadimenol)	0.010	0.010	15	15	0	0	0.005	0.005	0.005	2	0
Triazophos	0.010	0.010	15	15	0	0	0.005	0.005	0.005	0.01	0
Trifloxystrobin	0.010	0.010	15	15	0	0	0.005	0.005	0.005	5	0
Trifluralin	0.010	0.010	15	15	0	0	0.005	0.005	0.005	0.1	0
Triticonazole	0.010	0.010	15	15	0	0	0.005	0.005	0.005	0.01	0
tau-Fluvalinate	0.010	0.010	15	15	0	0	0.005	0.005	0.005	0.1	0

For mean and median residue level calculations when results were below limit of detection LOQ/2 was substituted
 All results expressed in mg/kg

Pesticide monitoring 2013 Greece on September 22, 2014 at 03:27:57 PM
Table C1: Results of national programme for unprocessed conventional products where residues were detected

ProductClass=Cereals

<i>Prod. Group</i>	<i>Product</i>	<i>Compound</i>	<i>Min LOQ</i>	<i>Max LOQ</i>	<i>Total</i>	<i>Below LOQ</i>	<i>Between LOQ and MRL</i>	<i>Above MRL</i>	<i>Max Residue Level</i>	<i>Mean Residue Level</i>	<i>Median Residue Level</i>	<i>MRL</i>	<i>Non Compliant</i>
Cereals	Rice	Tricyclazole	0.010	0.010	7	5	2	0	0.030	0.009	0.005	1	0

For mean and median residue level calculations when results were below limit of detection LOQ/2 was substituted
All results expressed in mg/kg

Table C1: Results of national programme for unprocessed conventional products where residues were detected

ProductClass=Sum of fruits and nuts, vegetables, other plant products

Prod. Group	Product	Compound	Min LOQ	Max LOQ	Total	Below LOQ	Between LOQ and MRL		Above MRL	Max Residue Level	Mean Residue Level	Median Residue Level	MRL	Non Compliant
Brassica vegetables	Broccoli	Cypermethrin	0.010	0.020	11	10	1	0	0.030	0.010	0.010	.	0	
		Cypermethrin (sum)	0.010	0.020	11	10	1	0	0.030	0.010	0.010	1	0	
		Pirimiphos-methyl	0.010	0.050	11	10	1	0	0.025	0.015	0.010	1	0	
Citrus fruit	Cauliflower	Chlorpyrifos	0.010	0.010	12	11	1	0	0.020	0.006	0.005	0.05	0	
	Grapefruit	Chlorpyrifos	0.010	0.010	17	14	3	0	0.040	0.008	0.005	0.3	0	
		Dimethoate	0.010	0.010	17	16	1	0	0.120	0.012	0.005	.	0	
		Imazalil	0.010	0.020	17	9	8	0	2.700	0.530	0.010	5	0	
		Imidacloprid	0.010	0.010	17	16	1	0	0.020	0.006	0.005	1	0	
		Prochloraz	0.010	0.010	17	16	1	0	0.090	0.010	0.005	.	0	
		Prochloraz (sum of prochloraz and its metabolites containing the 2,4, 6-Trichlorophenol moiety expressed as prochloraz)	0.010	0.010	17	16	1	0	0.090	0.010	0.005	10	0	
		Pyraclostrobin	0.010	0.010	17	16	1	0	0.030	0.006	0.005	1	0	
		Pyriproxyfen	0.010	0.010	17	15	2	0	0.024	0.007	0.005	0.6	0	
		Thiabendazole	0.010	0.010	17	15	2	0	0.580	0.070	0.005	5	0	
		Thiacloprid	0.010	0.010	17	16	1	0	0.010	0.005	0.005	0.02	0	
		Lemons	Carbendazim and benomyl	0.010	0.010	5	4	1	0	0.390	0.082	0.005	0.7	0
			Chlorpyrifos	0.010	0.050	25	22	3	0	0.100	0.016	0.005	0.2	0
			Imazalil	0.020	0.050	10	5	4	1	5.200	1.350	0.098	5	0
			Pyrimethanil	0.010	0.020	10	6	4	0	3.300	0.441	0.010	10	0
Thiabendazole	0.010		0.030	10	6	4	0	0.620	0.126	0.015	5	0		
Mandarins	Chlorpyrifos	0.010	0.010	30	23	7	0	0.150	0.022	0.005	2	0		
	Imazalil	0.010	0.050	7	5	2	0	2.400	0.351	0.005	5	0		
	Phosmet (phosmet and phosmet oxon expressed as phosmet)	0.010	0.020	20	19	1	0	0.080	0.009	0.005	0.2	0		
	Pyriproxyfen	0.010	0.050	7	6	1	0	0.060	0.016	0.005	0.6	0		
Oranges	Chlorpyrifos	0.010	0.050	52	41	11	0	0.080	0.013	0.005	0.3	0		
	Dimethoate (sum)	0.010	0.020	38	35	0	3	0.120	0.014	0.010	0.02	2		

For mean and median residue level calculations when results were below limit of detection LOQ/2 was substituted

All results expressed in mg/kg

Table C1: Results of national programme for unprocessed conventional products where residues were detected

ProductClass=Sum of fruits and nuts, vegetables, other plant products

Prod. Group	Product	Compound	Min LOQ	Max LOQ	Total	Between LOQ and MRL		Max Residue Level	Mean Residue Level	Median Residue Level	MRL	Non Compliant	
						Below LOQ	Above MRL						
Cucurbits	Courgettes	Dithiocarbamates	0.250	0.300	14	13	1	0	0.350	0.148	0.125	5	0
		Imazalil	0.010	0.050	20	9	11	0	1.840	0.499	0.433	5	0
		Imidacloprid	0.010	0.010	13	11	2	0	0.024	0.007	0.005	1	0
		Phosmet	0.010	0.020	29	28	1	0	0.016	0.008	0.010	.	0
			0.010	0.010	9	9	0	0	0.005	0.005	0.005	0.2	0
		Phosmet (phosmet and phosmet oxon expressed as phosmet)	0.010	0.020	38	37	1	0	0.016	0.007	0.005	0.2	0
		Prochloraz	0.010	0.050	19	18	1	0	0.380	0.031	0.005	.	0
		Prochloraz (sum of prochloraz and its metabolites containing the 2,4, 6-Trichlorophenol moiety expressed as prochloraz)	0.010	0.050	19	18	1	0	0.380	0.031	0.005	10	0
		Pyraclostrobin	0.010	0.050	20	18	2	0	0.070	0.015	0.005	2	0
		Tebufenpyrad	0.010	0.020	20	19	1	0	0.055	0.009	0.005	0.5	0
		Thiabendazole	0.010	0.030	20	14	6	0	2.900	0.374	0.015	5	0
		Trifloxystrobin	0.010	0.020	29	27	2	0	0.020	0.007	0.005	0.3	0
		Aldrin and Dieldrin	0.010	0.050	52	51	1	0	0.025	0.008	0.005	0.05	0
		Dieldrin	0.010	0.010	31	30	1	0	0.015	0.005	0.005	.	0
			0.010	0.010	7	7	0	0	0.005	0.005	0.005	0.01	0
			0.050	0.050	6	6	0	0	0.025	0.025	0.025	0.05	0
		Dimethomorph	0.010	0.020	31	30	1	0	0.016	0.006	0.005	1	0
		Formetanate	0.010	0.010	25	24	1	0	0.590	0.028	0.005	.	0
			0.010	0.010	25	24	0	1	0.590	0.028	0.005	0.5	0
	Imidacloprid	0.010	0.010	25	24	1	0	0.010	0.005	0.005	1	0	
Propamocarb	0.010	0.010	9	7	2	0	0.012	0.006	0.005	10	0		
Propamocarb (sum of propamocarb and its salt expressed as propamocarb)	0.010	0.010	9	7	2	0	0.012	0.006	0.005	10	0		
Pyraclostrobin	0.010	0.050	31	30	1	0	0.130	0.013	0.005	0.5	0		
Cucumbers	Acetamiprid	0.010	0.020	29	28	1	0	0.055	0.009	0.005	0.3	0	

For mean and median residue level calculations when results were below limit of detection LOQ/2 was substituted
All results expressed in mg/kg

Table C1: Results of national programme for unprocessed conventional products where residues were detected

ProductClass=Sum of fruits and nuts, vegetables, other plant products

Prod. Group	Product	Compound	Min LOQ	Max LOQ	Total	Between LOQ and MRL		Above MRL	Max Residue Level	Mean Residue Level	Median Residue Level	MRL	Non Compliant
						Below LOQ							
		Boscalid	0.010	0.030	40	38	2	0	0.073	0.011	0.010	3	0
		Bupirimate	0.010	0.040	57	56	1	0	0.020	0.010	0.010	1	0
		Chlorpyrifos	0.010	0.050	89	85	4	0	0.042	0.010	0.005	0.05	0
		Dimethomorph	0.010	0.020	29	26	3	0	0.110	0.012	0.010	1	0
		Fluopicolide	0.010	0.010	16	14	2	0	0.037	0.009	0.005	0.5	0
		Imidacloprid	0.010	0.010	16	15	1	0	0.018	0.006	0.005	1	0
		Iprodione	0.010	0.100	84	81	3	0	0.421	0.022	0.010	2	0
		Metalaxyl	0.010	0.060	32	29	3	0	0.090	0.027	0.025	.	0
		Metalaxyl (Metalaxyl including other mixtures of constituent isomers including Metalaxyl -M (sum of isomers))	0.010	0.060	40	36	4	0	0.090	0.022	0.025	0.5	0
		Penconazole	0.010	0.050	73	72	1	0	0.025	0.013	0.005	0.1	0
		Propamocarb	0.010	0.010	8	5	3	0	0.440	0.115	0.005	10	0
		Propamocarb (sum of propamocarb and its salt expressed as propamocarb)	0.010	0.010	8	5	3	0	0.440	0.115	0.005	10	0
		Pyraclostrobin	0.010	0.050	29	28	1	0	0.130	0.018	0.005	0.3	0
		Pyrimethanil	0.010	0.050	50	49	1	0	0.025	0.014	0.010	1	0
		Thiametoxam	0.010	0.050	29	28	1	0	0.030	0.015	0.005	.	0
		Thiametoxam (sum of thiametoxam and clothianidin expressed as thiametoxam)	0.010	0.050	29	28	1	0	0.030	0.015	0.005	0.5	0
	Melons	Aldrin and Dieldrin	0.010	0.050	36	35	0	1	0.120	0.010	0.005	0.03	1
		Azoxystrobin	0.010	0.100	36	35	1	0	0.063	0.016	0.010	1	0
		Boscalid	0.010	0.030	20	18	2	0	0.058	0.015	0.015	3	0
		Carbendazim	0.010	0.010	5	4	1	0	0.030	0.010	0.005	.	0
		Carbendazim and benomyl	0.010	0.010	5	4	1	0	0.030	0.010	0.005	0.1	0
		Dieldrin	0.010	0.010	15	15	0	0	0.005	0.005	0.005	.	0
			0.010	0.010	5	5	0	0	0.005	0.005	0.005	0.01	0
			0.050	0.050	4	3	1	0	0.120	0.049	0.025	0.03	0

For mean and median residue level calculations when results were below limit of detection LOQ/2 was substituted

All results expressed in mg/kg

Table C1: Results of national programme for unprocessed conventional products where residues were detected

ProductClass=Sum of fruits and nuts, vegetables, other plant products

Prod. Group	Product	Compound	Min LOQ	Max LOQ	Total	Below LOQ	Between LOQ and MRL		Max Residue Level	Mean Residue Level	Median Residue Level	MRL	Non Compliant
							Above MRL	MRL					
Leafy vegetables & fresh herbs	Basil	Thiophanate-methyl	0.010	0.010	5	4	1	0	0.200	0.044	0.005	0.3	0
		Azoxystrobin	0.010	0.010	1	0	1	0	0.480	0.480	0.480	70	0
	Celery leaves Lettuce	Imidacloprid	0.010	0.010	1	0	0	1	22.000	22.000	22.000	2	1
		Metalaxyl (Metalaxyl including other mixtures of constituent isomers including Metalaxyl -M (sum of isomers))	0.010	0.010	1	0	1	0	0.120	0.120	0.120	2	0
		Linuron	0.010	0.010	1	0	1	0	0.020	0.020	0.020	1	0
		Acetamiprid	0.010	0.050	42	40	2	0	0.720	0.029	0.010	5	0
		Boscalid	0.010	0.020	33	28	5	0	1.130	0.089	0.005	30	0
		Bromide ion	0.500	0.500	12	1	11	0	7.000	2.558	1.900	50	0
		Carbendazim and benomyl	0.010	0.010	22	21	1	0	0.061	0.008	0.005	0.1	0
		Chlorpyrifos	0.010	0.050	61	57	3	1	0.500	0.017	0.005	0.05	1
		Clothianidin	0.010	0.010	22	21	1	0	0.310	0.019	0.005	2	0
		Cypermethrin	0.010	0.020	18	16	2	0	0.102	0.017	0.010	.	0
			0.010	0.010	11	11	0	0	0.005	0.005	0.005	0.01	0
		Cypermethrin (sum)	0.010	0.050	50	46	4	0	0.200	0.018	0.005	2	0
		Cyprodinil	0.010	0.020	32	31	1	0	0.580	0.025	0.005	15	0
		Deltamethrin	0.010	0.050	60	59	1	0	0.090	0.011	0.005	0.5	0
		Dimethoate (sum)	0.010	0.020	53	52	1	0	0.015	0.008	0.010	0.02	0
		Dimethomorph	0.010	0.020	24	23	1	0	0.027	0.008	0.005	10	0
			0.010	0.010	9	9	0	0	0.005	0.005	0.005	15	0
		Disulfoton (sum baby and infant food)	0.010	0.010	14	13	1	0	0.017	0.006	0.005	0.02	0
Disulfoton sulfoxide	0.010	0.010	14	13	1	0	0.018	0.006	0.005	.	0		
Dithiocarbamates	0.100	0.300	25	21	4	0	2.500	0.234	0.150	5	0		
Fludioxonil	0.010	0.030	30	29	1	0	0.540	0.026	0.005	15	0		
Imidacloprid	0.010	0.010	23	21	2	0	0.012	0.006	0.005	2	0		

For mean and median residue level calculations when results were below limit of detection LOQ/2 was substituted

All results expressed in mg/kg

Table C1: Results of national programme for unprocessed conventional products where residues were detected

ProductClass=Sum of fruits and nuts, vegetables, other plant products

Prod. Group	Product	Compound	Min LOQ	Max LOQ	Total	Between LOQ and MRL		Max Residue Level	Mean Residue Level	Median Residue Level	MRL	Non Compliant	
						Below LOQ	Above MRL						
		Indoxacarb as sum of the isomers S and R	0.010	0.020	43	42	1	0	0.190	0.012	0.010	2	0
		Iprodione	0.010	0.050	60	57	3	0	7.500	0.172	0.008	10	0
		Lambda-Cyhalothrin	0.010	0.050	60	59	1	0	0.025	0.009	0.005	0.5	0
		Metalaxyl (Metalaxyl including other mixtures of constituent isomers including Metalaxyl -M (sum of isomers))	0.010	0.050	32	31	1	0	0.055	0.013	0.005	3	0
		Omethoate	0.010	0.020	24	23	1	0	0.014	0.007	0.005	.	0
			0.010	0.010	8	8	0	0	0.005	0.005	0.005	0.01	0
		Pirimicarb (sum of Pirimicarb and desmethyl pirimicarb expressed as Pirimicarb)	0.010	0.020	32	31	1	0	0.081	0.009	0.005	5	0
		Pirimicarb, desmethylformamido-	0.010	0.020	11	10	1	0	0.076	0.016	0.010	.	0
		Pyraclostrobin	0.010	0.050	33	31	2	0	0.081	0.014	0.005	2	0
		Spinosad (sum of Spinosyn A and Spinosyn D, expressed as Spinosad)	0.010	0.010	23	22	1	0	0.250	0.016	0.005	10	0
		Spinosyn A	0.010	0.010	22	22	0	0	0.005	0.005	0.005	.	0
			0.010	0.010	1	0	1	0	0.200	0.200	0.200	10	0
		Spinosyn D	0.010	0.010	14	14	0	0	0.005	0.005	0.005	.	0
			0.010	0.010	1	0	1	0	0.051	0.051	0.051	10	0
		Spiroxamine	0.010	0.010	22	21	1	0	0.010	0.005	0.005	0.05	0
		Tebuconazole	0.010	0.050	42	41	0	1	0.860	0.034	0.005	0.05	1
		Thiametoxam	0.010	0.050	27	25	2	0	0.610	0.035	0.005	.	0
			0.010	0.010	5	4	1	0	0.022	0.008	0.005	5	0
		Thiametoxam (sum of thiametoxam and clothianidin expressed as thiametoxam)	0.010	0.050	32	29	3	0	0.970	0.042	0.005	5	0
		Thiophanate-methyl	0.010	0.010	22	21	1	0	0.058	0.007	0.005	0.1	0
Lettuce and other salad plants, including Brassica		Chlorpyrifos	0.010	0.050	30	29	1	0	0.025	0.011	0.005	0.05	0
		Cypermethrin	0.080	0.080	16	14	2	0	0.600	0.089	0.040	.	0

For mean and median residue level calculations when results were below limit of detection LOQ/2 was substituted
All results expressed in mg/kg

Table C1: Results of national programme for unprocessed conventional products where residues were detected

ProductClass=Sum of fruits and nuts, vegetables, other plant products

Prod. Group	Product	Compound	Min LOQ	Max LOQ	Total	Between LOQ		Max Residue Level	Mean Residue Level	Median Residue Level	MRL	Non Compliant	
						Below LOQ	and MRL						
		Cypermethrin (sum)	0.010	0.500	30	28	2	0	0.600	0.115	0.040	2	0
		Deltamethrin	0.010	0.500	30	29	1	0	0.250	0.079	0.020	0.5	0
	Other kind of lettuce and other salad plants, including Brassicacea	Clothianidin	0.010	0.010	1	0	1	0	0.015	0.015	0.015	2	0
		Thiametoxam	0.010	0.010	1	0	1	0	0.070	0.070	0.070	.	0
		Thiametoxam (sum of thiametoxam and clothianidin expressed as thiametoxam)	0.010	0.010	1	0	1	0	0.088	0.088	0.088	5	0
	Parsley	Chlorpyrifos	0.010	0.010	6	4	0	2	0.330	0.087	0.005	0.05	2
	Rocket, Rucola	Acetamiprid	0.010	0.010	5	4	1	0	0.010	0.006	0.005	5	0
		Boscalid	0.010	0.010	5	3	2	0	17.440	3.727	0.005	30	0
		Clothianidin	0.010	0.010	5	4	1	0	0.050	0.014	0.005	2	0
		Metalaxyl	0.010	0.010	5	4	1	0	0.020	0.008	0.005	.	0
		Metalaxyl (Metalaxyl including other mixtures of constituent isomers including Metalaxyl -M (sum of isomers))	0.010	0.010	5	4	1	0	0.020	0.008	0.005	3	0
		Pyraclostrobin	0.010	0.010	5	3	2	0	1.980	0.419	0.005	2	0
		Thiametoxam	0.010	0.010	5	4	1	0	0.080	0.020	0.005	.	0
		Thiametoxam (sum of thiametoxam and clothianidin expressed as thiametoxam)	0.010	0.010	5	4	1	0	0.140	0.032	0.005	5	0
	Spinach	Boscalid	0.010	0.020	16	14	2	0	7.800	0.498	0.010	30	0
		Chlorothalonil	0.010	0.010	36	34	0	2	0.100	0.009	0.005	0.01	2
		Chlorpyrifos	0.010	0.010	36	35	1	0	0.020	0.005	0.005	0.05	0
		Clothianidin	0.010	0.010	6	5	1	0	0.030	0.009	0.005	2	0
		Deltamethrin	0.010	0.020	33	32	1	0	0.180	0.012	0.005	0.5	0
		Dimethoate (sum)	0.010	0.020	33	32	1	0	0.015	0.009	0.010	0.02	0
		Indoxacarb as sum of the isomers S and R	0.010	0.020	33	31	2	0	0.094	0.013	0.010	2	0
		Omethoate	0.010	0.020	16	15	1	0	0.014	0.009	0.010	.	0

For mean and median residue level calculations when results were below limit of detection LOQ/2 was substituted
All results expressed in mg/kg

Table C1: Results of national programme for unprocessed conventional products where residues were detected

ProductClass=Sum of fruits and nuts, vegetables, other plant products

Prod. Group	Product	Compound	Min LOQ	Max LOQ	Total	Between LOQ and MRL		Above MRL	Max Residue Level	Mean Residue Level	Median Residue Level	MRL	Non Compliant
						Below LOQ							
		Pyraclostrobin	0.010	0.050	16	15	1	0	0.180	0.028	0.025	0.5	0
	Spinach and similar (leaves)	Chlorpyrifos	0.010	0.050	35	32	2	1	0.180	0.013	0.005	0.05	1
		Cypermethrin	0.010	0.080	27	22	5	0	2.000	0.158	0.040	.	0
		Cypermethrin (sum)	0.010	0.500	35	30	3	2	2.000	0.158	0.040	0.7	1
		Deltamethrin	0.010	0.500	35	33	2	0	0.250	0.048	0.020	0.5	0
	Vine leaves (grape leaves)	Acrinathrin	0.010	0.050	27	26	0	1	2.300	0.094	0.005	0.05	1
		Azoxystrobin	0.010	0.020	27	26	0	1	1.400	0.058	0.005	0.05	1
		Boscalid	0.010	0.020	27	25	1	1	0.160	0.013	0.005	0.05	1
		Carbendazim and benomyl	0.010	0.010	21	20	1	0	0.099	0.009	0.005	0.1	0
		Chlorpyrifos	0.010	0.010	27	26	1	0	0.029	0.006	0.005	0.05	0
		Cymoxanil	0.010	0.050	19	18	1	0	0.025	0.012	0.005	0.05	0
		Cypermethrin	0.010	0.020	14	13	1	0	0.690	0.056	0.008	.	0
		Cypermethrin (sum)	0.010	0.020	27	26	0	1	0.690	0.031	0.005	0.05	1
		Difenoconazole	0.010	0.020	27	26	0	1	0.085	0.009	0.005	0.05	0
		Dimethomorph	0.010	0.020	27	24	3	0	1.900	0.077	0.005	10	0
		Famoxadone	0.010	0.020	19	17	0	2	4.400	0.269	0.005	0.02	2
		Fenhexamid	0.010	0.050	27	26	0	1	4.400	0.172	0.005	0.05	1
		Fenoxycarb	0.010	0.050	27	26	0	1	29.200	1.091	0.005	0.05	1
		Flufenoxuron	0.010	0.010	21	20	0	1	1.600	0.081	0.005	0.05	1
		Flusilazole	0.010	0.050	27	26	0	1	0.036	0.011	0.005	0.02	0
		Hexaconazole	0.010	0.020	27	26	0	1	0.130	0.011	0.005	0.02	1
		Imidacloprid	0.010	0.010	21	20	1	0	0.032	0.006	0.005	2	0
		Indoxacarb as sum of the isomers S and R	0.010	0.020	27	26	1	0	0.130	0.011	0.005	2	0
		Kresoxim-methyl	0.010	0.020	27	25	0	2	0.440	0.024	0.005	0.05	1

For mean and median residue level calculations when results were below limit of detection LOQ/2 was substituted
All results expressed in mg/kg

Table C1: Results of national programme for unprocessed conventional products where residues were detected

ProductClass=Sum of fruits and nuts, vegetables, other plant products

Prod. Group	Product	Compound	Min LOQ	Max LOQ	Total	Between LOQ and MRL		Max Residue Level	Mean Residue Level	Median Residue Level	MRL	Non Compliant	
						Below LOQ	Above MRL						
		Metalaxyl (Metalaxyl including other mixtures of constituent isomers including Metalaxyl -M (sum of isomers))	0.010	0.050	27	25	1	1	0.054	0.012	0.005	0.05	0
		Methiocarb	0.010	0.050	27	23	4	0	3.500	0.281	0.005	.	0
		Methiocarb (sum of methiocarb and methiocarb sulfoxide and sulfone, expressed as methiocarb)	0.010	0.050	27	25	1	1	5.600	0.220	0.005	1	1
		Methiocarb sulfone	0.010	0.010	21	20	1	0	0.032	0.006	0.005	.	0
		Methiocarb sulfoxide	0.010	0.010	21	19	2	0	2.200	0.113	0.005	.	0
		Methoxyfenozide	0.010	0.010	21	20	0	1	0.071	0.008	0.005	0.02	1
		Myclobutanil	0.010	0.020	27	23	1	3	0.210	0.025	0.005	0.02	3
		Penconazole	0.010	0.010	27	26	1	0	0.014	0.005	0.005	0.05	0
		Pyraclostrobin	0.010	0.050	27	26	0	1	0.930	0.044	0.005	0.02	1
		Pyrimethanil	0.010	0.020	27	26	1	0	0.017	0.007	0.005	0.05	0
		Spinosad (sum of Spinosyn A and Spinosyn D, expressed as Spinosad)	0.010	0.010	21	20	1	0	0.180	0.013	0.005	10	0
		Spinosyn A	0.010	0.010	21	20	1	0	0.180	0.013	0.005	.	0
		Spiroxamine	0.010	0.010	21	20	0	1	12.000	0.576	0.005	0.05	1
		Tebuconazole	0.010	0.050	27	26	0	1	1.420	0.062	0.005	0.05	1
		Trifloxystrobin	0.010	0.020	27	25	0	2	3.710	0.144	0.005	0.02	1
		tau-Fluvalinate	0.010	0.010	24	23	0	1	2.380	0.104	0.005	0.01	1
Legume vegetables (fresh)	Beans (with pods)	Azoxystrobin	0.010	0.100	48	47	1	0	0.050	0.015	0.010	3	0
		Boscalid	0.010	0.020	28	27	1	0	0.015	0.008	0.010	3	0
		Carbendazim	0.010	0.010	8	7	1	0	0.100	0.017	0.005	.	0
		Carbendazim and benomyl	0.010	0.010	12	11	1	0	0.100	0.013	0.005	0.2	0
		Chlorpyrifos	0.010	0.050	36	35	0	1	0.110	0.012	0.005	0.05	1
		Iprodione	0.020	0.020	1	1	0	0	0.010	0.010	0.010	2	0
			0.010	0.100	33	32	1	0	0.050	0.019	0.010	5	0

For mean and median residue level calculations when results were below limit of detection LOQ/2 was substituted

All results expressed in mg/kg

Table C1: Results of national programme for unprocessed conventional products where residues were detected

ProductClass=Sum of fruits and nuts, vegetables, other plant products

Prod. Group	Product	Compound	Min LOQ	Max LOQ	Total	Between LOQ and MRL		Above MRL	Max Residue Level	Mean Residue Level	Median Residue Level	MRL	Non Compliant
						Below LOQ	MRL						
		Lufenuron	0.010	0.010	12	11	0	1	0.050	0.009	0.005	0.02	1
		Propargite	0.010	0.050	28	27	0	1	0.040	0.018	0.025	0.01	1
		Thiophanate-methyl	0.010	0.010	12	11	1	0	0.040	0.008	0.005	0.1	0
	Peas (with pods)	Bupirimate	0.010	0.010	4	3	1	0	0.013	0.007	0.005	0.05	0
		Pyraclostrobin	0.010	0.010	4	3	1	0	0.018	0.008	0.005	0.02	0
	Peas (without pods)	Boscalid	0.010	0.010	16	15	1	0	0.140	0.013	0.005	3	0
		Carbendazim	0.010	0.010	7	6	1	0	0.030	0.009	0.005	.	0
		Carbendazim and benomyl	0.010	0.010	16	15	1	0	0.030	0.007	0.005	0.1	0
		Pyraclostrobin	0.010	0.010	16	15	0	1	0.023	0.006	0.005	0.02	0
Nuts	Almonds	Deltamethrin	0.010	0.010	3	2	1	0	0.011	0.007	0.005	0.05	0
	Pistachios	Imidacloprid	0.010	0.010	1	0	1	0	0.046	0.046	0.046	0.05	0
Oilseeds and oilfruits	Pumpkin seeds	Trifluralin	0.010	0.010	1	0	1	0	0.015	0.015	0.015	0.1	0
	Sunflower seed	Methamidophos	0.010	0.010	1	0	0	1	0.012	0.012	0.012	0.01	0
Pome fruit	Apples	Acetamiprid	0.010	0.020	50	43	7	0	0.046	0.008	0.005	0.7	0
		Bitertanol	0.010	0.100	43	42	1	0	0.050	0.023	0.025	2	0
		Boscalid	0.010	0.030	61	56	5	0	0.242	0.014	0.005	2	0
		Captan	0.010	0.040	49	49	0	0	0.020	0.013	0.010	.	0
			0.010	0.050	30	29	1	0	0.300	0.022	0.008	3	0
		Carbendazim	0.010	0.010	19	16	3	0	0.150	0.019	0.005	.	0
		Carbendazim and benomyl	0.010	0.010	40	33	7	0	0.150	0.015	0.005	0.2	0
		Chlorpyrifos	0.010	0.050	96	40	56	0	0.444	0.045	0.020	0.5	0
		Clofentezine	0.010	0.010	50	49	1	0	0.020	0.005	0.005	0.5	0
		Cyfluthrin	0.010	0.060	46	45	1	0	0.030	0.016	0.010	.	0
		Cyfluthrin (sum)	0.010	0.060	91	89	2	0	0.056	0.014	0.010	0.2	0

For mean and median residue level calculations when results were below limit of detection LOQ/2 was substituted

All results expressed in mg/kg

Table C1: Results of national programme for unprocessed conventional products where residues were detected

ProductClass=Sum of fruits and nuts, vegetables, other plant products

Prod. Group	Product	Compound	Min LOQ	Max LOQ	Total	Between LOQ and MRL		Max Residue Level	Mean Residue Level	Median Residue Level	MRL	Non Compliant	
						Below LOQ	Above MRL						
		Cypermethrin	0.010	0.080	57	56	1	0	0.070	0.019	0.015	.	0
		Cypermethrin (sum)	0.010	0.500	96	94	2	0	0.250	0.030	0.010	1	0
		Diflubenzuron	0.010	0.010	21	20	1	0	0.039	0.007	0.005	5	0
		Diphenylamine	0.010	0.100	88	86	2	0	1.280	0.047	0.025	5	0
		Dithiocarbamates	0.100	0.300	22	21	1	0	1.120	0.137	0.125	5	0
		Etofenprox	0.010	0.010	40	37	3	0	0.200	0.012	0.005	1	0
		Fenoxycarb	0.010	0.500	55	48	7	0	0.650	0.047	0.005	1	0
		Fluquinconazole	0.010	0.050	53	50	3	0	0.032	0.009	0.005	0.1	0
		Imazalil	0.010	0.050	50	46	4	0	0.620	0.041	0.010	2	0
		Imidacloprid	0.010	0.010	40	39	1	0	0.020	0.005	0.005	0.5	0
		Iprodione	0.010	0.100	89	88	1	0	0.160	0.014	0.010	5	0
		Methoxyfenozide	0.010	0.010	40	37	3	0	0.050	0.007	0.005	2	0
		Myclobutanil	0.010	0.080	81	80	1	0	0.040	0.016	0.005	0.5	0
		Phosalone	0.010	0.020	80	79	1	0	0.010	0.006	0.005	0.01	0
			0.010	0.020	11	11	0	0	0.010	0.010	0.010	0.05	0
		Phosmet	0.010	0.020	72	70	2	0	0.020	0.009	0.010	.	0
		Phosmet (phosmet and phosmet oxon expressed as phosmet)	0.010	0.020	88	86	2	0	0.100	0.009	0.010	0.2	0
		Pirimicarb	0.010	0.040	78	77	1	0	0.020	0.010	0.008	.	0
			0.100	0.100	5	5	0	0	0.050	0.050	0.050	2	0
		Pirimicarb (sum of Pirimicarb and desmethyl pirimicarb expressed as Pirimicarb)	0.010	0.040	78	77	1	0	0.020	0.010	0.008	2	0
		Propargite	0.010	0.050	50	44	6	0	0.240	0.023	0.005	3	0
		Pyraclostrobin	0.010	0.050	50	46	4	0	0.025	0.010	0.005	0.3	0
		Pyrimethanil	0.010	0.040	77	74	3	0	1.900	0.042	0.010	5	0
		Spirodiclofen	0.010	0.010	40	39	1	0	0.051	0.006	0.005	0.8	0
		Tebuconazole	0.010	0.050	50	44	6	0	0.120	0.013	0.005	1	0

For mean and median residue level calculations when results were below limit of detection LOQ/2 was substituted

All results expressed in mg/kg

Table C1: Results of national programme for unprocessed conventional products where residues were detected

ProductClass=Sum of fruits and nuts, vegetables, other plant products

Prod. Group	Product	Compound	Min LOQ	Max LOQ	Total	Between LOQ and MRL		Above MRL	Max Residue Level	Mean Residue Level	Median Residue Level	MRL	Non Compliant
						Below LOQ							
		Tebufenozide	0.010	0.010	40	39	1	0	0.010	0.005	0.005	1	0
		Thiabendazole	0.010	0.030	50	49	1	0	0.760	0.022	0.005	5	0
		Thiacloprid	0.010	0.050	50	39	10	1	0.310	0.021	0.005	0.3	0
		Thiophanate-methyl	0.010	0.010	40	39	1	0	0.040	0.006	0.005	0.5	0
		Trifloxystrobin	0.010	0.020	64	62	2	0	0.040	0.007	0.005	0.5	0
		beta-Cyfluthrin	0.020	0.040	28	27	1	0	0.056	0.015	0.010	.	0
	Pears	Acetamiprid	0.010	0.020	32	31	1	0	0.010	0.006	0.005	0.7	0
		Azoxystrobin	0.010	0.100	70	69	1	0	0.050	0.015	0.005	0.05	0
		Bitertanol	0.010	0.100	28	26	2	0	0.120	0.021	0.005	2	0
		Boscalid	0.010	0.030	47	38	9	0	0.140	0.018	0.010	2	0
		Captan	0.010	0.020	34	32	2	0	0.200	0.020	0.010	.	0
			0.010	0.050	32	32	0	0	0.025	0.010	0.008	3	0
		Captan/Folpet (sum)	0.010	0.050	39	37	2	0	0.200	0.019	0.010	3	0
		Carbendazim	0.010	0.010	18	13	5	0	0.650	0.048	0.005	.	0
		Carbendazim and benomyl	0.010	0.010	26	20	5	1	0.650	0.037	0.005	0.2	1
		Chlorothalonil	0.010	0.050	70	69	1	0	0.025	0.008	0.005	1	0
		Chlorpyrifos	0.010	0.050	70	50	20	0	0.098	0.019	0.005	0.5	0
		Cyfluthrin	0.010	0.020	24	21	3	0	0.070	0.013	0.005	.	0
		Cyfluthrin (sum)	0.010	0.040	60	56	4	0	0.070	0.013	0.010	0.2	0
		Cypermethrin	0.010	0.050	39	38	1	0	0.045	0.014	0.010	.	0
		Cyprodinil	0.010	0.020	32	31	1	0	0.030	0.007	0.005	1	0
		Deltamethrin	0.010	0.500	66	62	4	0	0.250	0.047	0.010	0.1	0
		Dimethoate	0.010	0.020	38	37	1	0	0.180	0.012	0.005	.	0
			0.010	0.020	9	9	0	0	0.010	0.008	0.010	0.02	0
		Dimethoate (sum)	0.010	0.020	47	46	0	1	0.210	0.012	0.005	0.02	1
		Diphenylamine	0.010	0.100	47	46	1	0	0.050	0.030	0.030	10	0

For mean and median residue level calculations when results were below limit of detection LOQ/2 was substituted

All results expressed in mg/kg

Table C1: Results of national programme for unprocessed conventional products where residues were detected

ProductClass=Sum of fruits and nuts, vegetables, other plant products

Prod. Group	Product	Compound	Min LOQ	Max LOQ	Total	Between LOQ and MRL		Above MRL	Max Residue Level	Mean Residue Level	Median Residue Level	MRL	Non Compliant
						Below LOQ							
		Fenoxycarb	0.010	0.500	42	39	3	0	0.250	0.070	0.005	1	0
		Fludioxonil	0.010	0.030	25	23	2	0	0.300	0.021	0.005	5	0
		Fluquinconazole	0.010	0.050	45	44	1	0	0.025	0.008	0.005	0.2	0
		Imazalil	0.010	0.050	32	30	2	0	0.380	0.031	0.005	2	0
		Imidacloprid	0.010	0.010	26	21	5	0	0.050	0.010	0.005	0.5	0
		Iprodione	0.010	0.100	66	64	2	0	1.450	0.040	0.005	5	0
		Lambda-Cyhalothrin	0.010	0.020	56	54	2	0	0.027	0.007	0.005	0.1	0
		Methoxyfenozide	0.010	0.010	25	24	1	0	0.010	0.005	0.005	2	0
		Omethoate	0.010	0.040	29	28	1	0	0.032	0.015	0.020	.	0
			0.010	0.010	18	18	0	0	0.005	0.005	0.005	0.01	0
		Phosmet	0.010	0.020	40	36	4	0	0.150	0.015	0.010	.	0
		Phosmet (phosmet and phosmet oxon expressed as phosmet)	0.010	0.020	47	42	5	0	0.150	0.015	0.010	0.2	0
		Pyraclostrobin	0.010	0.050	32	29	3	0	0.040	0.011	0.005	0.3	0
		Pyrimethanil	0.010	0.020	32	31	1	0	0.060	0.008	0.005	5	0
		Thiabendazole	0.010	0.030	32	29	3	0	0.590	0.032	0.005	5	0
		Thiacloprid	0.010	0.050	32	25	7	0	0.060	0.016	0.005	0.3	0
		Thiophanate-methyl	0.010	0.010	26	22	3	1	0.660	0.040	0.005	0.5	0
		Trifloxystrobin	0.010	0.020	60	54	6	0	0.073	0.009	0.005	0.5	0
		beta-Cyfluthrin	0.040	0.040	15	14	1	0	0.049	0.022	0.020	.	0
Potatoes	Potatoes	Chlorpyrifos	0.010	0.050	88	82	4	2	0.061	0.012	0.005	0.05	0
		Fluopicolide	0.010	0.010	37	36	1	0	0.015	0.005	0.005	0.03	0
		Flutolanil	0.010	0.010	37	35	2	0	0.020	0.006	0.005	0.5	0
		Fosthiazate	0.010	0.010	37	36	0	1	0.220	0.011	0.005	0.02	1
		Metalaxyl	0.010	0.050	61	58	3	0	0.025	0.016	0.025	.	0

For mean and median residue level calculations when results were below limit of detection LOQ/2 was substituted
All results expressed in mg/kg

Table C1: Results of national programme for unprocessed conventional products where residues were detected

ProductClass=Sum of fruits and nuts, vegetables, other plant products

Prod. Group	Product	Compound	Min LOQ	Max LOQ	Total	Below LOQ	Between LOQ and MRL		Max Residue Level	Mean Residue Level	Median Residue Level	MRL	Non Compliant
							Above MRL						
Pulses	Beans (dry)	Metalaxyl (Metalaxyl including other mixtures of constituent isomers including Metalaxyl -M (sum of isomers))	0.010	0.050	68	64	4	0	0.025	0.015	0.015	0.05	0
		Myclobutanil	0.010	0.050	89	88	0	1	0.025	0.009	0.005	0.02	0
		Tetraconazole	0.010	0.020	68	67	1	0	0.018	0.007	0.005	0.02	0
		Chlorpyrifos	0.010	0.010	6	5	1	0	0.037	0.010	0.005	0.05	0
		Carbendazim and benomyl	0.010	0.010	6	5	1	0	0.012	0.006	0.005	0.1	0
Root and tuber vegetables (except tropical)	Carrots	Chlorpyrifos	0.010	0.050	25	18	6	1	0.160	0.032	0.025	0.1	0
		Linuron	0.010	0.050	15	13	1	1	0.910	0.086	0.025	0.2	1
Solanacea (e.g. tomatoes, peppers)	Aubergines (egg plants)	Tebuconazole	0.010	0.050	15	14	1	0	0.120	0.026	0.025	0.5	0
		Azoxystrobin	0.010	0.100	64	63	1	0	0.068	0.018	0.010	3	0
		Benalaxyl (sum)	0.010	0.050	12	11	1	0	0.031	0.026	0.025	0.5	0
		Chlorpyrifos	0.010	0.050	64	63	1	0	0.025	0.008	0.005	0.5	0
		Difenoconazole	0.010	0.020	54	53	1	0	0.012	0.008	0.008	0.4	0
		Imidacloprid	0.010	0.010	13	11	2	0	0.040	0.010	0.005	0.5	0
		Lambda-Cyhalothrin	0.010	0.040	52	51	1	0	0.020	0.011	0.010	0.5	0
	Okra, ladys fingers	Imidacloprid	0.010	0.010	6	5	1	0	0.050	0.013	0.005	0.5	0
	Peppers	Acetamiprid	0.010	0.020	38	37	0	1	0.980	0.033	0.005	0.3	1
		Azoxystrobin	0.010	0.100	65	62	3	0	0.086	0.016	0.005	3	0
		Boscalid	0.010	0.020	38	34	4	0	0.250	0.015	0.008	3	0
Bupirimate		0.010	0.020	55	52	3	0	0.570	0.024	0.010	2	0	
	Chlorpyrifos	0.010	0.050	80	78	2	0	0.025	0.012	0.005	0.5	0	
	Chlorpyrifos-methyl	0.010	0.050	70	69	1	0	0.037	0.010	0.005	0.5	0	

For mean and median residue level calculations when results were below limit of detection LOQ/2 was substituted

All results expressed in mg/kg

Table C1: Results of national programme for unprocessed conventional products where residues were detected

ProductClass=Sum of fruits and nuts, vegetables, other plant products

Prod. Group	Product	Compound	Min LOQ	Max LOQ	Total	Below LOQ	Between LOQ and MRL		Max Residue Level	Mean Residue Level	Median Residue Level	MRL	Non Compliant
							Above MRL	MRL					
		Cyfluthrin	0.010	0.020	35	34	1	0	0.010	0.008	0.010	.	0
		Cyfluthrin (sum)	0.010	0.020	55	54	1	0	0.010	0.007	0.005	0.3	0
		Cypermethrin	0.010	0.020	35	34	1	0	0.500	0.022	0.010	.	0
		Cypermethrin (sum)	0.010	0.500	65	64	1	0	0.500	0.052	0.005	0.5	0
		Dimethomorph	0.010	0.020	38	37	1	0	0.010	0.007	0.005	0.5	0
		Formetanate	0.010	0.010	42	38	2	2	0.120	0.015	0.005	0.05	1
		Indoxacarb as sum of the isomers S and R	0.010	0.020	38	36	2	0	0.050	0.009	0.008	0.3	0
		Oxamyl	0.010	0.010	21	20	0	1	0.110	0.010	0.005	0.02	1
		Spinosad (sum of Spinosyn A and Spinosyn D, expressed as Spinosad)	0.010	0.010	21	20	1	0	0.040	0.007	0.005	2	0
		Spinosyn A	0.010	0.010	21	20	1	0	0.040	0.007	0.005	.	0
	Tomatoes	Acetamiprid	0.010	0.020	56	48	7	1	0.220	0.014	0.005	0.15	0
		Azoxystrobin	0.010	0.100	107	101	6	0	0.176	0.015	0.005	3	0
		Boscalid	0.010	0.030	67	59	8	0	0.450	0.019	0.005	3	0
		Bromide ion	0.500	0.500	10	5	5	0	2.800	0.992	0.410	50	0
		Bromophos-ethyl	0.010	0.050	65	64	1	0	0.025	0.014	0.010	0.05	0
		Bupirimate	0.010	0.020	76	74	2	0	0.120	0.009	0.005	2	0
		Buprofezin	0.010	0.050	56	55	1	0	0.030	0.009	0.005	1	0
		Captan	0.010	0.020	40	40	0	0	0.010	0.009	0.010	.	0
			0.020	0.020	1	1	0	0	0.010	0.010	0.010	2	0
			0.010	0.050	35	34	1	0	0.088	0.015	0.010	3	0
			0.020	0.020	1	1	0	0	0.010	0.010	0.010	0.01	0
		Carbendazim and benomyl	0.010	0.010	46	45	1	0	0.024	0.005	0.005	0.3	0
		Chlorothalonil	0.010	0.050	107	104	3	0	0.080	0.009	0.005	2	0
		Chlorpyrifos	0.010	0.050	107	106	1	0	0.037	0.009	0.005	0.5	0
		Chlorpyrifos-methyl	0.010	0.020	97	96	1	0	0.070	0.007	0.005	0.5	0

For mean and median residue level calculations when results were below limit of detection LOQ/2 was substituted
All results expressed in mg/kg

Table C1: Results of national programme for unprocessed conventional products where residues were detected

ProductClass=Sum of fruits and nuts, vegetables, other plant products

Prod. Group	Product	Compound	Min LOQ	Max LOQ	Total	Between LOQ and MRL		Max Residue Level	Mean Residue Level	Median Residue Level	MRL	Non Compliant	
						Below LOQ	Above MRL						
		Cypermethrin (sum)	0.010	0.500	107	105	2	0	0.250	0.031	0.005	0.5	0
		Cyprodinil	0.010	0.020	56	54	2	0	0.140	0.009	0.005	1	0
		Deltamethrin	0.010	0.500	101	100	1	0	0.250	0.032	0.005	0.3	0
		Dimethomorph	0.010	0.020	56	55	1	0	0.020	0.006	0.005	1	0
		Dithiocarbamates	0.100	0.300	26	23	3	0	0.620	0.144	0.125	3	0
		Famoxadone	0.010	0.020	32	30	2	0	0.038	0.008	0.005	1	0
		Fenhexamid	0.010	0.050	97	95	2	0	0.190	0.011	0.005	1	0
		Fludioxonil	0.010	0.030	41	39	2	0	0.079	0.010	0.005	1	0
		Imidacloprid	0.010	0.010	46	45	1	0	0.050	0.006	0.005	0.5	0
		Indoxacarb as sum of the isomers S and R	0.010	0.030	67	65	2	0	0.030	0.008	0.005	0.5	0
		Iprodione	0.010	0.100	101	90	11	0	0.260	0.020	0.005	5	0
		Lambda-Cyhalothrin	0.010	0.020	91	90	1	0	0.032	0.007	0.005	0.1	0
		Metaflumizone (sum of E- and Z- isomers)	0.010	0.010	46	44	2	0	0.050	0.006	0.005	0.6	0
		Metalaxyl	0.010	0.050	34	32	2	0	0.025	0.011	0.005	.	0
		Metalaxyl (Metalaxyl including other mixtures of constituent isomers including Metalaxyl -M (sum of isomers))	0.010	0.050	56	54	2	0	0.025	0.009	0.005	0.2	0
		Pyraclostrobin	0.010	0.050	56	54	2	0	0.140	0.011	0.005	0.3	0
		Pyrimethanil	0.010	0.050	66	65	1	0	0.080	0.010	0.005	1	0
		Pyriproxyfen	0.010	0.050	56	53	3	0	0.030	0.010	0.005	1	0
		Spinosad (sum of Spinosyn A and Spinosyn D, expressed as Spinosad)	0.010	0.010	46	45	1	0	0.039	0.006	0.005	1	0
		Spinosyn A	0.010	0.010	46	45	1	0	0.039	0.006	0.005	.	0
		Thiacloprid	0.010	0.050	56	52	4	0	0.140	0.013	0.005	0.5	0
		Thiametoxam	0.010	0.050	56	55	1	0	0.025	0.009	0.005	.	0
		Thiametoxam (sum of thiametoxam and clothianidin expressed as thiametoxam)	0.010	0.050	56	55	1	0	0.025	0.009	0.005	0.2	0
		Thiophanate-methyl	0.010	0.010	46	44	2	0	0.067	0.007	0.005	1	0

For mean and median residue level calculations when results were below limit of detection LOQ/2 was substituted

All results expressed in mg/kg

Table C1: Results of national programme for unprocessed conventional products where residues were detected

ProductClass=Sum of fruits and nuts, vegetables, other plant products

Prod. Group	Product	Compound	Min LOQ	Max LOQ	Total	Between LOQ and MRL		Above MRL	Max Residue Level	Mean Residue Level	Median Residue Level	MRL	Non Compliant
						Below LOQ	MRL						
Spices	Other spices: Bark	Ethephon	0.100	0.100	1	0	0	1	0.740	0.740	0.740	0.1	1
Stem vegetables	Celery	Chlorpyrifos	0.010	0.010	1	0	0	1	0.360	0.360	0.360	0.05	1
		Pendimethalin	0.010	0.010	1	0	1	0	0.038	0.038	0.038	0.1	0
	Leek	Azoxystrobin	0.010	0.010	18	17	1	0	0.100	0.010	0.005	10	0
		Cyprodinil	0.010	0.010	18	17	0	1	0.180	0.015	0.005	0.05	1
Stone fruit	Apricots	Difenoconazole	0.010	0.010	18	17	1	0	0.060	0.008	0.005	0.5	0
		Acetamiprid	0.010	0.020	19	18	1	0	0.070	0.009	0.005	0.1	0
			0.020	0.020	1	1	0	0	0.010	0.010	0.010	0.3	0
		Boscalid	0.010	0.030	35	24	11	0	0.340	0.039	0.015	3	0
		Captan	0.020	0.040	29	21	8	0	1.481	0.134	0.020	4	0
			0.050	0.050	1	1	0	0	0.025	0.025	0.025	0.02	0
		Captan/Folpet (sum)	0.020	0.020	15	8	7	0	1.481	0.244	0.010	4	0
			0.010	0.010	10	10	0	0	0.005	0.005	0.005	0.01	0
			0.050	0.050	1	1	0	0	0.025	0.025	0.025	0.02	0
			0.050	0.050	4	4	0	0	0.025	0.025	0.025	0.05	0
		Carbendazim	0.010	0.010	10	3	7	0	0.150	0.058	0.055	.	0
		Carbendazim and benomyl	0.010	0.010	15	8	7	0	0.150	0.040	0.005	0.2	0
		Cypermethrin	0.010	0.040	30	29	1	0	0.060	0.015	0.020	.	0
		Cypermethrin (sum)	0.010	0.040	43	42	1	0	0.060	0.012	0.005	2	0
			0.020	0.020	1	1	0	0	0.010	0.010	0.010	0.2	0
Cyprodinil	0.010	0.020	19	17	2	0	0.320	0.031	0.005	2	0		
	0.020	0.020	1	1	0	0	0.010	0.010	0.010	0.5	0		
Deltamethrin	0.010	0.040	38	35	3	0	0.020	0.012	0.010	0.1	0		
	0.020	0.020	1	1	0	0	0.010	0.010	0.010	0.2	0		
Etoxazole	0.010	0.010	5	4	1	0	0.018	0.008	0.005	0.1	0		

For mean and median residue level calculations when results were below limit of detection LOQ/2 was substituted

All results expressed in mg/kg

Table C1: Results of national programme for unprocessed conventional products where residues were detected

ProductClass=Sum of fruits and nuts, vegetables, other plant products

Prod. Group	Product	Compound	Min LOQ	Max LOQ	Total	Between LOQ and MRL		Max Residue Level	Mean Residue Level	Median Residue Level	MRL	Non Compliant	
						Below LOQ	Above MRL						
		Indoxacarb as sum of the isomers S and R	0.010	0.040	34	32	2	0	0.110	0.017	0.015	1	0
			0.020	0.020	1	1	0	0	0.010	0.010	0.010	0.5	0
		Iprodione	0.020	0.020	1	1	0	0	0.010	0.010	0.010	2	0
			0.010	0.040	38	37	1	0	0.840	0.033	0.010	3	0
		Pyraclostrobin	0.010	0.050	19	16	3	0	0.030	0.012	0.005	0.2	0
			0.050	0.050	1	1	0	0	0.025	0.025	0.025	0.5	0
		Thiacloprid	0.010	0.050	20	19	1	0	0.025	0.011	0.005	0.3	0
		Thiophanate-methyl	0.010	0.010	15	11	4	0	0.160	0.021	0.005	2	0
Cherries		Acetamiprid	0.010	0.020	22	17	5	0	0.070	0.017	0.010	0.5	0
		Boscalid	0.010	0.030	37	21	16	0	0.220	0.050	0.015	4	0
		Carbendazim and benomyl	0.010	0.010	12	11	1	0	0.028	0.007	0.005	0.5	0
		Chlorpyrifos	0.010	0.010	59	53	6	0	0.071	0.007	0.005	0.3	0
		Cyfluthrin	0.010	0.060	29	28	1	0	0.030	0.017	0.010	.	0
		Cyfluthrin (sum)	0.010	0.060	59	58	1	0	0.030	0.015	0.010	0.2	0
		Cypermethrin	0.010	0.080	44	42	2	0	0.320	0.030	0.020	.	0
		Cypermethrin (sum)	0.010	0.080	59	57	2	0	0.320	0.024	0.010	2	0
		Cyprodinil	0.010	0.050	33	32	1	0	0.070	0.015	0.010	1	0
		Deltamethrin	0.010	0.040	57	53	4	0	0.132	0.016	0.010	0.2	0
		Etofenprox	0.010	0.010	12	11	1	0	0.280	0.028	0.005	1	0
		Fenbuconazole	0.010	0.020	22	19	3	0	0.070	0.013	0.010	1	0
		Fenhexamid	0.010	0.050	48	47	1	0	0.197	0.019	0.025	5	0
		Indoxacarb as sum of the isomers S and R	0.010	0.020	37	36	1	0	0.048	0.009	0.010	1	0
		Lambda-Cyhalothrin	0.010	0.040	57	56	1	0	0.025	0.010	0.010	0.3	0
		Pyraclostrobin	0.010	0.050	22	17	5	0	0.040	0.018	0.023	2	0
		Tebuconazole	0.010	0.050	22	20	2	0	0.150	0.022	0.025	5	0
		Thiacloprid	0.010	0.050	22	17	5	0	0.060	0.019	0.023	0.3	0

For mean and median residue level calculations when results were below limit of detection LOQ/2 was substituted
All results expressed in mg/kg

Table C1: Results of national programme for unprocessed conventional products where residues were detected

ProductClass=Sum of fruits and nuts, vegetables, other plant products

Prod. Group	Product	Compound	Min LOQ	Max LOQ	Total	Between LOQ and MRL		Above MRL	Max Residue Level	Mean Residue Level	Median Residue Level	MRL	Non Compliant
						Below LOQ							
		Thiametoxam	0.010	0.050	22	21	1	0	0.040	0.016	0.015	.	0
		Thiametoxam (sum of thiametoxam and clothianidin expressed as thiametoxam)	0.010	0.050	22	21	1	0	0.040	0.016	0.015	1	0
	Peaches	Acetamiprid	0.010	0.020	38	37	1	0	0.013	0.006	0.005	0.1	0
		Boscalid	0.010	0.050	54	45	9	0	0.170	0.027	0.010	3	0
		Carbendazim	0.010	0.010	16	13	3	0	0.120	0.022	0.005	.	0
		Carbendazim and benomyl	0.010	0.010	33	28	5	0	0.120	0.016	0.005	0.2	0
		Chlorpyrifos	0.010	0.050	73	49	23	1	1.440	0.040	0.005	0.2	1
		Cyfluthrin	0.010	0.020	21	16	5	0	0.070	0.015	0.005	.	0
		Cyfluthrin (sum)	0.010	0.040	65	57	8	0	0.070	0.014	0.010	0.3	0
		Cypermethrin	0.010	0.040	37	36	1	0	0.050	0.013	0.010	.	0
		Cypermethrin (sum)	0.010	0.500	73	70	3	0	0.250	0.036	0.005	2	0
		Cyprodinil	0.010	0.020	38	37	1	0	0.070	0.007	0.005	2	0
		Deltamethrin	0.010	0.500	66	64	2	0	0.250	0.039	0.005	0.1	0
		Diflubenzuron	0.010	0.010	17	16	1	0	0.039	0.007	0.005	1	0
		Dimethoate	0.010	0.020	41	40	1	0	0.120	0.010	0.005	.	0
			0.010	0.020	13	13	0	0	0.010	0.007	0.005	0.02	0
		Dimethoate (sum)	0.010	0.020	54	53	0	1	0.120	0.009	0.005	0.02	1
		Etofenprox	0.010	0.010	33	23	10	0	0.290	0.033	0.005	0.5	0
		Fenbuconazole	0.010	0.020	38	29	9	0	0.340	0.021	0.005	0.5	0
		Fenoxycarb	0.010	0.500	46	45	1	0	0.250	0.051	0.005	1	0
		Flufenoxuron	0.010	0.010	33	32	1	0	0.016	0.005	0.005	0.5	0
		Imidacloprid	0.010	0.010	33	32	1	0	0.016	0.005	0.005	0.5	0
		Iprodione	0.010	0.100	66	65	1	0	0.224	0.018	0.005	3	0
		Lambda-Cyhalothrin	0.010	0.020	58	56	2	0	0.029	0.007	0.005	0.2	0
		Methoxyfenozide	0.010	0.010	33	32	1	0	0.010	0.005	0.005	0.3	0

For mean and median residue level calculations when results were below limit of detection LOQ/2 was substituted
All results expressed in mg/kg

Table C1: Results of national programme for unprocessed conventional products where residues were detected

ProductClass=Sum of fruits and nuts, vegetables, other plant products

Prod. Group	Product	Compound	Min LOQ	Max LOQ	Total	Between LOQ and MRL		Above MRL	Max Residue Level	Mean Residue Level	Median Residue Level	MRL	Non Compliant
						Below LOQ	MRL						
		Propargite	0.010	0.050	38	37	1	0	0.150	0.011	0.005	4	0
		Pyraclostrobin	0.010	0.050	38	33	5	0	0.030	0.009	0.005	0.2	0
		Pyrazophos	0.010	0.050	54	53	1	0	0.025	0.013	0.010	0.05	0
		Tebuconazole	0.010	0.050	38	27	11	0	0.240	0.028	0.005	1	0
		Thiophanate-methyl	0.010	0.010	33	28	5	0	0.180	0.012	0.005	2	0
		Trifloxystrobin	0.010	0.020	65	64	1	0	0.015	0.007	0.005	1	0
		beta-Cyfluthrin	0.040	0.040	16	15	1	0	0.053	0.022	0.020	.	0
	Plums	Carbendazim	0.010	0.010	6	5	1	0	0.030	0.009	0.005	.	0
		Carbendazim and benomyl	0.010	0.010	6	5	1	0	0.030	0.009	0.005	0.5	0
		Chlorpyrifos	0.010	0.010	18	17	1	0	0.012	0.005	0.005	0.2	0
		Cyfluthrin (sum)	0.010	0.040	18	16	2	0	0.040	0.013	0.005	0.2	0
		Fenbuconazole	0.010	0.020	7	6	1	0	0.010	0.006	0.005	0.5	0
		Iprodione	0.010	0.040	18	17	1	0	0.820	0.055	0.005	3	0
		Phosmet (phosmet and phosmet oxon expressed as phosmet)	0.010	0.020	12	11	1	0	0.030	0.010	0.010	0.6	0
		Tebuconazole	0.010	0.050	7	6	1	0	0.030	0.011	0.005	0.5	0
		Thiophanate-methyl	0.010	0.010	6	5	1	0	0.010	0.006	0.005	0.3	0
Strawberries	Strawberries	Azoxystrobin	0.010	0.050	41	28	13	0	0.380	0.057	0.025	10	0
		Boscalid	0.010	0.020	21	15	6	0	0.400	0.061	0.005	10	0
		Bupirimate	0.010	0.050	40	38	2	0	0.350	0.020	0.010	1	0
		Cyprodinil	0.010	0.050	31	29	2	0	0.088	0.016	0.010	5	0
		Deltamethrin	0.010	0.020	41	40	1	0	0.024	0.007	0.005	0.2	0
		Fenhexamid	0.010	0.050	40	39	1	0	0.480	0.021	0.005	5	0
		Fludioxonil	0.010	0.030	18	16	2	0	0.040	0.011	0.005	3	0
		Formetanate	0.010	0.010	16	15	1	0	0.550	0.039	0.005	.	0
			0.010	0.010	16	15	0	1	0.550	0.039	0.005	0.3	0

For mean and median residue level calculations when results were below limit of detection LOQ/2 was substituted
All results expressed in mg/kg

Table C1: Results of national programme for unprocessed conventional products where residues were detected

ProductClass=Sum of fruits and nuts, vegetables, other plant products

Prod. Group	Product	Compound	Min LOQ	Max LOQ	Total	Between LOQ and MRL		Max Residue Level	Mean Residue Level	Median Residue Level	MRL	Non Compliant	
						Below LOQ	Above MRL						
		Iprodione	0.010	0.020	41	40	1	0	0.240	0.012	0.005	15	0
		Penconazole	0.010	0.050	32	28	4	0	0.108	0.018	0.005	0.5	0
		Pyraclostrobin	0.010	0.050	21	17	4	0	0.100	0.019	0.005	1	0
		Spinosad (sum of Spinosyn A and Spinosyn D, expressed as Spinosad)	0.010	0.010	16	11	5	0	0.100	0.016	0.005	0.3	0
		Spinosyn A	0.010	0.010	16	11	5	0	0.081	0.015	0.005	.	0
		Spinosyn D	0.010	0.010	11	10	1	0	0.020	0.006	0.005	.	0
		Triadimefon	0.010	0.050	23	23	0	0	0.025	0.015	0.010	.	0
			0.010	0.010	8	7	1	0	0.220	0.032	0.005	0.5	0
		Triadimefon (sum of Triadimefon and Triadimenol)	0.010	0.050	31	28	3	0	0.320	0.038	0.025	0.5	0
		Triadimenol	0.010	0.050	13	12	1	0	0.190	0.027	0.005	.	0
			0.010	0.010	8	7	1	0	0.320	0.044	0.005	0.5	0
Table and wine grapes	Table and Wine grapes	Boscalid	0.010	0.020	17	11	6	0	0.740	0.082	0.010	5	0
		Chlorpyrifos	0.010	0.010	17	16	1	0	0.029	0.006	0.005	0.5	0
		Chlorpyrifos-methyl	0.010	0.010	17	15	2	0	0.130	0.013	0.005	0.2	0
		Cyfluthrin	0.020	0.020	15	13	2	0	0.210	0.028	0.010	.	0
		Cyfluthrin (sum)	0.020	0.020	17	15	2	0	0.210	0.026	0.010	0.3	0
		Cypermethrin	0.020	0.020	15	14	1	0	0.051	0.013	0.010	.	0
		Cyprodinil	0.010	0.020	17	16	1	0	0.270	0.025	0.010	5	0
		Dimethomorph	0.010	0.020	17	16	1	0	0.130	0.016	0.010	3	0
		Famoxadone	0.010	0.020	17	16	1	0	0.082	0.014	0.010	2	0
		Fludioxonil	0.030	0.030	15	14	1	0	0.106	0.021	0.015	2	0
		Indoxacarb as sum of the isomers S and R	0.010	0.020	17	14	3	0	0.059	0.017	0.010	2	0
		Penconazole	0.010	0.010	17	13	4	0	0.048	0.013	0.005	0.2	0
		Pyraclostrobin	0.010	0.050	17	16	1	0	0.490	0.050	0.025	1	0
		Pyridaben	0.010	0.020	17	16	1	0	0.070	0.013	0.010	0.5	0

For mean and median residue level calculations when results were below limit of detection LOQ/2 was substituted

All results expressed in mg/kg

Table C1: Results of national programme for unprocessed conventional products where residues were detected

ProductClass=Sum of fruits and nuts, vegetables, other plant products

Prod. Group	Product	Compound	Min LOQ	Max LOQ	Total	Between LOQ and MRL		Above MRL	Max Residue Level	Mean Residue Level	Median Residue Level	MRL	Non Compliant
						Below LOQ	MRL						
		Tebuconazole	0.010	0.050	17	16	1	0	0.025	0.023	0.025	2	0
		Trifloxystrobin	0.010	0.020	17	16	1	0	0.026	0.010	0.010	5	0
	Table grapes	Boscalid	0.010	0.030	16	11	5	0	0.200	0.033	0.015	5	0
		Chlorpyrifos	0.010	0.050	70	56	14	0	0.295	0.023	0.011	0.5	0
		Cypermethrin (sum)	0.010	0.010	1	1	0	0	0.005	0.005	0.005	2	0
			0.010	0.500	61	60	1	0	0.250	0.067	0.025	0.5	0
		Cyprodinil	0.010	0.050	19	15	4	0	0.620	0.063	0.025	5	0
		Deltamethrin	0.010	0.500	70	67	3	0	0.250	0.056	0.010	0.2	0
		Difenoconazole	0.010	0.050	39	36	3	0	0.025	0.011	0.010	0.5	0
		Fenhexamid	0.010	0.050	28	27	1	0	0.140	0.016	0.005	5	0
		Fludioxonil	0.010	0.080	17	15	2	0	0.160	0.040	0.040	5	0
		Fluopicolide	0.010	0.010	7	6	1	0	0.010	0.006	0.005	2	0
		Indoxacarb as sum of the isomers S and R	0.010	0.020	23	20	3	0	0.120	0.018	0.010	2	0
		Lambda-Cyhalothrin	0.010	0.040	57	54	3	0	0.050	0.011	0.010	0.2	0
		Methoxyfenozide	0.010	0.010	8	5	3	0	0.140	0.028	0.005	1	0
		Myclobutanil	0.010	0.080	52	48	4	0	0.180	0.023	0.020	1	0
		Penconazole	0.010	0.050	46	43	3	0	0.063	0.019	0.020	0.2	0
		Pyrimethanil	0.010	0.040	18	17	1	0	0.870	0.062	0.020	5	0
		Spiroxamine	0.010	0.010	9	2	7	0	0.150	0.042	0.030	1	0
		Tebuconazole	0.010	0.010	7	5	2	0	0.030	0.011	0.005	2	0
		Tetraconazole	0.010	0.010	21	20	1	0	0.013	0.005	0.005	0.5	0
		Thiametoxam	0.010	0.010	7	6	1	0	0.020	0.007	0.005	.	0
		Thiametoxam (sum of thiametoxam and clothianidin expressed as thiametoxam)	0.010	0.010	7	6	1	0	0.020	0.007	0.005	0.5	0
		Trifloxystrobin	0.010	0.030	28	26	2	0	0.080	0.011	0.005	5	0

For mean and median residue level calculations when results were below limit of detection LOQ/2 was substituted

All results expressed in mg/kg

Table C1: Results of national programme for unprocessed conventional products where residues were detected

ProductClass=Sum of fruits and nuts, vegetables, other plant products

Prod. Group	Product	Compound	Min LOQ	Max LOQ	Total	Between LOQ and MRL		Above MRL	Max Residue Level	Mean Residue Level	Median Residue Level	MRL	Non Compliant
						Below LOQ							
Tropical and subtropical fruit	Wine grapes	Boscalid	0.010	0.010	9	6	3	0	0.170	0.047	0.005	5	0
		Carbendazim	0.010	0.010	9	5	4	0	0.230	0.069	0.005	.	0
		Carbendazim and benomyl	0.010	0.010	9	5	4	0	0.230	0.069	0.005	0.5	0
		Cyfluthrin	0.010	0.010	9	8	1	0	0.020	0.007	0.005	.	0
		Cyfluthrin (sum)	0.010	0.010	15	14	1	0	0.020	0.006	0.005	0.3	0
		Cypermethrin	0.010	0.010	9	8	1	0	0.040	0.009	0.005	.	0
		Cypermethrin (sum)	0.010	0.010	15	13	1	1	1.100	0.080	0.005	0.5	1
		Dimethomorph	0.010	0.010	9	6	3	0	0.050	0.018	0.005	3	0
		Dithiocarbamates	0.300	0.300	4	3	1	0	0.860	0.328	0.150	5	0
		Fenhexamid	0.010	0.010	15	14	1	0	0.050	0.008	0.005	5	0
		Flufenoxuron	0.010	0.010	15	14	1	0	0.090	0.011	0.005	2	0
		Lambda-Cyhalothrin	0.010	0.010	15	14	1	0	0.040	0.007	0.005	0.2	0
		Metalaxyl	0.010	0.010	9	7	2	0	0.060	0.016	0.005	.	0
		Metalaxyl (Metalaxyl including other mixtures of constituent isomers including Metalaxyl -M (sum of isomers))	0.010	0.010	9	7	2	0	0.060	0.016	0.005	1	0
	Pyraclostrobin	0.010	0.010	9	7	2	0	0.030	0.009	0.005	2	0	
	Thiophanate-methyl	0.010	0.010	9	5	4	0	0.520	0.085	0.005	3	0	
	Bananas	Azoxystrobin	0.010	0.010	29	26	3	0	0.240	0.015	0.005	2	0
		Bifenthrin	0.010	0.010	29	25	4	0	0.022	0.006	0.005	0.1	0
Chlorpyrifos		0.010	0.010	29	16	13	0	0.036	0.011	0.005	3	0	
Fenpropimorph		0.010	0.010	15	13	2	0	0.013	0.006	0.005	2	0	
Imazalil		0.010	0.020	15	7	8	0	0.320	0.078	0.029	2	0	
Myclobutanil		0.010	0.010	15	14	1	0	0.092	0.011	0.005	2	0	
Thiabendazole	0.010	0.010	15	6	9	0	0.250	0.054	0.011	5	0		
Kiwi	Azoxystrobin	0.010	0.100	45	44	0	1	0.075	0.014	0.005	0.05	0	

For mean and median residue level calculations when results were below limit of detection LOQ/2 was substituted

All results expressed in mg/kg

Table C1: Results of national programme for unprocessed conventional products where residues were detected

ProductClass=Sum of fruits and nuts, vegetables, other plant products

Prod. Group	Product	Compound	Min LOQ	Max LOQ	Total	Below LOQ	Between	Above MRL	Max Residue Level	Mean Residue Level	Median Residue Level	MRL	Non Compliant
							LOQ and MRL						
		Chlorpyrifos	0.010	0.050	39	38	1	0	0.070	0.009	0.005	2	0
		Iprodione	0.010	0.100	38	32	6	0	1.040	0.098	0.010	5	0
	Table olives	Dimethoate	0.010	0.050	15	14	1	0	0.320	0.035	0.025	.	0
		Dimethoate (sum)	0.010	0.050	15	13	2	0	0.490	0.049	0.025	2	0
		Omethoate	0.010	0.200	15	13	2	0	0.150	0.061	0.100	.	0
		Propamocarb	0.010	0.010	1	0	1	0	0.012	0.012	0.012	.	0
		Propamocarb (sum of propamocarb and its salt expressed as propamocarb)	0.010	0.010	1	0	1	0	0.012	0.012	0.012	0.1	0
		Thiacloprid	0.010	0.010	8	7	1	0	0.052	0.011	0.005	4	0

For mean and median residue level calculations when results were below limit of detection LOQ/2 was substituted
All results expressed in mg/kg

ProductClass=Cereals

<i>Prod. Group</i>	<i>Product</i>	<i>Treatment</i>	<i>Compound</i>	<i>Min LOQ</i>	<i>Max LOQ</i>	<i>Total</i>	<i>Below LOQ</i>	<i>Between LOQ and MRL</i>	<i>Above MRL</i>	<i>Max Residue Level</i>	<i>Mean Residue Level</i>	<i>Median Residue Level</i>	<i>MRL</i>	<i>Non Compliant</i>
Cereals	Wheat	Milling	Pirimiphos-methyl	0.010	0.010	1	0	1	0	0.026	0.026	0.026	.	0

For mean and median residue level calculations when results were below limit of detection LOQ/2 was substituted
All results expressed in mg/kg

ProductClass=Sum of fruits and nuts, vegetables, other plant products

Prod. Group	Product	Treatment	Compound	Min LOQ	Max LOQ	Total	Between LOQ		Above MRL	Max Residue Level	Mean Residue Level	Median Residue Level	MRL	Non Compliant
							Below LOQ	and MRL						
Citrus fruit	Oranges	Unprocessed	Chlorpyrifos	0.010	0.010	3	2	1	0	0.010	0.007	0.005	0.3	0
Cucurbits	Cucumbers	Unprocessed	Spinosad (sum of Spinosyn A and Spinosyn D, expressed as Spinosad)	0.010	0.010	2	1	1	0	0.010	0.008	0.008	1	0
Leafy vegetables & fresh herbs	Lettuce	Unprocessed	Spinosyn A	0.010	0.010	2	1	1	0	0.010	0.008	0.008	.	0
			Boscalid	0.010	0.010	5	4	1	0	0.170	0.038	0.005	30	0
			Bromide ion	0.500	0.500	2	1	1	0	0.570	0.410	0.410	50	0
			Clothianidin	0.010	0.010	1	0	1	0	0.010	0.010	0.010	.	0
				0.010	0.010	4	4	0	0	0.005	0.005	0.005	2	0
			Pendimethalin	0.010	0.010	6	5	0	1	0.140	0.028	0.005	0.05	1
			Thiametoxam	0.010	0.010	4	3	1	0	0.013	0.007	0.005	.	0
	0.010	0.010	1	1	0	0	0.005	0.005	0.005	5	0			
	0.010	0.010	5	4	1	0	0.025	0.009	0.005	5	0			
Oilseeds and oilfruits	Olives for oil production	Oil production - Virgin oil after cold press	Chlorpyrifos	0.010	0.010	1	0	1	0	0.013	0.013	0.013	.	0
Pome fruit	Apples	Unprocessed	Acetamiprid	0.010	0.010	3	2	1	0	0.012	0.007	0.005	0.7	0
			Difenoconazole	0.010	0.050	6	5	1	0	0.025	0.013	0.008	0.5	0
			Thiabendazole	0.010	0.010	3	2	1	0	0.460	0.157	0.005	5	0
			Thiacloprid	0.010	0.010	3	2	1	0	0.019	0.010	0.005	0.3	0
Solanacea (e.g. tomatoes, peppers)	Pears	Unprocessed	Chlorpyrifos	0.010	0.010	5	4	1	0	0.067	0.017	0.005	0.5	0
	Peppers	Unprocessed	Spinosad (sum of Spinosyn A and Spinosyn D, expressed as Spinosad)	0.010	0.010	1	0	1	0	0.020	0.020	0.020	2	0
			Spinosyn A	0.010	0.010	1	0	1	0	0.020	0.020	0.020	.	0
	Tomatoes	Unprocessed	Bromide ion	0.500	0.500	3	1	2	0	1.300	0.933	1.250	50	0

For mean and median residue level calculations when results were below limit of detection LOQ/2 was substituted
 All results expressed in mg/kg

ProductClass=Sum of fruits and nuts, vegetables, other plant products

Prod. Group	Product	Treatment	Compound	Min LOQ	Max LOQ	Total	Between LOQ and MRL		Above MRL	Max Residue Level	Mean Residue Level	Median Residue Level	MRL	Non Compliant
							Below LOQ							
			Dimethomorph	0.010	0.010	7	6	1	0	0.011	0.006	0.005	1	0
			Spinosad (sum of Spinosyn A and Spinosyn D, expressed as Spinosad)	0.010	0.010	7	5	2	0	0.033	0.011	0.005	1	0
			Spinosyn A	0.010	0.010	7	5	2	0	0.026	0.010	0.005	.	0
			Spinosyn D	0.005	0.010	7	6	1	0	0.007	0.005	0.005	.	0
Spices	Pepper, black and white	Unprocessed	Pirimiphos-methyl	0.010	0.010	2	1	1	0	0.037	0.021	0.021	0.1	0
Stone fruit	Peaches	Unprocessed	Chlorpyrifos	0.010	0.010	2	1	1	0	0.028	0.017	0.017	0.2	0
			Imidacloprid	0.010	0.010	1	0	1	0	0.021	0.021	0.021	0.5	0
Table and wine grapes	Table grapes	Processed	Pirimiphos-methyl	0.010	0.010	3	0	3	0	0.380	0.223	0.150	.	0

For mean and median residue level calculations when results were below limit of detection LOQ/2 was substituted
 All results expressed in mg/kg

ProductClass=Baby food

<i>Prod. Group</i>	<i>Product</i>	<i>Treatment</i>	<i>Compound</i>	<i>Min LOQ</i>	<i>Max LOQ</i>	<i>Total</i>	<i>Below LOQ</i>	<i>Between LOQ and MRL</i>	<i>Above MRL</i>	<i>Max Residue Level</i>	<i>Mean Residue Level</i>	<i>Median Residue Level</i>	<i>Non Compliant</i>
Foodgroup not relevant	Processed cereal-based baby foods	Processed	Tricyclazole	0.010	0.010	4	3	0	1	0.020	0.009	0.005	0

For mean and median residue level calculations when results were below limit of detection LOQ/2 was substituted
All results expressed in mg/kg

Pesticide monitoring 2013 Greece on September 22, 2014 at 03:27:57 PM
Table C3: Results of national programme processed conventional products where residues were detected

ProductClass=Cereals

<i>Prod. Group</i>	<i>Product</i>	<i>Treatment</i>	<i>Compound</i>	<i>Min LOQ</i>	<i>Max LOQ</i>	<i>Total</i>	<i>Below LOQ</i>	<i>Between LOQ and MRL</i>	<i>Above MRL</i>	<i>Max Residue Level</i>	<i>Mean Residue Level</i>	<i>Median Residue Level</i>	<i>Non Compliant</i>
Cereals	Rice	Processed	Tricyclazole	0.010	0.010	4	1	3	0	0.150	0.047	0.016	0
	Wheat	Milling - unprocessed flour	Deltamethrin	0.010	0.010	11	10	1	0	0.031	0.007	0.005	0
			Pirimiphos-methyl	0.010	0.010	11	7	4	0	0.039	0.013	0.005	0

For mean and median residue level calculations when results were below limit of detection LOQ/2 was substituted
All results expressed in mg/kg

Table C3: Results of national programme processed conventional products where residues were detected

ProductClass=Sum of fruits and nuts, vegetables, other plant products

Prod. Group	Product	Treatment	Compound	Min LOQ	Max LOQ	Total	Between LOQ and MRL		Above MRL	Max Residue Level	Mean Residue Level	Median Residue Level	Non Compliant	
							Below LOQ							
Citrus fruit	Oranges	Juicing	Imazalil	0.010	0.020	14	12	2	0	0.072	0.011	0.005	0	
Leafy vegetables & fresh herbs	Vine leaves (grape leaves)	Processed	Azoxystrobin	0.010	0.010	2	1	1	0	0.019	0.012	0.012	0	
			Carbendazim and benomyl	0.010	0.010	2	0	2	0	0.470	0.249	0.249	0	
			Thiophanate-methyl	0.010	0.010	2	1	1	0	0.069	0.037	0.037	0	
Oilseeds and oilfruits	Olives for oil production	Oil production	Alphamethrin	0.080	0.080	180	178	2	0	0.100	0.041	0.040	0	
			Chlorpyrifos	0.010	0.020	196	180	16	0	1.710	0.026	0.010	0	
			Cyfluthrin (sum)	0.020	0.040	196	193	3	0	0.120	0.021	0.020	0	
			Cypermethrin (sum)	0.010	0.080	196	194	2	0	0.100	0.033	0.030	0	
			Deltamethrin	0.010	0.050	196	195	1	0	0.050	0.020	0.020	0	
			Diazinon	0.010	0.020	196	195	1	0	0.021	0.010	0.010	0	
			Dimethoate	0.010	0.020	181	175	6	0	0.090	0.011	0.010	0	
			Dimethoate (sum)	0.010	0.020	196	190	6	0	0.090	0.011	0.010	0	
			beta-Cyfluthrin	0.040	0.040	180	177	3	0	0.120	0.021	0.020	0	
			Oil production - Solvent Extraction	Chlorpyrifos	0.020	0.020	6	5	1	0	0.030	0.013	0.010	0
			Oil production - Virgin oil after cold press	Chlorpyrifos	0.010	0.010	27	25	2	0	0.013	0.006	0.005	0
				Diazinon	0.010	0.010	27	26	1	0	0.013	0.005	0.005	0
				Oxyfluorfen	0.010	0.010	27	26	1	0	0.023	0.006	0.005	0
	Zoxamide	0.010	0.010	2	1	1	0	0.013	0.009	0.009	0			
Table and wine grapes	Table grapes	Processed	Pirimiphos-methyl	0.010	0.010	1	0	1	0	0.230	0.230	0.230	0	
	Wine grapes	Wine production	Carbendazim and benomyl	0.010	0.010	15	9	6	0	0.162	0.023	0.005	0	
			Fenhexamid	0.010	0.010	15	13	2	0	0.019	0.007	0.005	0	
			Iprodione	0.010	0.010	15	13	2	0	0.031	0.007	0.005	0	

For mean and median residue level calculations when results were below limit of detection LOQ/2 was substituted
All results expressed in mg/kg

Table C3: Results of national programme processed conventional products where residues were detected

ProductClass=Sum of fruits and nuts, vegetables, other plant products

Prod. Group	Product	Treatment	Compound	Min LOQ	Max LOQ	Total	Below LOQ	Between	Above MRL	Max Residue Level	Mean Residue Level	Median Residue Level	Non Compliant
								LOQ and MRL					
			Thiophanate-methyl	0.010	0.010	15	10	5	0	0.199	0.032	0.005	0
	Wine production - white wine		Dimethomorph	0.010	0.010	11	10	1	0	0.017	0.006	0.005	0
			Fenhexamid	0.010	0.010	11	10	1	0	0.066	0.011	0.005	0
			Iprodione	0.010	0.010	11	10	1	0	0.024	0.007	0.005	0
			Thiophanate-methyl	0.010	0.010	11	10	1	0	0.012	0.006	0.005	0

For mean and median residue level calculations when results were below limit of detection LOQ/2 was substituted
All results expressed in mg/kg

Strategy=Enforcement

Lab Sample Code	Orig Country	Product	Sampling Point	Treatment	Organic Residue	LOQ	Level	Unit	MRL	Result Evaluation
GR-001-13-1406	GR	Leek	Primary production	Unprocessed	Indoxacarb as sum of the isomers S and R	0.010	0.180	mg/kg	0.02	Non compliant
GR-001-13-1406	GR	Leek	Primary production	Unprocessed	Oxadiazon	0.010	0.078	mg/kg	0.05	Numerical exceedence
GR-001-13-1004	GR	Peaches	Retail sale	Unprocessed	Dimethoate (sum)	0.010	0.290	mg/kg	0.02	Non compliant
GR-001-13-1005	GR	Peaches	Retail sale	Unprocessed	Dimethoate (sum)	0.010	0.076	mg/kg	0.02	Non compliant
GR-002-13-172	GR	Peppers	Primary production	Unprocessed	Formetanate	0.010	0.120	mg/kg	0.05	Non compliant
GR-002-13-417	GR	Potatoes	Primary production	Unprocessed	Chlorpyrifos	0.010	0.070	mg/kg	0.05	Numerical exceedence
GR-002-13-418	GR	Potatoes	Primary production	Unprocessed	Pirimiphos-methyl	0.010	0.090	mg/kg	0.05	Numerical exceedence
GR-002-13-419	GR	Potatoes	Primary production	Unprocessed	Pirimiphos-methyl	0.010	1.010	mg/kg	0.05	Non compliant
GR-002-13-420	GR	Potatoes	Primary production	Unprocessed	Pirimiphos-methyl	0.010	0.200	mg/kg	0.05	Non compliant
GR-002-13-421	GR	Potatoes	Primary production	Unprocessed	Pirimiphos-methyl	0.010	0.220	mg/kg	0.05	Non compliant

Non compliant samples represent samples above MRL when measurement uncertainty has been taken into consideration. Numerical exceedences represent samples above MRL that are deemed to be compliant when measurement uncertainty has been taken into consideration

Strategy=Surveillance

Lab Sample Code	Orig Country	Product	Sampling Point	Treatment	Organic Residue	LOQ	Level	Unit	MRL	Result Evaluation
GR-001-13-260	GR	Processed cereal-based baby foods	Retail sale	Processed	Tricyclazole	0.010	0.020	mg/kg	0.01	Numerical exceedence
GR-002-13-295	GR	Apples	Mobile retailer, market/street vendor	Unprocessed	Thiacloprid	0.010	0.310	mg/kg	0.30	Numerical exceedence
GR-001-13-087	IL	Basil	Border inspection activities	Unprocessed	Imidacloprid	0.010	22.000	mg/kg	2.00	Non compliant
GR-002-13-160	GR	Beans (with pods)	Mobile retailer, market/street vendor	Unprocessed	Chlorpyrifos	0.010	0.110	mg/kg	0.05	Non compliant
GR-002-13-197	GR	Beans (with pods)	Mobile retailer, market/street vendor	Unprocessed	Lufenuron	0.010	0.050	mg/kg	0.02	Non compliant
GR-002-13-198	GR	Beans (with pods)	Mobile retailer, market/street vendor	Unprocessed	Propargite	0.010	0.040	mg/kg	0.01	Non compliant
GR-001-13-1580	GR	Carrots	Retail sale	Unprocessed	Linuron	0.010	0.910	mg/kg	0.20	Non compliant
GR-003-13-051	GR	Carrots	Retail sale	Unprocessed	Chlorpyrifos	0.010	0.160	mg/kg	0.10	Numerical exceedence
GR-001-13-1262	GR	Celery	Retail sale	Unprocessed	Chlorpyrifos	0.010	0.360	mg/kg	0.05	Non compliant
GR-002-13-057	TR	Courgettes	Border inspection activities	Unprocessed	Formetanate	0.010	0.590	mg/kg	0.50	Numerical exceedence
GR-006-13-057	GR	Kiwi	Retail sale	Unprocessed	Azoxystrobin	0.010	0.075	mg/kg	0.05	Numerical exceedence
GR-001-13-1169	GR	Leek	Retail sale	Unprocessed	Cyprodinil	0.010	0.180	mg/kg	0.05	Non compliant
GR-001-13-497	AR	Lemons	Border inspection activities	Unprocessed	Imazalil	0.020	5.200	mg/kg	5.00	Numerical exceedence
GR-003-13-029	GR	Lettuce	Retail sale	Unprocessed	Tebuconazole	0.050	0.860	mg/kg	0.05	Non compliant
GR-003-13-060	GR	Lettuce	Wholesale	Unprocessed	Chlorpyrifos	0.010	0.500	mg/kg	0.05	Non compliant
GR-009-13-026	GR	Lettuce	Retail sale	Unprocessed	Y Pendimethalin	0.010	0.140	mg/kg	0.05	Non compliant

Non compliant samples represent samples above MRL when measurement uncertainty has been taken into consideration. Numerical exceedences represent samples above MRL that are deemed to be compliant when measurement uncertainty has been taken into consideration

Strategy=Surveillance

Lab Sample Code	Orig Country	Product	Sampling Point	Treatment	Organic Residue	LOQ	Level	Unit	MRL	Result Evaluation
GR-004-13-120	GR	Melons	Distribution: wholesale and retail sale	Unprocessed	Aldrin and Dieldrin	0.050	0.120	mg/kg	0.03	Non compliant
GR-008-13-095	GR	Oranges	Retail sale	Unprocessed	Dimethoate (sum)	0.020	0.120	mg/kg	0.02	Non compliant
GR-008-13-099	GR	Oranges	Retail sale	Unprocessed	Dimethoate (sum)	0.020	0.090	mg/kg	0.02	Non compliant
GR-008-13-100	GR	Oranges	Retail sale	Unprocessed	Dimethoate (sum)	0.020	0.030	mg/kg	0.02	Numerical exceedence
GR-001-13-814	IN	Other pulses, dry	Border inspection activities	Unprocessed	Chlorpyrifos	0.010	0.059	mg/kg	0.05	Numerical exceedence
GR-001-13-109	GR	Other spices: Bark	Manufacturing	Unprocessed	Ethephon	0.100	0.740	mg/kg	0.10	Non compliant
GR-003-13-099	GR	Parsley	Retail sale	Unprocessed	Chlorpyrifos	0.010	0.330	mg/kg	0.05	Non compliant
GR-003-13-119	GR	Parsley	Retail sale	Unprocessed	Chlorpyrifos	0.010	0.170	mg/kg	0.05	Non compliant
GR-001-13-964	GR	Peaches	Retail sale	Unprocessed	Dimethoate (sum)	0.010	0.120	mg/kg	0.02	Non compliant
GR-004-13-073	GR	Peaches	Distribution: wholesale and retail sale	Unprocessed	Chlorpyrifos	0.050	1.440	mg/kg	0.20	Non compliant
GR-001-13-1339	GR	Pears	Retail sale	Unprocessed	Thiophanate-methyl	0.010	0.660	mg/kg	0.50	Numerical exceedence
GR-001-13-1542	GR	Pears	Retail sale	Unprocessed	Dimethoate (sum)	0.010	0.210	mg/kg	0.02	Non compliant
GR-002-13-269	GR	Pears	Retail sale	Unprocessed	Carbendazim and benomyl	0.010	0.650	mg/kg	0.20	Non compliant
GR-001-13-421	GR	Peas (without pods)	Retail sale	Unprocessed	Pyraclostrobin	0.010	0.023	mg/kg	0.02	Numerical exceedence
GR-002-13-149	GR	Peppers	Wholesale	Unprocessed	Formetanate	0.010	0.100	mg/kg	0.05	Numerical exceedence
GR-002-13-253	GR	Peppers	Retail sale	Unprocessed	Acetamiprid	0.010	0.980	mg/kg	0.30	Non compliant
GR-002-13-253	GR	Peppers	Retail sale	Unprocessed	Oxamyl	0.010	0.110	mg/kg	0.02	Non compliant
GR-002-13-314	GR	Peppers	Mobile retailer, market/street vendor	Unprocessed	Formetanate	0.010	0.120	mg/kg	0.05	Non compliant
GR-001-13-982	XX	Potatoes	Wholesale	Unprocessed	Myclobutanil	0.010	0.024	mg/kg	0.02	Numerical exceedence

Non compliant samples represent samples above MRL when measurement uncertainty has been taken into consideration. Numerical exceedences represent samples above MRL that are deemed to be compliant when measurement uncertainty has been taken into consideration

Strategy=Surveillance

Lab Sample Code	Orig Country	Product	Sampling Point	Treatment	Organic Residue	LOQ	Level	Unit	MRL	Result Evaluation
GR-002-13-351	GR	Potatoes	Retail sale	Unprocessed	Fosthiazate	0.010	0.220	mg/kg	0.02	Non compliant
GR-003-13-218	GR	Potatoes	Retail sale	Unprocessed	Chlorpyrifos	0.010	0.058	mg/kg	0.05	Numerical exceedence
GR-003-13-251	GR	Potatoes	Retail sale	Unprocessed	Chlorpyrifos	0.010	0.061	mg/kg	0.05	Numerical exceedence
GR-009-13-053	GR	Spinach	Retail sale	Unprocessed	Chlorothalonil	0.010	0.100	mg/kg	0.01	Non compliant
GR-009-13-054	GR	Spinach	Retail sale	Unprocessed	Chlorothalonil	0.010	0.060	mg/kg	0.01	Non compliant
GR-007-13-150	GR	Spinach and similar (leaves)	Retail sale	Unprocessed	Chlorpyrifos	0.010	0.180	mg/kg	0.05	Non compliant
GR-007-13-150	GR	Spinach and similar (leaves)	Retail sale	Unprocessed	Cypermethrin (sum)	0.080	2.000	mg/kg	0.70	Non compliant
GR-007-13-172	GR	Spinach and similar (leaves)	Retail sale	Unprocessed	Cypermethrin (sum)	0.080	1.090	mg/kg	0.70	Numerical exceedence
GR-001-13-349	GR	Strawberries	Retail sale	Unprocessed	Formetanate	0.010	0.550	mg/kg	0.30	Numerical exceedence
GR-010-13-109	GR	Sunflower seed	Retail sale	Unprocessed	Methamidophos	0.010	0.012	mg/kg	0.01	Numerical exceedence
GR-001-13-1418	GR	Tomatoes	Retail sale	Unprocessed	Acetamiprid	0.010	0.220	mg/kg	0.15	Numerical exceedence
GR-001-13-1115	GR	Vine leaves (grape leaves)	Retail sale	Unprocessed	Flusilazole	0.010	0.036	mg/kg	0.02	Numerical exceedence
GR-001-13-1115	GR	Vine leaves (grape leaves)	Retail sale	Unprocessed	Hexaconazole	0.010	0.130	mg/kg	0.02	Non compliant
GR-001-13-1115	GR	Vine leaves (grape leaves)	Retail sale	Unprocessed	Kresoxim-methyl	0.010	0.440	mg/kg	0.05	Non compliant
GR-001-13-1115	GR	Vine leaves (grape leaves)	Retail sale	Unprocessed	Myclobutanil	0.010	0.180	mg/kg	0.02	Non compliant
GR-001-13-227	TR	Vine leaves (grape leaves)	Not specified	Unprocessed	Azoxystrobin	0.010	1.400	mg/kg	0.05	Non compliant
GR-001-13-227	TR	Vine leaves (grape leaves)	Not specified	Unprocessed	Boscalid	0.010	0.160	mg/kg	0.05	Non compliant

Non compliant samples represent samples above MRL when measurement uncertainty has been taken into consideration. Numerical exceedences represent samples above MRL that are deemed to be compliant when measurement uncertainty has been taken into consideration

Strategy=Surveillance

Lab Sample Code	Orig Country	Product	Sampling Point	Treatment	Organic Residue	LOQ	Level	Unit	MRL	Result Evaluation
GR-001-13-227	TR	Vine leaves (grape leaves)	Not specified	Unprocessed	Flufenoxuron	0.010	1.600	mg/kg	0.05	Non compliant
GR-001-13-227	TR	Vine leaves (grape leaves)	Not specified	Unprocessed	Kresoxim-methyl	0.010	0.058	mg/kg	0.05	Numerical exceedence
GR-001-13-227	TR	Vine leaves (grape leaves)	Not specified	Unprocessed	Methoxyfenozide	0.010	0.071	mg/kg	0.02	Non compliant
GR-001-13-227	TR	Vine leaves (grape leaves)	Not specified	Unprocessed	Myclobutanil	0.010	0.130	mg/kg	0.02	Non compliant
GR-001-13-227	TR	Vine leaves (grape leaves)	Not specified	Unprocessed	Trifloxystrobin	0.010	0.023	mg/kg	0.02	Numerical exceedence
GR-001-13-494	GR	Vine leaves (grape leaves)	Retail sale	Unprocessed	Acinathrin	0.010	2.300	mg/kg	0.05	Non compliant
GR-001-13-494	GR	Vine leaves (grape leaves)	Retail sale	Unprocessed	Difenoconazole	0.010	0.085	mg/kg	0.05	Numerical exceedence
GR-001-13-494	GR	Vine leaves (grape leaves)	Retail sale	Unprocessed	Famoxadone	0.010	4.400	mg/kg	0.02	Non compliant
GR-001-13-494	GR	Vine leaves (grape leaves)	Retail sale	Unprocessed	Fenhexamid	0.010	4.400	mg/kg	0.05	Non compliant
GR-001-13-494	GR	Vine leaves (grape leaves)	Retail sale	Unprocessed	Metalaxyl (Metalaxyl including other mixtures of constituent isomers including Metalaxyl-M (sum of isomers))	0.010	0.054	mg/kg	0.05	Numerical exceedence
GR-001-13-494	GR	Vine leaves (grape leaves)	Retail sale	Unprocessed	Methiocarb (sum of methiocarb and methiocarb sulfoxide and sulfone, expressed as methiocarb)	0.010	5.600	mg/kg	1.00	Non compliant
GR-001-13-494	GR	Vine leaves (grape leaves)	Retail sale	Unprocessed	Pyraclostrobin	0.010	0.930	mg/kg	0.02	Non compliant
GR-001-13-494	GR	Vine leaves (grape leaves)	Retail sale	Unprocessed	Spiroxamine	0.010	12.000	mg/kg	0.05	Non compliant
GR-001-13-503	GR	Vine leaves (grape leaves)	Retail sale	Unprocessed	Fenoxycarb	0.010	29.200	mg/kg	0.05	Non compliant
GR-001-13-503	GR	Vine leaves (grape leaves)	Retail sale	Unprocessed	tau-Fluvalinate	0.010	2.380	mg/kg	0.01	Non compliant
GR-002-13-123	GR	Vine leaves (grape leaves)	Mobile retailer, market/street vendor	Unprocessed	Tebuconazole	0.010	1.420	mg/kg	0.05	Non compliant

Non compliant samples represent samples above MRL when measurement uncertainty has been taken into consideration. Numerical exceedences represent samples above MRL that are deemed to be compliant when measurement uncertainty has been taken into consideration

Strategy=Surveillance

Lab Sample Code	Orig Country	Product	Sampling Point	Treatment	Organic Residue	LOQ	Level	Unit	MRL	Result Evaluation
GR-002-13-145	TR	Vine leaves (grape leaves)	Retail sale	Unprocessed	Cypermethrin (sum)	0.010	0.690	mg/kg	0.05	Non compliant
GR-003-13-085	GR	Vine leaves (grape leaves)	Retail sale	Unprocessed	Trifloxystrobin	0.020	3.710	mg/kg	0.02	Non compliant
GR-003-13-087	GR	Vine leaves (grape leaves)	Retail sale	Unprocessed	Famoxadone	0.020	0.610	mg/kg	0.02	Non compliant
GR-003-13-087	GR	Vine leaves (grape leaves)	Retail sale	Unprocessed	Myclobutanil	0.020	0.210	mg/kg	0.02	Non compliant
GR-006-13-222	GR	Wine grapes	Processing plant	Unprocessed	Cypermethrin (sum)	0.010	1.100	mg/kg	0.50	Non compliant

Non compliant samples represent samples above MRL when measurement uncertainty has been taken into consideration. Numerical exceedences represent samples above MRL that are deemed to be compliant when measurement uncertainty has been taken into consideration

ProductClass	Product	Processed	n0	n1	n2	n3	n4	n5	n6	n7	n8	n10	n11
Animal products	Dairy products Cattle		1
Animal products	Dairy products Cattle	Y	14
Animal products	Honey		10
Animal products	Swine Meat		15
Baby food	Baby food for infants and young children		2
Baby food	Baby food for infants and young children	Y	9
Baby food	Processed cereal-based baby foods	Y	7	1
Cereals	Oats		1
Cereals	Oats	Y	6
Cereals	Other cereals		1
Cereals	Rice		21	2
Cereals	Rice	Y	1	4
Cereals	Rye		1
Cereals	Wheat		9
Cereals	Wheat	Y	13	4	1
Fruits and nuts	Almonds		2	1
Fruits and nuts	Apples		32	47	10	11	7	4	2	2	.	.	1
Fruits and nuts	Apricots		19	21	5	1	3
Fruits and nuts	Bananas		10	7	6	7
Fruits and nuts	Cherries		29	21	4	3	4	2
Fruits and nuts	Figs		10
Fruits and nuts	Figs	Y	1
Fruits and nuts	Grapefruit		9	4	3	1	.	.	1
Fruits and nuts	Kiwi		40	8
Fruits and nuts	Lemons		19	2	1	3	1
Fruits and nuts	Mandarins		21	9	1
Fruits and nuts	Oranges		32	14	3	6	1
Fruits and nuts	Oranges	Y	12	2
Fruits and nuts	Other citrus fruits		2	2	2	3	.	1

**Column nX indicates number of residues detected in product.
 To avoid duplicates residues marked as part of sum are excluded**

ProductClass	Product	Processed	n0	n1	n2	n3	n4	n5	n6	n7	n8	n10	n11
Fruits and nuts	Peaches		28	23	9	6	8	2	1
Fruits and nuts	Pears		28	24	15	1	3	2	.	1	1	1	.
Fruits and nuts	Pecans		1
Fruits and nuts	Pineapples		1
Fruits and nuts	Pistachios		.	1
Fruits and nuts	Plums		12	5	.	.	1
Fruits and nuts	Plums	Y	3
Fruits and nuts	Pomegranate		9
Fruits and nuts	Pomegranate	Y	3
Fruits and nuts	Quinces		.	.	1
Fruits and nuts	Strawberries		23	8	6	2	3	.	.	1	.	.	.
Fruits and nuts	Table and Wine grapes		7	4	2	2	2	.	.	1	.	.	.
Fruits and nuts	Table grapes		39	18	6	3	3	1	1
Fruits and nuts	Table grapes	Y	.	4
Fruits and nuts	Table olives		12	5
Fruits and nuts	Walnuts		1
Fruits and nuts	Wine grapes		9	1	2	2	2	.	1
Fruits and nuts	Wine grapes	Y	25	4	4	1	1
Other plant products	Beans (dry)		6	1
Other plant products	Capers		1
Other plant products	Coriander seed	Y	1
Other plant products	Lentils (dry)		6	1
Other plant products	Olives for oil production	Y	205	23	5	1
Other plant products	Other pulses, dry		5	1
Other plant products	Other spices: Bark		.	1
Other plant products	Peas (dry)		2
Other plant products	Pepper, black and white		1	1
Other plant products	Pumpkin seeds		.	1
Other plant products	Sunflower seed		.	1

Column nX indicates number of residues detected in product.
 To avoid duplicates residues marked as part of sum are excluded

ProductClass	Product	Processed	n0	n1	n2	n3	n4	n5	n6	n7	n8	n10	n11
Other plant products	Tea		2	1
Vegetables	Asparagus		23
Vegetables	Aubergines (egg plants)		59	3	2
Vegetables	Basil		.	.	.	1
Vegetables	Beans (with pods)		47	3	1	1
Vegetables	Beetroot		3
Vegetables	Broccoli		9	2
Vegetables	Carrots		18	7	.	1
Vegetables	Cauliflower		11	1
Vegetables	Celery		.	.	1
Vegetables	Celery leaves		.	1	1
Vegetables	Courgettes		63	3	2
Vegetables	Cucumbers		80	11	5	1	1
Vegetables	Fresh Herbs		2
Vegetables	Head cabbage		19
Vegetables	Leek		17	.	.	1	.	1
Vegetables	Lentils (fresh)		1
Vegetables	Lettuce		37	16	5	6	3	1
Vegetables	Lettuce and other salad plants, including Brassica		27	2	1
Vegetables	Melons		42	4	1
Vegetables	Okra, ladys fingers		11	1
Vegetables	Onions		17
Vegetables	Other kind of lettuce and other salad plants, including Brassicacea		.	1
Vegetables	Parsley		4	2
Vegetables	Peas (with pods)		2	2
Vegetables	Peas (without pods)		24	1	1
Vegetables	Peppers		80	9	12	.	2	2
Vegetables	Potatoes		86	14	6
Vegetables	Pumpkins		10

Column nX indicates number of residues detected in product.
 To avoid duplicates residues marked as part of sum are excluded

<i>ProductClass</i>	<i>Product</i>	<i>Processed</i>	<i>n0</i>	<i>n1</i>	<i>n2</i>	<i>n3</i>	<i>n4</i>	<i>n5</i>	<i>n6</i>	<i>n7</i>	<i>n8</i>	<i>n10</i>	<i>n11</i>
Vegetables	Rocket, Rucola		3	.	.	1	1
Vegetables	Spinach		29	6	2
Vegetables	Spinach and similar (leaves)		29	8	1
Vegetables	Tomatoes		70	25	16	5	3	.	1	1	.	.	.
Vegetables	Tomatoes	Y	1
Vegetables	Vine leaves (grape leaves)		16	6	2	2	1
Vegetables	Vine leaves (grape leaves)	Y	1	.	2	1	.	.
Vegetables	Watermelons		34
			1654	405	147	70	49	16	7	6	2	3	2

**Column nX indicates number of residues detected in product.
 To avoid duplicates residues marked as part of sum are excluded**

Pesticide monitoring 2013 Greece on September 22, 2014 at 03:27:57 PM
Table E2: Full listing of samples containing more than one residue by product
All samples from National and EU programmes, surveillance and enforcement

Product=Apples

<i>LABSAMPCODE</i>	<i>ORIGCOUNTRY</i>	<i>NoResidues</i>	<i>Compound1</i>	<i>Compound2</i>	<i>Compound3</i>	<i>Compound4</i>	<i>Compound5</i>
GR-001-13-1024	GR	3	Chlorpyrifos(0.088)	Thiacloprid(0.026)	Methoxyfenozide(0.017)		
GR-001-13-1204	MK	6	Tebuconazole(0.018)	Fluquinconazole(0.032)	Thiacloprid(0.014)	Clofentezine(0.02)	Pyrimethanil(0.076)
GR-001-13-1238	GR	5	Spirodiclofen(0.051)	Pyraclostrobin(0.017)	Chlorpyrifos(0.017)	Fenoxycarb(0.079)	Thiacloprid(0.11)
GR-001-13-1323	GR	3	Chlorpyrifos(0.04)	Phosalone(0.01)	Pirimicarb (sum of Pirimicarb and desmethyl pirimicarb expressed as Pirimicarb)(0.01)		
GR-001-13-1350	GR	5	Carbendazim and benomyl(0.019)	Fenoxycarb(0.65)	Myclobutanil(0.022)	Dithiocarbamates(1.12)	Chlorpyrifos(0.087)
GR-001-13-1543	GR	4	Propargite(0.24)	Thiacloprid(0.065)	Methoxyfenozide(0.015)	Chlorpyrifos(0.012)	
GR-001-13-214	GR	3	Diflubenzuron(0.039)	Fenoxycarb(0.04)	Carbendazim and benomyl(0.039)		
GR-001-13-225	GR	3	Tebuconazole(0.021)	Fenoxycarb(0.081)	Propargite(0.059)		
GR-001-13-302	GR	4	Acetamiprid(0.046)	Thiacloprid(0.01)	Propargite(0.13)	Etofenprox(0.026)	
GR-001-13-394	GR	3	Imazalil(0.39)	Propargite(0.11)	Acetamiprid(0.015)		

<i>LABSAMPCODE</i>	<i>Compound6</i>	<i>Compound7</i>	<i>Compound8</i>	<i>Compound9</i>	<i>Compound10</i>	<i>Compound11</i>
GR-001-13-1024						
GR-001-13-1204	Chlorpyrifos(0.045)					
GR-001-13-1238						
GR-001-13-1323						
GR-001-13-1350						
GR-001-13-1543						
GR-001-13-214						
GR-001-13-225						
GR-001-13-302						
GR-001-13-394						

To avoid duplicates residues marked as part of sum are excluded

Pesticide monitoring 2013 Greece on September 22, 2014 at 03:27:57 PM
Table E2: Full listing of samples containing more than one residue by product
All samples from National and EU programmes, surveillance and enforcement

Product=Apples

<i>LABSAMPCODE</i>	<i>ORIGCOUNTRY</i>	<i>NoResidues</i>	<i>Compound1</i>	<i>Compound2</i>	<i>Compound3</i>	<i>Compound4</i>	<i>Compound5</i>
GR-001-13-429	GR	7	Chlorpyrifos(0.031)	Propargite(0.14)	Carbendazim and benomyl(0.074)	Bitertanol(0.019)	Acetamiprid(0.019)
GR-001-13-483	GR	4	Thiacloprid(0.019)	Acetamiprid(0.012)	Thiabendazole(0.46)	Difenoconazole(0.01)	
GR-001-13-911	GR	4	Fenoxycarb(0.025)	Carbendazim and benomyl(0.022)	Tebuconazole(0.024)	Imazalil(0.204)	
GR-002-13-082	GR	7	Carbendazim and benomyl(0.07)	Chlorpyrifos(0.02)	Boscalid(0.04)	Pyraclostrobin(0.01)	Thiacloprid(0.01)
GR-002-13-083	GR	5	Carbendazim and benomyl(0.04)	Pyraclostrobin(0.01)	Boscalid(0.02)	Propargite(0.11)	Methoxyfenozide(0.03)
GR-002-13-088	GR	3	Chlorpyrifos(0.14)	Propargite(0.1)	Acetamiprid(0.01)		
GR-002-13-089	GR	11	Propargite(0.52)	Carbendazim and benomyl(0.03)	Thiacloprid(0.01)	Pyraclostrobin(0.01)	Boscalid(0.04)
GR-002-13-159	CL	3	Pyrimethanil(0.52)	Thiabendazole(0.76)	Diphenylamine(1.28)		
<i>LABSAMPCODE</i>	<i>Compound6</i>	<i>Compound7</i>	<i>Compound8</i>	<i>Compound9</i>	<i>Compound10</i>	<i>Compound11</i>	
GR-001-13-429	Thiacloprid(0.011)	Imazalil(0.62)					
GR-001-13-483							
GR-001-13-911							
GR-002-13-082	Acetamiprid(0.05)	Propargite(0.15)					
GR-002-13-083							
GR-002-13-088							
GR-002-13-089	Chlorpyrifos(0.09)	Pirimicarb (sum of Pirimicarb and desmethyl pirimicarb expressed as Pirimicarb)(0.03)	Pyrimethanil(0.01)	Tebufenpyrad(0.03)	Acetamiprid(0.08)	Pyridaben(0.04)	
GR-002-13-159							

To avoid duplicates residues marked as part of sum are excluded

Product=Apples

LABSAMPCODE	ORIGCOUNTRY	NoResidues	Compound1	Compound2	Compound3	Compound4	Compound5
GR-002-13-182	AR	2	Chlorpyrifos(0.02)	Carbendazim and benomyl(0.04)			
GR-002-13-295	GR	5	Chlorpyrifos(0.09)	Thiacloprid(0.31)	Fluquinconazole(0.01)	Trifloxystrobin(0.02)	Tebuconazole(0.04)
GR-002-13-296	GR	2	Imidacloprid(0.02)	Chlorpyrifos(0.03)			
GR-002-13-315	MK	3	Trifloxystrobin(0.04)	Chlorpyrifos(0.15)	Cypermethrin (sum)(0.07)		
GR-002-13-341	GR	4	Carbendazim and benomyl(0.15)	Acetamiprid(0.02)	Chlorpyrifos(0.09)	Thiophanate-methyl(0.04)	
GR-002-13-342	GR	2	Chlorpyrifos(0.01)	Thiacloprid(0.01)			
GR-002-13-344	GR	2	Acetamiprid(0.01)	Chlorpyrifos(0.02)			
GR-002-13-391	GR	2	Tebuconazole(0.01)	Etofenprox(0.05)			
GR-002-13-392	GR	3	Chlorpyrifos(0.3)	Etofenprox(0.2)	Tebuconazole(0.12)		
GR-002-13-393	GR	4	Pyraclostrobin(0.01)	Fluquinconazole(0.01)	Fenoxycarb(0.01)	Boscalid(0.03)	
GR-002-13-396	GR	3	Chlorpyrifos(0.06)	Acetamiprid(0.01)	Propargite(0.07)		
LABSAMPCODE	Compound6	Compound7	Compound8	Compound9	Compound10	Compound11	
GR-002-13-182							
GR-002-13-295							
GR-002-13-296							
GR-002-13-315							
GR-002-13-341							
GR-002-13-342							
GR-002-13-344							
GR-002-13-391							
GR-002-13-392							
GR-002-13-393							
GR-002-13-396							

To avoid duplicates residues marked as part of sum are excluded

Pesticide monitoring 2013 Greece on September 22, 2014 at 03:27:57 PM
Table E2: Full listing of samples containing more than one residue by product
All samples from National and EU programmes, surveillance and enforcement

Product=Apples

<i>LABSAMPCODE</i>	<i>ORIGCOUNTRY</i>	<i>NoResidues</i>	<i>Compound1</i>	<i>Compound2</i>	<i>Compound3</i>	<i>Compound4</i>	<i>Compound5</i>
GR-002-13-398	GR	6	Acetamiprid(0.02)	Chlorpyrifos(0.09)	Carbendazim and benomyl(0.1)	Boscalid(0.05)	Methoxyfenozide(0.05)
GR-002-13-399	GR	3	Pyraclostrobin(0.01)	Chlorpyrifos(0.11)	Phosmet (phosmet and phosmet oxon expressed as phosmet)(0.1)		
GR-002-13-400	GR	4	Phosmet (phosmet and phosmet oxon expressed as phosmet)(0.02)	Thiacloprid(0.04)	Chlorpyrifos(0.01)	Fenoxycarb(0.03)	
GR-003-13-035	GR	2	Boscalid(0.026)	Chlorpyrifos(0.027)			
GR-005-13-160	GR	2	Chlorpyrifos(0.444)	Cyfluthrin (sum)(0.056)			
GR-005-13-164	GR	2	Boscalid(0.242)	Chlorpyrifos(0.188)			
GR-006-13-184	GR	2	Chlorpyrifos(0.19)	Cypermethrin (sum)(0.23)			
GR-007-13-101	CL	2	Pyrimethanil(1.9)	Diphenylamine(0.38)			
<i>LABSAMPCODE</i>	<i>Compound6</i>	<i>Compound7</i>	<i>Compound8</i>	<i>Compound9</i>	<i>Compound10</i>	<i>Compound11</i>	
GR-002-13-398	Pyraclostrobin(0.02)						
GR-002-13-399							
GR-002-13-400							
GR-003-13-035							
GR-005-13-160							
GR-005-13-164							
GR-006-13-184							
GR-007-13-101							

To avoid duplicates residues marked as part of sum are excluded

Product=Apricots

<i>LABSAMPCODE</i>	<i>ORIGCOUNTRY</i>	<i>NoResidues</i>	<i>Compound1</i>	<i>Compound2</i>	<i>Compound3</i>
GR-001-13-650	GR	2	Etoxazole(0.018)	Boscalid(0.068)	
GR-002-13-133	GR	3	Carbendazim and benomyl(0.15)	Thiophanate-methyl(0.16)	Acetamiprid(0.07)
GR-002-13-135	GR	4	Pyraclostrobin(0.03)	Indoxacarb as sum of the isomers S and R(0.11)	Boscalid(0.13)
GR-002-13-147	GR	2	Cypermethrin (sum)(0.06)	Carbendazim and benomyl(0.02)	
GR-002-13-148	GR	2	Carbendazim and benomyl(0.1)	Thiophanate-methyl(0.02)	
GR-002-13-167	GR	4	Carbendazim and benomyl(0.08)	Thiophanate-methyl(0.05)	Boscalid(0.1)
GR-002-13-168	GR	4	Carbendazim and benomyl(0.09)	Pyraclostrobin(0.02)	Thiophanate-methyl(0.03)
GR-005-13-049	GR	2	Boscalid(0.34)	Captan/Folpet (sum)(0.142)	
GR-005-13-059	GR	2	Boscalid(0.043)	Captan/Folpet (sum)(0.056)	

<i>LABSAMPCODE</i>	<i>Compound4</i>	<i>Compound5</i>	<i>Compound6</i>	<i>Compound7</i>	<i>Compound8</i>	<i>Compound9</i>	<i>Compound10</i>	<i>Compound11</i>
GR-001-13-650								
GR-002-13-133								
GR-002-13-135	Thiacloprid(0.02)							
GR-002-13-147								
GR-002-13-148								
GR-002-13-167	Pyraclostrobin(0.02)							
GR-002-13-168	Boscalid(0.11)							
GR-005-13-049								
GR-005-13-059								

Product=Aubergines (egg plants)

<i>LABSAMPCODE</i>	<i>ORIGCOUNTRY</i>	<i>NoResidues</i>	<i>Compound1</i>	<i>Compound2</i>	<i>Compound3</i>	<i>Compound4</i>
GR-001-13-913	GR	2	Difenoconazole(0.012)	Benalaxyl (sum)(0.031)		
GR-002-13-256	GR	2	Imidacloprid(0.04)	Chlorpyrifos(0.01)		

<i>LABSAMPCODE</i>	<i>Compound5</i>	<i>Compound6</i>	<i>Compound7</i>	<i>Compound8</i>	<i>Compound9</i>	<i>Compound10</i>	<i>Compound11</i>
GR-001-13-913							
GR-002-13-256							

To avoid duplicates residues marked as part of sum are excluded

Pesticide monitoring 2013 Greece on September 22, 2014 at 03:27:57 PM
Table E2: Full listing of samples containing more than one residue by product
All samples from National and EU programmes, surveillance and enforcement

Product=Bananas

<i>LABSAMPCODE</i>	<i>ORIGCOUNTRY</i>	<i>NoResidues</i>	<i>Compound1</i>	<i>Compound2</i>	<i>Compound3</i>	<i>Compound4</i>	<i>Compound5</i>
GR-001-13-1338	CR	3	Fenpropimorph(0.013)	Myclobutanil(0.092)	Azoxystrobin(0.012)		
GR-001-13-486	CR	3	Thiabendazole(0.025)	Bifenthrin(0.015)	Imazalil(0.029)		
GR-002-13-016	EC	2	Imazalil(0.07)	Thiabendazole(0.05)			
GR-002-13-019	EC	3	Imazalil(0.14)	Chlorpyrifos(0.02)	Thiabendazole(0.19)		
GR-002-13-020	EC	3	Imazalil(0.29)	Thiabendazole(0.18)	Chlorpyrifos(0.01)		
GR-002-13-047	EC	3	Imazalil(0.05)	Thiabendazole(0.02)	Chlorpyrifos(0.01)		
GR-002-13-115	EC	2	Thiabendazole(0.01)	Imazalil(0.03)			
GR-002-13-178	EC	2	Fenpropimorph(0.01)	Chlorpyrifos(0.02)			
GR-002-13-215	EC	3	Thiabendazole(0.25)	Chlorpyrifos(0.02)	Imazalil(0.32)		
GR-002-13-277	EC	3	Thiabendazole(0.05)	Imazalil(0.18)	Chlorpyrifos(0.01)		
GR-006-13-007	CR	2	Azoxystrobin(0.045)	Chlorpyrifos(0.018)			
GR-006-13-224	EC	2	Chlorpyrifos(0.012)	Bifenthrin(0.022)			
GR-006-13-291	CO	2	Azoxystrobin(0.24)	Chlorpyrifos(0.019)			

<i>LABSAMPCODE</i>	<i>Compound6</i>	<i>Compound7</i>	<i>Compound8</i>	<i>Compound9</i>	<i>Compound10</i>	<i>Compound11</i>
GR-001-13-1338						
GR-001-13-486						
GR-002-13-016						
GR-002-13-019						
GR-002-13-020						
GR-002-13-047						
GR-002-13-115						
GR-002-13-178						
GR-002-13-215						
GR-002-13-277						
GR-006-13-007						
GR-006-13-224						
GR-006-13-291						

To avoid duplicates residues marked as part of sum are excluded

Product=Basil

LABSAMPCODE	ORIGCOUNTRY	NoResidues	Compound1	Compound2	Compound3	Compound4	Compound5
GR-001-13-087	IL	3	Metalaxyl (Metalaxyl including other mixtures of constituent isomers including Metalaxyl-M (sum of isomers))(0.12)	Imidacloprid(22)	Azoxystrobin(0.48)		

LABSAMPCODE	Compound6	Compound7	Compound8	Compound9	Compound10	Compound11
GR-001-13-087						

Product=Beans (with pods)

LABSAMPCODE	ORIGCOUNTRY	NoResidues	Compound1	Compound2	Compound3	Compound4	Compound5	Compound6
GR-001-13-441	GR	2	Iprodione(0.036)	Azoxystrobin(0.032)				
GR-002-13-197	GR	3	Thiophanate-methyl(0.04)	Carbendazim and benomyl(0.1)	Lufenuron(0.05)			

LABSAMPCODE	Compound7	Compound8	Compound9	Compound10	Compound11
GR-001-13-441					
GR-002-13-197					

Product=Carrots

LABSAMPCODE	ORIGCOUNTRY	NoResidues	Compound1	Compound2	Compound3	Compound4	Compound5	Compound6
GR-001-13-1566	GR	3	Linuron(0.11)	Tebuconazole(0.12)	Chlorpyrifos(0.073)			

LABSAMPCODE	Compound7	Compound8	Compound9	Compound10	Compound11
GR-001-13-1566					

Product=Celery

LABSAMPCODE	ORIGCOUNTRY	NoResidues	Compound1	Compound2	Compound3	Compound4	Compound5	Compound6
GR-001-13-1262	GR	2	Pendimethalin(0.038)	Chlorpyrifos(0.36)				

LABSAMPCODE	Compound7	Compound8	Compound9	Compound10	Compound11
GR-001-13-1262					

Pesticide monitoring 2013 Greece on September 22, 2014 at 03:27:57 PM
Table E2: Full listing of samples containing more than one residue by product
All samples from National and EU programmes, surveillance and enforcement

Product=Celery leaves

<i>LABSAMPCODE</i>	<i>ORIGCOUNTRY</i>	<i>NoResidues</i>	<i>Compound1</i>	<i>Compound2</i>	<i>Compound3</i>	<i>Compound4</i>	<i>Compound5</i>	<i>Compound6</i>
GR-001-13-1468	GR	2	Chlorpyrifos(0.54)	Pendimethalin(0.18)				
<i>LABSAMPCODE</i>	<i>Compound7</i>	<i>Compound8</i>	<i>Compound9</i>	<i>Compound10</i>	<i>Compound11</i>			
GR-001-13-1468								

To avoid duplicates residues marked as part of sum are excluded

Pesticide monitoring 2013 Greece on September 22, 2014 at 03:27:57 PM
Table E2: Full listing of samples containing more than one residue by product
All samples from National and EU programmes, surveillance and enforcement

Product=Cherries

<i>LABSAMPCODE</i>	<i>ORIGCOUNTRY</i>	<i>NoResidues</i>	<i>Compound1</i>	<i>Compound2</i>	<i>Compound3</i>	<i>Compound4</i>	<i>Compound5</i>	<i>Compound6</i>
GR-001-13-489	GR	2	Thiacloprid(0.017)	Fenbuconazole(0.01)				
GR-001-13-914	GR	4	Tebuconazole(0.029)	Carbendazim and benomyl(0.028)	Fenbuconazole(0.051)	Acetamiprid(0.025)		
GR-002-13-117	GR	3	Thiacloprid(0.06)	Boscalid(0.22)	Pyraclostrobin(0.02)			
GR-002-13-118	GR	2	Thiacloprid(0.02)	Boscalid(0.1)				
GR-002-13-126	GR	5	Pyraclostrobin(0.02)	Thiametoxam (sum of thiametoxam and clothianidin expressed as thiametoxam)(0.04)	Boscalid(0.11)	Cypermethrin (sum)(0.32)	Fenbuconazole(0.07)	
GR-002-13-127	GR	3	Tebuconazole(0.15)	Etofenprox(0.28)	Chlorpyrifos(0.01)			
GR-002-13-129	GR	4	Fenbuconazole(0.03)	Boscalid(0.04)	Thiametoxam (sum of thiametoxam and clothianidin expressed as thiametoxam)(0.04)	Phosmet (phosmet and phosmet oxon expressed as phosmet)(0.04)		
GR-002-13-130	GR	4	Cyfluthrin (sum)(0.03)	Boscalid(0.14)	Acetamiprid(0.06)	Pyraclostrobin(0.04)		

<i>LABSAMPCODE</i>	<i>Compound7</i>	<i>Compound8</i>	<i>Compound9</i>	<i>Compound10</i>	<i>Compound11</i>
--------------------	------------------	------------------	------------------	-------------------	-------------------

GR-001-13-489

GR-001-13-914

GR-002-13-117

GR-002-13-118

GR-002-13-126

GR-002-13-127

GR-002-13-129

GR-002-13-130

To avoid duplicates residues marked as part of sum are excluded

Pesticide monitoring 2013 Greece on September 22, 2014 at 03:27:57 PM
Table E2: Full listing of samples containing more than one residue by product
All samples from National and EU programmes, surveillance and enforcement

Product=Cherries

<i>LABSAMPCODE</i>	<i>ORIGCOUNTRY</i>	<i>NoResidues</i>	<i>Compound1</i>	<i>Compound2</i>	<i>Compound3</i>	<i>Compound4</i>	<i>Compound5</i>	<i>Compound6</i>
GR-002-13-131	GR	5	Boscalid(0.11)	Acetamiprid(0.07)	Thiacloprid(0.02)	Pyraclostrobin(0.02)	Chlorpyrifos(0.01)	
GR-002-13-138	GR	3	Acetamiprid(0.02)	Carbendazim and benomyl(0.02)	Fenbuconazole(0.05)			
GR-002-13-139	GR	2	Thiacloprid(0.08)	Phosmet (phosmet and phosmet oxon expressed as phosmet)(0.01)				
GR-002-13-151	GR	4	Boscalid(0.14)	Cypermethrin (sum)(0.15)	Acetamiprid(0.06)	Pyraclostrobin(0.01)		
GR-005-13-033	GR	2	Fenhexamid(0.197)	Boscalid(0.042)				

LABSAMPCODE Compound7 Compound8 Compound9 Compound10 Compound11

GR-002-13-131

GR-002-13-138

GR-002-13-139

GR-002-13-151

GR-005-13-033

To avoid duplicates residues marked as part of sum are excluded

Product=Courgettes

LABSAMPCODE	ORIGCOUNTRY	NoResidues	Compound1	Compound2	Compound3	Compound4	Compound5	Compound6	Compound7
GR-001-13-439	GR	2	Pyraclostrobin(0.13)	Propamocarb (sum of propamocarb and its salt expressed as propamocarb)(0.012)					
GR-001-13-443	GR	2	Propamocarb (sum of propamocarb and its salt expressed as propamocarb)(0.011)	Dimethomorph(0.016)					

LABSAMPCODE Compound8 Compound9 Compound10 Compound11

GR-001-13-439

GR-001-13-443

Product=Cucumbers

LABSAMPCODE	ORIGCOUNTRY	NoResidues	Compound1	Compound2	Compound3	Compound4	Compound5
GR-001-13-1177	GR	2	Metalaxyl (Metalaxyl including other mixtures of constituent isomers including Metalaxyl-M (sum of isomers))(0.011)	Dimethomorph(0.016)			
GR-001-13-296	GR	2	Propamocarb (sum of propamocarb and its salt expressed as propamocarb)(0.44)	Fluopicolide(0.037)			
GR-001-13-297	GR	2	Propamocarb (sum of propamocarb and its salt expressed as propamocarb)(0.38)	Fluopicolide(0.034)			
GR-001-13-402	GR	3	Pyrimethanil(0.01)	Iprodione(0.024)	Chlorpyrifos(0.019)		
GR-001-13-420	GR	2	Penconazole(0.013)	Acetamiprid(0.055)			
GR-001-13-440	GR	4	Propamocarb (sum of propamocarb and its salt expressed as propamocarb)(0.072)	Dimethomorph(0.11)	Pyraclostrobin(0.13)	Bupirimate(0.016)	
GR-002-13-308	MK	2	Metalaxyl (Metalaxyl including other mixtures of constituent isomers including Metalaxyl-M (sum of isomers))(0.02)	Dimethomorph(0.02)			

LABSAMPCODE	Compound6	Compound7	Compound8	Compound9	Compound10	Compound11
GR-001-13-1177						
GR-001-13-296						
GR-001-13-297						
GR-001-13-402						
GR-001-13-420						
GR-001-13-440						
GR-002-13-308						

Product=Grapefruit

LABSAMPCODE	ORIGCOUNTRY	NoResidues	Compound1	Compound2	Compound3	Compound4	Compound5
GR-001-13-350	SH	3	Imazalil(1.9)	Pyriproxyfen(0.024)	Thiabendazole(0.58)		
GR-001-13-910	GR	2	Thiabendazole(0.53)	Imazalil(0.27)			
GR-002-13-048	GR	2	Imazalil(0.21)	Chlorpyrifos(0.02)			
GR-002-13-141	ZA	6	Pyriproxyfen(0.02)	Imidacloprid(0.02)	Imazalil(2.2)	Chlorpyrifos(0.04)	Prochloraz (sum of prochloraz and its metabolites containing the 2,4,6-Trichlorophenol moiety expressed as prochloraz)(0.09)
GR-002-13-189	ZA	2	Imazalil(0.9)	Thiacloprid(0.01)			

LABSAMPCODE	Compound6	Compound7	Compound8	Compound9	Compound10	Compound11
GR-001-13-350						
GR-001-13-910						
GR-002-13-048						
GR-002-13-141	Pyraclostrobin(0.03)					
GR-002-13-189						

Product=Leek

LABSAMPCODE	ORIGCOUNTRY	NoResidues	Compound1	Compound2	Compound3	Compound4	Compound5	Compound6
GR-001-13-1169	GR	3	Difenoconazole(0.06)	Cyprodinil(0.18)	Azoxystrobin(0.1)			
GR-001-13-1406	GR	5	Thiophanate-methyl(0.035)	Oxadiazon(0.078)	Methiocarb (sum of methiocarb and methiocarb sulfoxide and sulfone, expressed as methiocarb)(0.034)	Indoxacarb as sum of the isomers S and R(0.18)	Chlorpyrifos(0.1)	

LABSAMPCODE	Compound7	Compound8	Compound9	Compound10	Compound11
GR-001-13-1169					
GR-001-13-1406					

Pesticide monitoring 2013 Greece on September 22, 2014 at 03:27:57 PM
Table E2: Full listing of samples containing more than one residue by product
All samples from National and EU programmes, surveillance and enforcement

Product=Lemons

<i>LABSAMPCODE</i>	<i>ORIGCOUNTRY</i>	<i>NoResidues</i>	<i>Compound1</i>	<i>Compound2</i>	<i>Compound3</i>	<i>Compound4</i>	<i>Compound5</i>
GR-001-13-1103	GR	3	Thiabendazole(0.24)	Pyrimethanil(0.33)	Imazalil(2.7)		
GR-001-13-1194	TR	2	Imazalil(0.17)	Chlorpyrifos(0.041)			
GR-001-13-496	AR	3	Thiabendazole(0.23)	Pyrimethanil(0.45)	Imazalil(2.1)		
GR-001-13-497	AR	4	Thiabendazole(0.62)	Imazalil(5.2)	Carbendazim and benomy(0.39)	Pyrimethanil(3.3)	
GR-001-13-585	AR	3	Pyrimethanil(0.27)	Imazalil(3.2)	Thiabendazole(0.089)		

<i>LABSAMPCODE</i>	<i>Compound6</i>	<i>Compound7</i>	<i>Compound8</i>	<i>Compound9</i>	<i>Compound10</i>	<i>Compound11</i>
GR-001-13-1103						
GR-001-13-1194						
GR-001-13-496						
GR-001-13-497						
GR-001-13-585						

To avoid duplicates residues marked as part of sum are excluded

Product=Lettuce

LABSAMPCODE	ORIGCOUNTRY	NoResidues	Compound1	Compound2	Compound3	Compound4	Compound5
GR-001-13-1419	GR	3	Metalaxyl (Metalaxyl including other mixtures of constituent isomers including Metalaxyl-M (sum of isomers))(0.055)	Indoxacarb as sum of the isomers S and R(0.19)	Bromide ion(1.2)		
GR-001-13-184	GR	4	Thiametoxam (sum of thiametoxam and clothianidin expressed as thiametoxam)(0.97)	Dithiocarbamates(0.48)	Bromide ion(6.2)	Boscalid(0.31)	
GR-001-13-216	GR	2	Disulfoton (sum baby and infant food)(0.017)	Bromide ion(3.2)			
GR-001-13-346	GR	3	Pyraclostrobin(0.081)	Bromide ion(5)	Boscalid(0.7)		
GR-001-13-391	GR	4	Dithiocarbamates(0.1)	Deltamethrin(0.09)	Bromide ion(2.6)	Acetamiprid(0.72)	
GR-001-13-396	GR	5	Thiametoxam (sum of thiametoxam and clothianidin expressed as thiametoxam)(0.022)	Pirimicarb, desmethylformamido-(0.076)	Pirimicarb (sum of Pirimicarb and desmethyl pirimicarb expressed as Pirimicarb)(0.081)	Dithiocarbamates(2.5)	Bromide ion(7)
GR-001-13-400	GR	4	Thiophanate-methyl(0.058)	Imidacloprid(0.012)	Carbendazim and benomyl(0.061)	Bromide ion(0.84)	

LABSAMPCODE Compound6 Compound7 Compound8 Compound9 Compound10 Compound11

GR-001-13-1419

GR-001-13-184

GR-001-13-216

GR-001-13-346

GR-001-13-391

GR-001-13-396

GR-001-13-400

Pesticide monitoring 2013 Greece on September 22, 2014 at 03:27:57 PM
Table E2: Full listing of samples containing more than one residue by product
All samples from National and EU programmes, surveillance and enforcement

Product=Lettuce

<i>LABSAMPCODE</i>	<i>ORIGCOUNTRY</i>	<i>NoResidues</i>	<i>Compound1</i>	<i>Compound2</i>	<i>Compound3</i>	<i>Compound4</i>	<i>Compound5</i>
GR-001-13-474	GR	2	Thiametoxam (sum of thiametoxam and clothianidin expressed as thiametoxam)(0.025)	Boscalid(0.17)			
GR-001-13-547	GR	3	Chlorpyrifos(0.04)	Acetamiprid(0.033)	Spiroxamine(0.01)		
GR-002-13-031	GR	3	Fludioxonil(0.54)	Iprodione(1.56)	Thiametoxam (sum of thiametoxam and clothianidin expressed as thiametoxam)(0.01)		
GR-003-13-009	GR	2	Iprodione(0.62)	Cypermethrin (sum)(0.084)			
GR-003-13-060	GR	2	Chlorpyrifos(0.5)	Boscalid(0.16)			
GR-006-13-249	XX	2	Cypermethrin (sum)(0.2)	Chlorpyrifos(0.019)			
GR-009-13-011	GR	3	Spinosyn A(0.2)	Spinosad (sum of Spinosyn A and Spinosyn D, expressed as Spinosad)(0.25)	Spinosyn D(0.051)		
GR-009-13-022	GR	3	Boscalid(0.45)	Pyraclostrobin(0.04)	Dimethomorph(0.027)		

LABSAMPCODE Compound6 Compound7 Compound8 Compound9 Compound10 Compound11

GR-001-13-474

GR-001-13-547

GR-002-13-031

GR-003-13-009

GR-003-13-060

GR-006-13-249

GR-009-13-011

GR-009-13-022

To avoid duplicates residues marked as part of sum are excluded

Pesticide monitoring 2013 Greece on September 22, 2014 at 03:27:57 PM
Table E2: Full listing of samples containing more than one residue by product
All samples from National and EU programmes, surveillance and enforcement

Product=Lettuce and other salad plants, including Brassica

LABSAMPCODE	ORIGCOUNTRY	NoResidues	Compound1	Compound2	Compound3	Compound4
GR-007-13-135	GR	2	Deltamethrin(0.04)	Cypermethrin (sum)(0.27)		

LABSAMPCODE	Compound5	Compound6	Compound7	Compound8	Compound9	Compound10	Compound11
GR-007-13-135							

Product=Mandarins

LABSAMPCODE	ORIGCOUNTRY	NoResidues	Compound1	Compound2	Compound3	Compound4	Compound5	Compound6
GR-001-13-228	IL	2	Imazalil(2.4)	Chlorpyrifos(0.13)				

LABSAMPCODE	Compound7	Compound8	Compound9	Compound10	Compound11
GR-001-13-228					

Product=Melons

LABSAMPCODE	ORIGCOUNTRY	NoResidues	Compound1	Compound2	Compound3	Compound4
GR-002-13-255	GR	2	Thiophanate-methyl(0.2)	Carbendazim and benomyl(0.03)		

LABSAMPCODE	Compound5	Compound6	Compound7	Compound8	Compound9	Compound10	Compound11
GR-002-13-255							

To avoid duplicates residues marked as part of sum are excluded

Pesticide monitoring 2013 Greece on September 22, 2014 at 03:27:57 PM
Table E2: Full listing of samples containing more than one residue by product
All samples from National and EU programmes, surveillance and enforcement

Product=Olives for oil production

<i>LABSAMPCODE</i>	<i>ORIGCOUNTRY</i>	<i>NoResidues</i>	<i>Compound1</i>	<i>Compound2</i>	<i>Compound3</i>	<i>Compound4</i>
GR-001-13-822	GR	2	Zoxamide(0.013)	Diazinon(0.013)		
GR-007-13-054-14	GR	3	Dimethoate (sum)(0.09)	Cyfluthrin (sum)(0.09)	Chlorpyrifos(0.02)	
GR-007-13-251	GR	2	Dimethoate (sum)(0.07)	Chlorpyrifos(0.05)		
GR-007-13-252	GR	2	Chlorpyrifos(0.03)	Dimethoate (sum)(0.03)		
GR-007-13-253	GR	2	Chlorpyrifos(0.04)	Dimethoate (sum)(0.02)		
GR-007-13-284	GR	2	Deltamethrin(0.05)	Cypermethrin (sum)(0.08)		

<i>LABSAMPCODE</i>	<i>Compound5</i>	<i>Compound6</i>	<i>Compound7</i>	<i>Compound8</i>	<i>Compound9</i>	<i>Compound10</i>	<i>Compound11</i>
GR-001-13-822							
GR-007-13-054-14							
GR-007-13-251							
GR-007-13-252							
GR-007-13-253							
GR-007-13-284							

To avoid duplicates residues marked as part of sum are excluded

Product=Oranges

LABSAMPCODE	ORIGCOUNTRY	NoResidues	Compound1	Compound2	Compound3	Compound4	Compound5
GR-001-13-1203	ZA	3	Thiabendazole(1.3)	Imazalil(1.1)	Imidacloprid(0.012)		
GR-001-13-1340	ZA	4	Trifloxystrobin(0.019)	Thiabendazole(0.62)	Imidacloprid(0.024)	Imazalil(0.66)	
GR-001-13-984	GR	2	Thiabendazole(0.48)	Imazalil(0.48)			
GR-001-13-988	GR	2	Thiabendazole(1.2)	Imazalil(0.74)			
GR-002-13-202	ZA	3	Thiabendazole(2.9)	Pyraclostrobin(0.07)	Imazalil(1.84)		
GR-002-13-268	UY	3	Prochloraz (sum of prochloraz and its metabolites containing the 2,4,6-Trichlorophenol moiety expressed as prochloraz)(0.38)	Imazalil(1.11)	Chlorpyrifos(0.02)		
GR-002-13-301	SZ	3	Chlorpyrifos(0.06)	Trifloxystrobin(0.02)	Imazalil(1.26)		
GR-003-13-040	GR	2	Chlorpyrifos(0.018)	Imazalil(0.386)			
GR-009-13-015	GR	3	Thiabendazole(0.85)	Imazalil(0.71)	Pyraclostrobin(0.016)		
GR-009-13-016	GR	3	Phosmet (phosmet and phosmet oxon expressed as phosmet)(0.016)	Chlorpyrifos(0.055)	Tebufenpyrad(0.055)		

LABSAMPCODE	Compound6	Compound7	Compound8	Compound9	Compound10	Compound11
GR-001-13-1203						
GR-001-13-1340						
GR-001-13-984						
GR-001-13-988						
GR-002-13-202						
GR-002-13-268						
GR-002-13-301						
GR-003-13-040						
GR-009-13-015						
GR-009-13-016						

To avoid duplicates residues marked as part of sum are excluded

Product=Other citrus fruits

<i>LABSAMPCODE</i>	<i>ORIGCOUNTRY</i>	<i>NoResidues</i>	<i>Compound1</i>	<i>Compound2</i>	<i>Compound3</i>	<i>Compound4</i>
GR-002-13-306	CN	2	Chlorpyrifos(0.03)	Prochloraz (sum of prochloraz and its metabolites containing the 2,4,6-Trichlorophenol moiety expressed as prochloraz)(0.2)		
GR-002-13-337	CN	3	Buprofezin(0.02)	Difenoconazole(0.01)	Imazalil(0.07)	
GR-002-13-390	CN	3	Prochloraz (sum of prochloraz and its metabolites containing the 2,4,6-Trichlorophenol moiety expressed as prochloraz)(0.02)	Chlorpyrifos(0.01)	Buprofezin(0.06)	
GR-002-13-405	CN	5	Triadimefon (sum of Triadimefon and Triadimenol)(0.03)	Myclobutanil(0.02)	Buprofezin(0.02)	Chlorpyrifos(0.01)

<i>LABSAMPCODE</i>	<i>Compound5</i>	<i>Compound6</i>	<i>Compound7</i>	<i>Compound8</i>	<i>Compound9</i>	<i>Compound10</i>	<i>Compound11</i>
GR-002-13-306							
GR-002-13-337							
GR-002-13-390							
GR-002-13-405	Prochloraz (sum of prochloraz and its metabolites containing the 2,4,6-Trichlorophenol moiety expressed as prochloraz)(0.11)						

Pesticide monitoring 2013 Greece on September 22, 2014 at 03:27:57 PM
Table E2: Full listing of samples containing more than one residue by product
All samples from National and EU programmes, surveillance and enforcement

Product=Other citrus fruits

<i>LABSAMPCODE</i>	<i>ORIGCOUNTRY</i>	<i>NoResidues</i>	<i>Compound1</i>	<i>Compound2</i>	<i>Compound3</i>	<i>Compound4</i>
GR-002-13-414	CN	3	Myclobutanil(0.01)	Imazalil(0.27)	Chlorpyrifos(0.02)	
GR-002-13-423	CN	2	Chlorpyrifos(0.02)	Prochloraz (sum of prochloraz and its metabolites containing the 2,4,6-Trichlorophenol moiety expressed as prochloraz)(0.08)		

<i>LABSAMPCODE</i>	<i>Compound5</i>	<i>Compound6</i>	<i>Compound7</i>	<i>Compound8</i>	<i>Compound9</i>	<i>Compound10</i>	<i>Compound11</i>
GR-002-13-414							
GR-002-13-423							

To avoid duplicates residues marked as part of sum are excluded

Pesticide monitoring 2013 Greece on September 22, 2014 at 03:27:57 PM
Table E2: Full listing of samples containing more than one residue by product
All samples from National and EU programmes, surveillance and enforcement

<i>Product=Peaches</i>							
<i>LABSAMPCODE</i>	<i>ORIGCOUNTRY</i>	<i>NoResidues</i>	<i>Compound1</i>	<i>Compound2</i>	<i>Compound3</i>	<i>Compound4</i>	
GR-001-13-1023	GR	3	Tebuconazole(0.014)	Fenbuconazole(0.015)	Etofenprox(0.077)		
GR-001-13-1058	GR	5	Trifloxystrobin(0.015)	Pyraclostrobin(0.011)	Fenbuconazole(0.034)	Etofenprox(0.11)	
GR-001-13-1167	GR	4	Pyrazophos(0.023)	Boscalid(0.17)	Flufenoxuron(0.016)	Fenbuconazole(0.02)	
GR-001-13-1176	GR	6	Tebuconazole(0.24)	Fenbuconazole(0.34)	Carbendazim and benomyl(0.05)	Etofenprox(0.12)	
GR-001-13-1178	GR	4	Tebuconazole(0.19)	Propargite(0.15)	Fenbuconazole(0.12)	Chlorpyrifos(0.021)	
GR-001-13-475	GR	2	Imidacloprid(0.021)	Chlorpyrifos(0.028)			
GR-001-13-682	GR	2	Thiophanate-methyl(0.18)	Chlorpyrifos(0.059)			
GR-001-13-777	GR	3	Tebuconazole(0.019)	Cypermethrin (sum)(0.01)	Chlorpyrifos(0.034)		
GR-001-13-896	GR	2	Tebuconazole(0.057)	Cypermethrin (sum)(0.01)			
GR-001-13-912	GR	3	Etofenprox(0.055)	Fenbuconazole(0.011)	Tebuconazole(0.026)		
GR-001-13-996	GR	4	Fenoxycarb(0.04)	Diflubenzuron(0.039)	Acetamiprid(0.013)	Carbendazim and benomyl(0.039)	
GR-002-13-192	GR	3	Cypermethrin (sum)(0.05)	Chlorpyrifos(0.05)	Boscalid(0.02)		
GR-002-13-208	GR	4	Tebuconazole(0.02)	Etofenprox(0.29)	Boscalid(0.17)	Pyraclostrobin(0.01)	
<i>LABSAMPCODE</i>	<i>Compound5</i>	<i>Compound6</i>	<i>Compound7</i>	<i>Compound8</i>	<i>Compound9</i>	<i>Compound10</i>	<i>Compound11</i>
GR-001-13-1023							
GR-001-13-1058	Boscalid(0.092)						
GR-001-13-1167							
GR-001-13-1176	Pyraclostrobin(0.03)	Thiophanate-methyl(0.01)					
GR-001-13-1178							
GR-001-13-475							
GR-001-13-682							
GR-001-13-777							
GR-001-13-896							
GR-001-13-912							
GR-001-13-996							
GR-002-13-192							
GR-002-13-208							

To avoid duplicates residues marked as part of sum are excluded

Pesticide monitoring 2013 Greece on September 22, 2014 at 03:27:57 PM
Table E2: Full listing of samples containing more than one residue by product
All samples from National and EU programmes, surveillance and enforcement

Product=Peaches							
LABSAMPCODE	ORIGCOUNTRY	NoResidues	Compound1	Compound2	Compound3	Compound4	
GR-002-13-209	GR	4	Tebuconazole(0.06)	Cyfluthrin (sum)(0.02)	Chlorpyrifos(0.07)	Etofenprox(0.2)	
GR-002-13-211	GR	2	Fenbuconazole(0.02)	Etofenprox(0.03)			
GR-002-13-222	GR	4	Pyraclostrobin(0.01)	Lambda-Cyhalothrin(0.02)	Cyfluthrin (sum)(0.05)	Boscalid(0.11)	
GR-002-13-223	GR	4	Thiophanate-methyl(0.02)	Cyfluthrin (sum)(0.04)	Carbendazim and benomyl(0.12)	Boscalid(0.05)	
GR-002-13-224	GR	4	Tebuconazole(0.03)	Methoxyfenozide(0.01)	Cyfluthrin (sum)(0.07)	Chlorpyrifos(0.03)	
GR-002-13-242	GR	3	Tebuconazole(0.1)	Etofenprox(0.01)	Chlorpyrifos(0.01)		
GR-002-13-243	GR	2	Boscalid(0.01)	Cyfluthrin (sum)(0.02)			
GR-002-13-244	GR	5	Thiophanate-methyl(0.03)	Pyraclostrobin(0.02)	Fenbuconazole(0.02)	Carbendazim and benomyl(0.1)	
GR-002-13-249	GR	3	Etofenprox(0.02)	Carbendazim and benomyl(0.07)	Thiophanate-methyl(0.02)		
GR-005-13-110	GR	2	Lambda-Cyhalothrin(0.029)	Boscalid(0.1)			
GR-006-13-090	XX	2	Chlorpyrifos(0.01)	Cyfluthrin (sum)(0.043)			
GR-006-13-122	GR	2	Deltamethrin(0.01)	Chlorpyrifos(0.012)			
GR-006-13-175	GR	2	Chlorpyrifos(0.056)	Deltamethrin(0.01)			
LABSAMPCODE	Compound5	Compound6	Compound7	Compound8	Compound9	Compound10	Compound11
GR-002-13-209							
GR-002-13-211							
GR-002-13-222							
GR-002-13-223							
GR-002-13-224							
GR-002-13-242							
GR-002-13-243							
GR-002-13-244	Boscalid(0.17)						
GR-002-13-249							
GR-005-13-110							
GR-006-13-090							
GR-006-13-122							
GR-006-13-175							

To avoid duplicates residues marked as part of sum are excluded

Pesticide monitoring 2013 Greece on September 22, 2014 at 03:27:57 PM
Table E2: Full listing of samples containing more than one residue by product
All samples from National and EU programmes, surveillance and enforcement

Product=Pears

<i>LABSAMPCODE</i>	<i>ORIGCOUNTRY</i>	<i>NoResidues</i>	<i>Compound1</i>	<i>Compound2</i>	<i>Compound3</i>	<i>Compound4</i>	<i>Compound5</i>
GR-001-13-1339	GR	5	Trifloxystrobin(0.025)	Thiophanate-methyl(0.66)	Imidacloprid(0.02)	Chlorpyrifos(0.034)	Carbendazim and benomyl(0.081)
GR-001-13-1542	GR	2	Phosmet (phosmet and phosmet oxon expressed as phosmet)(0.15)	Dimethoate (sum)(0.21)			
GR-001-13-1565	GR	2	Thiacloprid(0.025)	Fenoxycarb(0.056)			
GR-001-13-280	SH	2	Imazalil(0.3)	Chlorpyrifos(0.038)			
GR-001-13-281	SH	2	Imazalil(0.38)	Chlorpyrifos(0.053)			
GR-002-13-002	CN	2	Chlorpyrifos(0.06)	Boscalid(0.01)			
GR-002-13-061	AR	4	Thiacloprid(0.04)	Thiabendazole(0.59)	Iprodione(0.27)	Chlorpyrifos(0.01)	
GR-002-13-104	AR	5	Thiophanate-methyl(0.01)	Thiacloprid(0.04)	Thiabendazole(0.1)	Fludioxonil(0.06)	Chlorpyrifos(0.04)
GR-002-13-179	AR	4	Pyrimethanil(0.06)	Fludioxonil(0.3)	Captan/Folpet (sum)(0.2)	Acetamiprid(0.01)	
GR-002-13-269	GR	7	Thiophanate-methyl(0.13)	Pyraclostrobin(0.04)	Phosmet (phosmet and phosmet oxon expressed as phosmet)(0.04)	Imidacloprid(0.05)	Cyfluthrin (sum)(0.07)
<i>LABSAMPCODE</i>	<i>Compound6</i>	<i>Compound7</i>	<i>Compound8</i>	<i>Compound9</i>	<i>Compound10</i>	<i>Compound11</i>	
GR-001-13-1339							
GR-001-13-1542							
GR-001-13-1565							
GR-001-13-280							
GR-001-13-281							
GR-002-13-002							
GR-002-13-061							
GR-002-13-104							
GR-002-13-179							
GR-002-13-269	Carbendazim and benomyl(0.65)	Boscalid(0.14)					

To avoid duplicates residues marked as part of sum are excluded

Pesticide monitoring 2013 Greece on September 22, 2014 at 03:27:57 PM
Table E2: Full listing of samples containing more than one residue by product
All samples from National and EU programmes, surveillance and enforcement

Product=Pears

<i>LABSAMPCODE</i>	<i>ORIGCOUNTRY</i>	<i>NoResidues</i>	<i>Compound1</i>	<i>Compound2</i>	<i>Compound3</i>	<i>Compound4</i>	<i>Compound5</i>
GR-002-13-274	GR	2	Fenoxycarb(0.09)	Chlorpyrifos(0.09)			
GR-002-13-292	GR	10	Trifloxystrobin(0.01)	Thiacloprid(0.06)	Pyraclostrobin(0.03)	Lambda-Cyhalothrin(0.01)	Imidacloprid(0.02)
GR-002-13-293	GR	2	Imidacloprid(0.04)	Chlorpyrifos(0.03)			
GR-002-13-294	GR	8	Thiophanate-methyl(0.12)	Pyraclostrobin(0.01)	Imidacloprid(0.02)	Fenoxycarb(0.01)	Cyfluthrin (sum)(0.06)
GR-002-13-394	GR	4	Trifloxystrobin(0.03)	Chlorpyrifos(0.02)	Boscalid(0.15)	Pyraclostrobin(0.06)	
GR-002-13-410	GR	3	Diphenylamine(0.03)	Carbendazim and benomyl(0.03)	Methoxyfenozide(0.01)		
GR-005-13-153	GR	2	Trifloxystrobin(0.023)	Cyfluthrin (sum)(0.049)			
GR-005-13-158	GR	2	Chlorpyrifos(0.016)	Boscalid(0.059)			
GR-005-13-167	GR	2	Chlorpyrifos(0.045)	Captan/Folpet (sum)(0.166)			
<i>LABSAMPCODE</i>	<i>Compound6</i>	<i>Compound7</i>	<i>Compound8</i>	<i>Compound9</i>	<i>Compound10</i>	<i>Compound11</i>	
GR-002-13-274							
GR-002-13-292	Cyfluthrin (sum)(0.05)	Carbendazim and benomyl(0.01)	Boscalid(0.03)	Phosmet (phosmet and phosmet oxon expressed as phosmet)(0.07)	Bitertanol(0.09)		
GR-002-13-293							
GR-002-13-294	Carbendazim and benomyl(0.07)	Boscalid(0.02)	Thiacloprid(0.01)				
GR-002-13-394							
GR-002-13-410							
GR-005-13-153							
GR-005-13-158							
GR-005-13-167							

To avoid duplicates residues marked as part of sum are excluded

Product=Pears

LABSAMPCODE	ORIGCOUNTRY	NoResidues	Compound1	Compound2	Compound3	Compound4	Compound5
GR-005-13-169	GR	2	Chlorpyrifos(0.012)	Phosmet (phosmet and phosmet oxon expressed as phosmet)(0.057)			
GR-005-13-170	GR	2	Chlorpyrifos(0.098)	Chlorothalonil(0.017)			
GR-006-13-135	GR	2	Deltamethrin(0.014)	Trifloxystrobin(0.02)			
GR-006-13-179	GR	2	Trifloxystrobin(0.073)	Fluquinconazole(0.021)			
GR-006-13-191	GR	2	Deltamethrin(0.015)	Lambda-Cyhalothrin(0.027)			

LABSAMPCODE	Compound6	Compound7	Compound8	Compound9	Compound10	Compound11
GR-005-13-169						
GR-005-13-170						
GR-006-13-135						
GR-006-13-179						
GR-006-13-191						

Product=Peas (without pods)

LABSAMPCODE	ORIGCOUNTRY	NoResidues	Compound1	Compound2	Compound3	Compound4	Compound5	Compound6
GR-001-13-421	GR	2	Pyraclostrobin(0.023)	Boscalid(0.14)				

LABSAMPCODE	Compound7	Compound8	Compound9	Compound10	Compound11
GR-001-13-421					

Product=Peppers

LABSAMPCODE	ORIGCOUNTRY	NoResidues	Compound1	Compound2	Compound3	Compound4	Compound5
GR-001-13-111	GR	2	Indoxacarb as sum of the isomers S and R(0.032)	Bupirimate(0.57)			
GR-002-13-001	TR	2	Pyraclostrobin(0.07)	Boscalid(0.34)			
GR-002-13-006	TR	2	Pyraclostrobin(0.01)	Boscalid(0.09)			
GR-002-13-009	TR	2	Pyraclostrobin(0.04)	Boscalid(0.19)			
GR-002-13-076	TR	5	Pyrimethanil(0.02)	Pyraclostrobin(0.11)	Hexythiazox(0.03)	Buprofezin(0.04)	Boscalid(0.52)
GR-002-13-080	GR	5	Pyraclostrobin(0.04)	Metaflumizone (sum of E- and Z- isomers)(0.1)	Bupirimate(0.03)	Boscalid(0.28)	Azoxystrobin(0.18)
GR-002-13-172	GR	2	Imidacloprid(0.04)	Formetanate(0.12)			
GR-002-13-181	GR	2	Tebufozide(0.01)	Boscalid(0.03)			
GR-002-13-186	GR	2	Spinosad (sum of Spinosyn A and Spinosyn D, expressed as Spinosad)(0.04)	Indoxacarb as sum of the isomers S and R(0.05)			
GR-002-13-253	GR	4	Oxamyl(0.11)	Cypermethrin (sum)(0.5)	Acetamiprid(0.98)	Chlorpyrifos(0.02)	

LABSAMPCODE Compound6 Compound7 Compound8 Compound9 Compound10 Compound11

GR-001-13-111

GR-002-13-001

GR-002-13-006

GR-002-13-009

GR-002-13-076

GR-002-13-080

GR-002-13-172

GR-002-13-181

GR-002-13-186

GR-002-13-253

Product=Peppers

LABSAMPCODE	ORIGCOUNTRY	NoResidues	Compound1	Compound2	Compound3	Compound4	Compound5
GR-002-13-314	GR	2	Boscalid(0.01)	Formetanate(0.12)			
GR-002-13-343	TR	2	Triadimefon (sum of Triadimefon and Triadimenol)(0.05)	Tebuconazole(0.1)			
GR-002-13-426	TR	4	Thiophanate-methyl(0.02)	Pyrimethanil(0.01)	Fenhexamid(0.03)	Carbendazim and benomyl(0.02)	
GR-003-13-112	GR	2	Boscalid(0.041)	Bupirimate(0.28)			
GR-003-13-151	GR	2	Bupirimate(0.028)	Azoxystrobin(0.078)			
GR-006-13-043	GR	2	Chlorpyrifos(0.017)	Chlorpyrifos-methyl(0.037)			

LABSAMPCODE Compound6 Compound7 Compound8 Compound9 Compound10 Compound11

GR-002-13-314

GR-002-13-343

GR-002-13-426

GR-003-13-112

GR-003-13-151

GR-006-13-043

Product=Plums

LABSAMPCODE	ORIGCOUNTRY	NoResidues	Compound1	Compound2	Compound3	Compound4	Compound5
GR-002-13-191	GR	4	Thiophanate-methyl(0.01)	Phosmet (phosmet and phosmet oxon expressed as phosmet)(0.03)	Fenbuconazole(0.01)	Carbendazim and benomyl(0.03)	

LABSAMPCODE Compound6 Compound7 Compound8 Compound9 Compound10 Compound11

GR-002-13-191

Pesticide monitoring 2013 Greece on September 22, 2014 at 03:27:57 PM
Table E2: Full listing of samples containing more than one residue by product
All samples from National and EU programmes, surveillance and enforcement

Product=Potatoes

<i>LABSAMPCODE</i>	<i>ORIGCOUNTRY</i>	<i>NoResidues</i>	<i>Compound1</i>	<i>Compound2</i>	<i>Compound3</i>	<i>Compound4</i>	<i>Compound5</i>
GR-001-13-982	XX	2	Tetraconazole(0.018)	Myclobutanil(0.024)			
GR-002-13-033	EG	2	Metalaxyl (Metalaxyl including other mixtures of constituent isomers including Metalaxyl-M (sum of isomers))(0.01)	Flutolanil(0.01)			
GR-002-13-416	GR	2	Pirimiphos-methyl(0.02)	Chlorpyrifos(0.01)			
GR-002-13-418	GR	2	Pirimiphos-methyl(0.09)	Chlorpyrifos(0.01)			
GR-002-13-419	GR	2	Pirimiphos-methyl(1.01)	Chlorpyrifos(0.01)			
GR-002-13-421	GR	2	Chlorpyrifos(0.02)	Pirimiphos-methyl(0.22)			

<i>LABSAMPCODE</i>	<i>Compound6</i>	<i>Compound7</i>	<i>Compound8</i>	<i>Compound9</i>	<i>Compound10</i>	<i>Compound11</i>
GR-001-13-982						
GR-002-13-033						
GR-002-13-416						
GR-002-13-418						
GR-002-13-419						
GR-002-13-421						

Product=Quinces

<i>LABSAMPCODE</i>	<i>ORIGCOUNTRY</i>	<i>NoResidues</i>	<i>Compound1</i>	<i>Compound2</i>	<i>Compound3</i>	<i>Compound4</i>
GR-001-13-50	GR	2	Cypermethrin (sum)(0.07)	Bifenthrin(0.02)		

<i>LABSAMPCODE</i>	<i>Compound5</i>	<i>Compound6</i>	<i>Compound7</i>	<i>Compound8</i>	<i>Compound9</i>	<i>Compound10</i>	<i>Compound11</i>
GR-001-13-50							

To avoid duplicates residues marked as part of sum are excluded

Product=Rocket, Rucola

LABSAMPCODE	ORIGCOUNTRY	NoResidues	Compound1	Compound2	Compound3	Compound4	Compound5	Compound6
GR-002-13-030	GR	4	Thiametoxam (sum of thiametoxam and clothianidin expressed as thiametoxam)(0.14)	Pyraclostrobin(1.98)	Boscalid(17.44)	Acetamiprid(0.01)		
GR-002-13-075	IT	3	Pyraclostrobin(0.1)	Metalaxyl (Metalaxyl including other mixtures of constituent isomers including Metalaxyl-M (sum of isomers))(0.02)	Boscalid(1.18)			

LABSAMPCODE Compound7 Compound8 Compound9 Compound10 Compound11

GR-002-13-030

GR-002-13-075

Product=Spinach

LABSAMPCODE	ORIGCOUNTRY	NoResidues	Compound1	Compound2	Compound3	Compound4	Compound5	Compound6
GR-001-13-49	GR	2	Pyraclostrobin(0.18)	Boscalid(7.8)				
GR-003-13-039	GR	2	Chlorpyrifos(0.02)	Boscalid(0.054)				

LABSAMPCODE Compound7 Compound8 Compound9 Compound10 Compound11

GR-001-13-49

GR-003-13-039

Product=Spinach and similar (leaves)

LABSAMPCODE	ORIGCOUNTRY	NoResidues	Compound1	Compound2	Compound3	Compound4
GR-007-13-150	GR	2	Cypermethrin (sum)(2)	Chlorpyrifos(0.18)		

LABSAMPCODE Compound5 Compound6 Compound7 Compound8 Compound9 Compound10 Compound11

GR-007-13-150

To avoid duplicates residues marked as part of sum are excluded

Product=Strawberries

LABSAMPCODE	ORIGCOUNTRY	NoResidues	Compound1	Compound2	Compound3	Compound4
GR-001-13-283	GR	2	Triadimefon (sum of Triadimefon and Triadimenol)(0.32)	Azoxystrobin(0.069)		
GR-001-13-300	GR	2	Spinosad (sum of Spinosyn A and Spinosyn D, expressed as Spinosad)(0.015)	Penconazole(0.071)		
GR-001-13-347	GR	4	Spinosad (sum of Spinosyn A and Spinosyn D, expressed as Spinosad)(0.017)	Pyraclostrobin(0.033)	Boscalid(0.23)	Azoxystrobin(0.36)
GR-001-13-348	GR	3	Spinosad (sum of Spinosyn A and Spinosyn D, expressed as Spinosad)(0.1)	Pyraclostrobin(0.059)	Boscalid(0.4)	
GR-001-13-349	GR	7	Triadimefon (sum of Triadimefon and Triadimenol)(0.22)	Penconazole(0.02)	Formetanate(0.55)	Fludioxonil(0.04)
GR-001-13-372	GR	2	Spinosad (sum of Spinosyn A and Spinosyn D, expressed as Spinosad)(0.034)	Azoxystrobin(0.12)		
GR-001-13-387	GR	2	Fludioxonil(0.031)	Cyprodinil(0.036)		
GR-001-13-498	GR	2	Triadimefon (sum of Triadimefon and Triadimenol)(0.19)	Azoxystrobin(0.38)		
GR-002-13-086	GR	3	Pyraclostrobin(0.02)	Boscalid(0.09)	Azoxystrobin(0.36)	
GR-002-13-120	GR	4	Spinosad (sum of Spinosyn A and Spinosyn D, expressed as Spinosad)(0.03)	Pyraclostrobin(0.1)	Azoxystrobin(0.1)	Boscalid(0.29)

LABSAMPCODE	Compound5	Compound6	Compound7	Compound8	Compound9	Compound10	Compound11
GR-001-13-283							
GR-001-13-300							
GR-001-13-347							
GR-001-13-348							
GR-001-13-349	Cyprodinil(0.088)	Bupirimate(0.021)	Azoxystrobin(0.14)				
GR-001-13-372							
GR-001-13-387							
GR-001-13-498							
GR-002-13-086							
GR-002-13-120							

To avoid duplicates residues marked as part of sum are excluded

Product=Strawberries

LABSAMPCODE	ORIGCOUNTRY	NoResidues	Compound1	Compound2	Compound3	Compound4
GR-003-13-082	GR	2	Azoxystrobin(0.138)	Boscalid(0.113)		
GR-006-13-217	NL	4	Fenhexamid(0.48)	Deltamethrin(0.024)	Bupirimate(0.35)	Penconazole(0.031)

LABSAMPCODE	Compound5	Compound6	Compound7	Compound8	Compound9	Compound10	Compound11
GR-003-13-082							
GR-006-13-217							

Product=Table and Wine grapes

LABSAMPCODE	ORIGCOUNTRY	NoResidues	Compound1	Compound2	Compound3	Compound4
GR-001-13-1205	GR	3	Tetraconazole(0.012)	Penconazole(0.031)	Myclobutanil(0.059)	
GR-003-13-207	GR	2	Penconazole(0.015)	Boscalid(0.74)		
GR-003-13-236	GR	4	Penconazole(0.044)	Indoxacarb as sum of the isomers S and R(0.059)	Famoxadone(0.082)	Cyfluthrin (sum)(0.21)
GR-003-13-237	GR	4	Pyraclostrobin(0.49)	Indoxacarb as sum of the isomers S and R(0.047)	Dimethomorph(0.13)	Boscalid(0.12)
GR-003-13-239	GR	2	Chlorpyrifos-methyl(0.13)	Chlorpyrifos(0.029)		
GR-003-13-240	GR	3	Pyridaben(0.07)	Penconazole(0.042)	Cyfluthrin (sum)(0.082)	
GR-003-13-261	GR	7	Trifloxystrobin(0.026)	Indoxacarb as sum of the isomers S and R(0.054)	Fludioxonil(0.106)	Cyprodinil(0.27)

LABSAMPCODE	Compound5	Compound6	Compound7	Compound8	Compound9	Compound10	Compound11
GR-001-13-1205							
GR-003-13-207							
GR-003-13-236							
GR-003-13-237							
GR-003-13-239							
GR-003-13-240							
GR-003-13-261	Chlorpyrifos-methyl(0.017)	Boscalid(0.049)	Penconazole(0.048)				

To avoid duplicates residues marked as part of sum are excluded

Product=Table grapes

<i>LABSAMPCODE</i>	<i>ORIGCOUNTRY</i>	<i>NoResidues</i>	<i>Compound1</i>	<i>Compound2</i>	<i>Compound3</i>	<i>Compound4</i>	<i>Compound5</i>
GR-001-13-552	CL	5	Spiroxamine(0.019)	Pyrimethanil(0.87)	Fenhexamid(0.14)	Cyprodinil(0.057)	Boscalid(0.2)
GR-002-13-232	GR	6	Trifloxystrobin(0.08)	Tebuconazole(0.02)	Spiroxamine(0.01)	Fluopicolide(0.01)	Fludioxonil(0.16)
GR-002-13-233	GR	3	Spiroxamine(0.03)	Difenoconazole(0.01)	Boscalid(0.01)		
GR-002-13-234	GR	3	Tebuconazole(0.03)	Methoxyfenozide(0.04)	Difenoconazole(0.01)		
GR-002-13-263	GR	2	Thiametoxam (sum of thiametoxam and clothianidin expressed as thiametoxam)(0.02)	Spiroxamine(0.08)			
GR-002-13-285	GR	4	Spiroxamine(0.03)	Methoxyfenozide(0.02)	Fludioxonil(0.06)	Boscalid(0.03)	
GR-005-13-122	GR	2	Chlorpyrifos(0.037)	Boscalid(0.046)			
GR-006-13-187	GR	2	Lambda-Cyhalothrin(0.047)	Cypermethrin (sum)(0.015)			
GR-006-13-200	GR	2	Trifloxystrobin(0.01)	Deltamethrin(0.01)			
GR-007-13-141	GR	2	Chlorpyrifos(0.22)	Lambda-Cyhalothrin(0.05)			
GR-009-13-013	GR	4	Myclobutanil(0.033)	Indoxacarb as sum of the isomers S and R(0.085)	Chlorpyrifos(0.026)	Tetraconazole(0.013)	

<i>LABSAMPCODE</i>	<i>Compound6</i>	<i>Compound7</i>	<i>Compound8</i>	<i>Compound9</i>	<i>Compound10</i>	<i>Compound11</i>
GR-001-13-552						
GR-002-13-232	Difenoconazole(0.02)					
GR-002-13-233						
GR-002-13-234						
GR-002-13-263						
GR-002-13-285						
GR-005-13-122						
GR-006-13-187						
GR-006-13-200						
GR-007-13-141						
GR-009-13-013						

To avoid duplicates residues marked as part of sum are excluded

Pesticide monitoring 2013 Greece on September 22, 2014 at 03:27:57 PM
Table E2: Full listing of samples containing more than one residue by product
All samples from National and EU programmes, surveillance and enforcement

Product=Table grapes

<i>LABSAMPCODE</i>	<i>ORIGCOUNTRY</i>	<i>NoResidues</i>	<i>Compound1</i>	<i>Compound2</i>	<i>Compound3</i>	<i>Compound4</i>	<i>Compound5</i>
<i>GR-009-13-019</i>	<i>GR</i>	<i>4</i>	<i>Indoxacarb as sum of the isomers S and R(0.12)</i>	<i>Cyprodinil(0.62)</i>	<i>Chlorpyrifos(0.039)</i>	<i>Spiroxamine(0.15)</i>	
<i>GR-009-13-021</i>	<i>GR</i>	<i>3</i>	<i>Penconazole(0.018)</i>	<i>Myclobutanil(0.011)</i>	<i>Chlorpyrifos(0.038)</i>		
<i>GR-009-13-036</i>	<i>GR</i>	<i>2</i>	<i>Spiroxamine(0.045)</i>	<i>Methoxyfenozide(0.14)</i>			

<i>LABSAMPCODE</i>	<i>Compound6</i>	<i>Compound7</i>	<i>Compound8</i>	<i>Compound9</i>	<i>Compound10</i>	<i>Compound11</i>
<i>GR-009-13-019</i>						
<i>GR-009-13-021</i>						
<i>GR-009-13-036</i>						

To avoid duplicates residues marked as part of sum are excluded

Product=Tomatoes

LABSAMPCODE	ORIGCOUNTRY	NoResidues	Compound1	Compound2	Compound3	Compound4	Compound5
GR-001-13-1168	GR	2	Thiacloprid(0.14)	Acetamiprid(0.043)			
GR-001-13-1175	GR	2	Indoxacarb as sum of the isomers S and R(0.012)	Famoxadone(0.022)			
GR-001-13-1418	GR	4	Dithiocarbamates(0.62)	Cypermethrin (sum)(0.034)	Bromide ion(2.8)	Acetamiprid(0.22)	
GR-001-13-1495	GR	2	Pyraclostrobin(0.013)	Fenhexamid(0.19)			
GR-001-13-303	GR	2	Fludioxonil(0.079)	Cyprodinil(0.14)			
GR-001-13-308	GR	2	Spinosad (sum of Spinosyn A and Spinosyn D, expressed as Spinosad)(0.017)	Bromide ion(1.3)			
GR-001-13-316	GR	2	Iprodione(0.019)	Bromide ion(1.5)			
GR-001-13-366	GR	7	Thiacloprid(0.042)	Spinosad (sum of Spinosyn A and Spinosyn D, expressed as Spinosad)(0.039)	Pyriproxyfen(0.02)	Pyraclostrobin(0.14)	Iprodione(0.26)

LABSAMPCODE	Compound6	Compound7	Compound8	Compound9	Compound10	Compound11
GR-001-13-1168						
GR-001-13-1175						
GR-001-13-1418						
GR-001-13-1495						
GR-001-13-303						
GR-001-13-308						
GR-001-13-316						
GR-001-13-366	Boscalid(0.45)	Acetamiprid(0.098)				

Pesticide monitoring 2013 Greece on September 22, 2014 at 03:27:57 PM
Table E2: Full listing of samples containing more than one residue by product
All samples from National and EU programmes, surveillance and enforcement

Product=Tomatoes

<i>LABSAMPCODE</i>	<i>ORIGCOUNTRY</i>	<i>NoResidues</i>	<i>Compound1</i>	<i>Compound2</i>	<i>Compound3</i>	<i>Compound4</i>	<i>Compound5</i>
GR-001-13-392	GR	2	Iprodione(0.051)	Bromide ion(0.57)			
GR-001-13-401	GR	4	Iprodione(0.12)	Fenhexamid(0.019)	Bromide ion(1.4)	Acetamiprid(0.01)	
GR-001-13-422	GR	3	Thiophanate-methyl(0.029)	Iprodione(0.25)	Cyprodinil(0.029)		
GR-001-13-437	GR	4	Thiophanate-methyl(0.067)	Thiacloprid(0.02)	Carbendazim and benomyl(0.024)	Acetamiprid(0.017)	
GR-001-13-505	GR	3	Boscalid(0.031)	Acetamiprid(0.01)	Iprodione(0.011)		
GR-001-13-930	GR	2	Spinosad (sum of Spinosyn A and Spinosyn D, expressed as Spinosad)(0.033)	Dimethomorph(0.011)			
GR-002-13-032	TR	2	Fludioxonil(0.25)	Pyrimethanil(0.02)			
GR-002-13-051	TR	6	Pyrimethanil(0.05)	Pyraclostrobin(0.01)	Dimethomorph(0.01)	Chlorothalonil(0.03)	Boscalid(0.03)
GR-002-13-097	GR	3	Metaflumizone (sum of E- and Z-isomers)(0.02)	Acetamiprid(0.03)	Fludioxonil(0.02)		

<i>LABSAMPCODE</i>	<i>Compound6</i>	<i>Compound7</i>	<i>Compound8</i>	<i>Compound9</i>	<i>Compound10</i>	<i>Compound11</i>
GR-001-13-392						
GR-001-13-401						
GR-001-13-422						
GR-001-13-437						
GR-001-13-505						
GR-001-13-930						
GR-002-13-032						
GR-002-13-051	Acetamiprid(0.01)					
GR-002-13-097						

To avoid duplicates residues marked as part of sum are excluded

Product=Tomatoes

LABSAMPCODE	ORIGCOUNTRY	NoResidues	Compound1	Compound2	Compound3	Compound4	Compound5
GR-002-13-116	AL	2	Metalaxyl (Metalaxyl including other mixtures of constituent isomers including Metalaxyl-M (sum of isomers))(0.01)	Iprodione(0.08)			
GR-002-13-258	GR	2	Thiacloprid(0.06)	Bupirimate(0.12)			
GR-002-13-278	AL	3	Buprofezin(0.03)	Acetamiprid(0.07)	Imidacloprid(0.05)		
GR-002-13-304	MK	2	Pyriproxyfen(0.03)	Indoxacarb as sum of the isomers S and R(0.03)			
GR-002-13-307	MK	2	Thiametoxam (sum of thiametoxam and clothianidin expressed as thiametoxam)(0.02)	Dimethomorph(0.02)			
GR-002-13-316	MK	3	Pyriproxyfen(0.02)	Pyrimethanil(0.08)	Metalaxyl (Metalaxyl including other mixtures of constituent isomers including Metalaxyl-M (sum of isomers))(0.02)		
GR-005-13-017	GR	2	Chlorpyrifos(0.037)	Boscalid(0.056)			

LABSAMPCODE	Compound6	Compound7	Compound8	Compound9	Compound10	Compound11
GR-002-13-116						
GR-002-13-258						
GR-002-13-278						
GR-002-13-304						
GR-002-13-307						
GR-002-13-316						
GR-005-13-017						

To avoid duplicates residues marked as part of sum are excluded

Pesticide monitoring 2013 Greece on September 22, 2014 at 03:27:57 PM
Table E2: Full listing of samples containing more than one residue by product
All samples from National and EU programmes, surveillance and enforcement

Product=Tomatoes

<i>LABSAMPCODE</i>	<i>ORIGCOUNTRY</i>	<i>NoResidues</i>	<i>Compound1</i>	<i>Compound2</i>	<i>Compound3</i>	<i>Compound4</i>	<i>Compound5</i>
GR-006-13-130	MF	2	Deltamethrin(0.022)	Azoxystrobin(0.176)			
GR-006-13-139	GR	2	Lambda-Cyhalothrin(0.032)	Azoxystrobin(0.046)			

<i>LABSAMPCODE</i>	<i>Compound6</i>	<i>Compound7</i>	<i>Compound8</i>	<i>Compound9</i>	<i>Compound10</i>	<i>Compound11</i>
GR-006-13-130						
GR-006-13-139						

To avoid duplicates residues marked as part of sum are excluded

Pesticide monitoring 2013 Greece on September 22, 2014 at 03:27:57 PM
Table E2: Full listing of samples containing more than one residue by product
All samples from National and EU programmes, surveillance and enforcement

Product=Vine leaves (grape leaves)

<i>LABSAMPCODE</i>	<i>ORIGCOUNTRY</i>	<i>NoResidues</i>	<i>Compound1</i>	<i>Compound2</i>	<i>Compound3</i>	<i>Compound4</i>	
GR-001-13-1115	GR	10	Spinosad (sum of Spinosyn A and Spinosyn D, expressed as Spinosad)(0.18)	Pyrimethanil(0.017)	Penconazole(0.014)	Myclobutanil(0.18)	
GR-001-13-227	TR	11	Trifloxystrobin(0.023)	Myclobutanil(0.13)	Methoxyfenozide(0.071)	Metalaxyl (Metalaxyl including other mixtures of constituent isomers including Metalaxyl-M (sum of isomers))(0.016)	
GR-001-13-244	GR	8	Trifloxystrobin(0.073)	Penconazole(0.01)	Metalaxyl (Metalaxyl including other mixtures of constituent isomers including Metalaxyl-M (sum of isomers))(0.28)	Methoxyfenozide(0.019)	
GR-001-13-255	GR	2	Azoxystrobin(0.019)	Carbendazim and benomyl(0.028)			
GR-001-13-494	GR	10	Spiroxamine(12)	Pyraclostrobin(0.93)	Methiocarb (sum of methiocarb and methiocarb sulfoxide and sulfone, expressed as methiocarb)(5.6)	Metalaxyl (Metalaxyl including other mixtures of constituent isomers including Metalaxyl-M (sum of isomers))(0.054)	
<i>LABSAMPCODE</i>	<i>Compound5</i>	<i>Compound6</i>	<i>Compound7</i>	<i>Compound8</i>	<i>Compound9</i>	<i>Compound10</i>	<i>Compound11</i>
GR-001-13-1115	Kresoxim-methyl(0.44)	Hexaconazole(0.13)	Flusilazole(0.036)	Dimethomorph(0.017)	Chlorpyrifos(0.029)	Carbendazim and benomyl(0.099)	
GR-001-13-227	Kresoxim-methyl(0.058)	Indoxacarb as sum of the isomers S and R(0.13)	Imidacloprid(0.032)	Flufenoxuron(1.6)	Dimethomorph(0.022)	Boscalid(0.16)	Azoxystrobin(1.4)
GR-001-13-244	Imidacloprid(0.013)	Dimethomorph(0.013)	Boscalid(0.2)	Azoxystrobin(0.033)			
GR-001-13-255							
GR-001-13-494	Fenhexamid(4.4)	Famoxadone(4.4)	Difenoconazole(0.085)	Cymoxanil(0.024)	Acrinathrin(2.3)	Dimethomorph(1.9)	

To avoid duplicates residues marked as part of sum are excluded

Pesticide monitoring 2013 Greece on September 22, 2014 at 03:27:57 PM
Table E2: Full listing of samples containing more than one residue by product
All samples from National and EU programmes, surveillance and enforcement

Product=Vine leaves (grape leaves)

LABSAMPCODE	ORIGCOUNTRY	NoResidues	Compound1	Compound2	Compound3	Compound4
GR-001-13-503	GR	2	Fenoxycarb(29.2)	tau-Fluvalinate(2.38)		
GR-001-13-961	GR	2	Thiophanate-methyl(0.069)	Carbendazim and benomyl(0.47)		
GR-003-13-087	GR	2	Famoxadone(0.61)	Myclobutanil(0.21)		

LABSAMPCODE	Compound5	Compound6	Compound7	Compound8	Compound9	Compound10	Compound11
GR-001-13-503							
GR-001-13-961							
GR-003-13-087							

Product=Wheat

LABSAMPCODE	ORIGCOUNTRY	NoResidues	Compound1	Compound2	Compound3	Compound4	Compound5	Compound6
GR-010-13-141	GR	2	Pirimiphos-methyl(0.028)	Deltamethrin(0.031)				

LABSAMPCODE	Compound7	Compound8	Compound9	Compound10	Compound11
GR-010-13-141					

To avoid duplicates residues marked as part of sum are excluded

Product=Wine grapes

<i>LABSAMPCODE</i>	<i>ORIGCOUNTRY</i>	<i>NoResidues</i>	<i>Compound1</i>	<i>Compound2</i>	<i>Compound3</i>	<i>Compound4</i>	<i>Compound5</i>
GR-002-13-266	GR	6	Thiophanate-methyl(0.07)	Pyraclostrobin(0.02)	Metalaxyl (Metalaxyl including other mixtures of constituent isomers including Metalaxyl-M (sum of isomers))(0.06)	Dimethomorph(0.04)	Carbendazim and benomyl(0.19)
GR-002-13-267	GR	4	Pyraclostrobin(0.03)	Metalaxyl (Metalaxyl including other mixtures of constituent isomers including Metalaxyl-M (sum of isomers))(0.05)	Dimethomorph(0.04)	Boscalid(0.13)	
GR-002-13-272	GR	4	Thiophanate-methyl(0.52)	Flufenoxuron(0.09)	Cyfluthrin (sum)(0.02)	Carbendazim and benomyl(0.23)	
GR-002-13-319	GR	3	Lambda-Cyhalothrin(0.04)	Fenhexamid(0.05)	Boscalid(0.09)		
GR-002-13-320	GR	3	Thiophanate-methyl(0.11)	Cypermethrin (sum)(0.04)	Carbendazim and benomyl(0.1)		
GR-002-13-340	GR	2	Thiophanate-methyl(0.04)	Carbendazim and benomyl(0.08)			
GR-006-13-222	GR	2	Dithiocarbamates(0.86)	Cypermethrin (sum)(1.1)			
GR-010-13-041	GR	4	Thiophanate-methyl(0.199)	Iprodione(0.031)	Carbendazim and benomyl(0.162)	Fenhexamid(0.019)	

<i>LABSAMPCODE</i>	<i>Compound6</i>	<i>Compound7</i>	<i>Compound8</i>	<i>Compound9</i>	<i>Compound10</i>	<i>Compound11</i>
--------------------	------------------	------------------	------------------	------------------	-------------------	-------------------

GR-002-13-266 Boscalid(0.17)

GR-002-13-267

GR-002-13-272

GR-002-13-319

GR-002-13-320

GR-002-13-340

GR-006-13-222

GR-010-13-041

Product=Wine grapes

<i>LABSAMPCODE</i>	<i>ORIGCOUNTRY</i>	<i>NoResidues</i>	<i>Compound1</i>	<i>Compound2</i>	<i>Compound3</i>	<i>Compound4</i>	<i>Compound5</i>
GR-010-13-042	GR	2	Iprodione(0.024)	Thiophanate-methyl(0.012)			
GR-010-13-054	GR	2	Thiophanate-methyl(0.033)	Carbendazim and benomyl(0.04)			
GR-010-13-074	GR	3	Thiophanate-methyl(0.016)	Carbendazim and benomyl(0.02)	Iprodione(0.012)		
GR-010-13-076	GR	2	Thiophanate-methyl(0.024)	Carbendazim and benomyl(0.018)			
GR-010-13-077	GR	2	Thiophanate-methyl(0.153)	Carbendazim and benomyl(0.046)			

<i>LABSAMPCODE</i>	<i>Compound6</i>	<i>Compound7</i>	<i>Compound8</i>	<i>Compound9</i>	<i>Compound10</i>	<i>Compound11</i>
GR-010-13-042						
GR-010-13-054						
GR-010-13-074						
GR-010-13-076						
GR-010-13-077						

SAMPCOUNTRY	LABCODE	SETID	FILENAMEORIGINAL	Laboratory Accreditation	Method Status	Determinations	TRANSMISSIONTIME
GR	GR-001	27737	AnalyticalMeasure1.xml	Accredited		36	22SEP14:13:38:39
GR	GR-001	27737	AnalyticalMeasure1.xml	Accredited	ISO/IEC17025	99964	22SEP14:13:38:39
GR	GR-001	27739	AnalyticalMeasure2.xml	Accredited		9	22SEP14:13:58:11
GR	GR-001	27739	AnalyticalMeasure2.xml	Accredited	ISO/IEC17025	28316	22SEP14:13:58:11
GR	GR-002	27739	AnalyticalMeasure2.xml	Accredited	ISO/IEC17025	27118	22SEP14:13:58:11
GR	GR-002	27739	AnalyticalMeasure2.xml	Accredited	Internally validated	44557	22SEP14:13:58:11
GR	GR-002	27741	AnalyticalMeasure3.xml	Accredited	ISO/IEC17025	7073	22SEP14:14:14:11
GR	GR-002	27741	AnalyticalMeasure3.xml	Accredited	Internally validated	11642	22SEP14:14:14:11
GR	GR-003	27741	AnalyticalMeasure3.xml	Accredited	ISO/IEC17025	9216	22SEP14:14:14:11
GR	GR-003	27741	AnalyticalMeasure3.xml	Accredited	Internally validated	50976	22SEP14:14:14:11
GR	GR-004	27741	AnalyticalMeasure3.xml	Accredited	ISO/IEC17025	120	22SEP14:14:14:11
GR	GR-004	27741	AnalyticalMeasure3.xml	Accredited	Internally validated	11074	22SEP14:14:14:11
GR	GR-005	27741	AnalyticalMeasure3.xml	Accredited	ISO/IEC17025	1477	22SEP14:14:14:11
GR	GR-005	27741	AnalyticalMeasure3.xml	Accredited	Internally validated	8422	22SEP14:14:14:11
GR	GR-005	27743	AnalyticalMeasure4.xml	Accredited	ISO/IEC17025	2117	22SEP14:14:24:38
GR	GR-005	27743	AnalyticalMeasure4.xml	Accredited	Internally validated	7249	22SEP14:14:24:38
GR	GR-006	27743	AnalyticalMeasure4.xml	Accredited	ISO/IEC17025	3860	22SEP14:14:24:38
GR	GR-006	27743	AnalyticalMeasure4.xml	Accredited	Internally validated	15338	22SEP14:14:24:38
GR	GR-007	27743	AnalyticalMeasure4.xml	Accredited	ISO/IEC17025	670	22SEP14:14:24:38
GR	GR-007	27743	AnalyticalMeasure4.xml	Accredited	Internally validated	22610	22SEP14:14:24:38
GR	GR-008	27743	AnalyticalMeasure4.xml	Accredited	ISO/IEC17025	1026	22SEP14:14:24:38
GR	GR-008	27743	AnalyticalMeasure4.xml	Accredited	Internally validated	5159	22SEP14:14:24:38
GR	GR-009	27743	AnalyticalMeasure4.xml	Accredited	ISO/IEC17025	209	22SEP14:14:24:38
GR	GR-009	27743	AnalyticalMeasure4.xml	Accredited	Internally validated	1464	22SEP14:14:24:38
GR	GR-010	27743	AnalyticalMeasure4.xml	Accredited	ISO/IEC17025	24955	22SEP14:14:24:38